

Cheap Android TV Box Supplier China Best Android TV Box Manufacturer

| Specifications | |
|-------------------------|--|
| Model No. | Amlogic A311D Android TV Box Supplier |
| CPU | Amlogic A311D Quad Core ARM Cortex A73 and Dual Core ARM Cortex A53 1.98Ghz |
| GPU | ARM Mali-G52 MP4 (6EE) OpenGL ES 3.2, Vulkan 1.1 and OpenCL 2.0 |
| RAM | DDR4 2GB/4GB |
| ROM | 16GB eMMC (Expandable up to 128GB) |
| OS | Android 9.0 |
| Video&Audio CODEC | |
| Decoding resolution | Support 4K H265 10Bit, H.264, AVS, MPEG-2 and many other formats |
| Multimedia Support | Support MPEG1, MPEG2, MPEG4, H.264, WMV, MKV, TS, flv and other video formats; Support MP3 and other audio formats; support JPG, JPEG, BMP, PNG, GIF and other photo formats |
| Port | |
| Video output | 1 channel LVDS 40-pin 2.0mm double-pin, can support 8bit, 10bit screen; 1 channel HDMI output; 1 channel AV output |
| Video input | x1, MIPI CSI |
| Audio ouput | 4-pin 2.5mm socket 25W@2 amplifier and 3W@2 speaker |
| Network interface | x1, 10M/100M Ethernet WIFI+BT, 2.4G single band or 2.4G/5G dual band for options |
| | PCIE slot (4G) x1 or M.2 slot (4G) x1 for options |
| USB2.0 interface | USB OTG x1 (available for HOST) |
| 002210 1111011400 | USB HOST x7 |
| Backlight interface | x2, 6-pin 2.0mm socket |
| Infrared interface | x1, 7-pin 2.0mm socket, supports both red and green LED indicators |
| Function expansion port | Serial ports x4 |
| TF card slot | x1 |
| SIM card slot | x1 |
| RTC | Supports time synchronization |
| Power | |
| | |


Power Supply


12V, 2.5DC Connector





180mm*95mm*20mm





Amlogic A311D Android Dvelopment Board multimedia network player-LCD driver integrated board adopts Amlogic A311D 12nm high-end chip, which supports UHD 4K@60fps hardware video decoding. It also supports supports H.265 10-bit, H.264 and AVS+ and many other formats. Support HDR10 and HLG high dynamic range processing, with multi-channel UART and USB interfaces. Support Bluetooth, WIFI, 4G and Ethernet functions. Support AV serial use, SD card expansion. Perfectly supports all kinds of touch screens, suitable for high-performance intelligent display terminal equipment, industrial automation terminal, computer vision/algorithm, 3D experience, game/amusement equipment, high-performance face recognition computing/storage, AI intelligence, etc. It can be widely used as a high-end intelligent motherboard for various industries such as finance, advertising, security, transportation, and public transportation.

- (1) With various interfaces
- 1 channel LVDS video output (40pins)
- 1 channel HDMI video output
- 5 channels USB2.0
- 4 channels RS232 (can be modified to USB2.0 by patch)
- 1 channel MIPI CSI
- 1 channel AV output
- 1 channel I2C

- I2SC/IS2B
- 1 channel 25W super power amplifier and 3W speaker interface
- (2) Hybrid networking to break through network constraints
- Support wired, WiFi and 4G access, can realize multi-network hybrid networking
- (3) Easy to operate & fast maintenance
- Support breakpoint playback
- Super multi-period timing switch function
- Support U disk loading or direct playback
- Support automatic repair, remote upgrade, intelligent domain name resolution

Chip Performance

CPU Sub-system

- (1) Ouad Core ARM Cortex-A73 and Dual Core ARM Cortex-A53 CPU
- (2) ARMv8-A architecture with Neon and Crypto extensions
- (3) Unified system L2 cache
- (4) Build-in Cortex-M4 core for always on processing
- (5) Advanced TrustZone security system
- (6) Application based traffic optimization using internal QoS-based switching fabrics
- 3D Graphics Processing Unit
- (1) ARM Mali-G52 MP4 (4ppc) GPU
- (2) 8-wide warps, 2xdual texture pipe, 6x8-wide execution engines(EE)
- (3) Concurrent multi-core processing
- (4) OpenGL ES3.2, Vulkan 1.0 and OpenCL 2.0 support

Video/Picture CODEC

- (1) Amlogic Video Engine (AVE) with dedicated hardware decoders and encoders
- (2) Support multi-video decoder up to 4Kx2K@60fps+1x1080P@60fps
- (3) Supports multiple "secured" video decoding sessions and simultaneous decoding and encoding
- (4) Video/Picture Decoding

VP9 Profile-2 up to4Kx2K@60fps

H.265 HEVCMP-10@L5.1upto 4Kx2K@60fps

AVS2-P2 Profile up to 4Kx2K@60fps

H.264 AVCHP@L5.1upto 4Kx2K@30fps

H.264 MVC up to 1080P@60fps

MPEG-4 ASP@L5 up to 1080P@60fps (ISO-14496)

WMV/VC-1 SP/MP/AP up to 1080P@60fps

AVS-P16(AVS+) /AVS-P2 JiZhun Profile up to1080P@60fps

MPEG-2 MP/HL up to 1080P@60fps(ISO-13818)

MPEG-1MP/HLupto1080P@60fps(ISO-11172)

RealVideo 8/9/10 up to 1080P@60fps

Multiple language and multiple format sub-title videosupport

MJPEG and JPEG unlimited pixel resolution decoding(ISO/IEC-10918)

Supports JPEG thumbnail, scaling, rotation and ransition effects

Supports *.mkv,*.wmv,*.mpg, *.mpeg, *.dat, *.avi,*.mov, *.iso,*.mp4, *.rm and*.jpg file formats

(5) Video/Picture Encoding

Independent JPEG and H.265/H.264 encoder with configurable performance/bit-rate

IPEG image encoding

H.265/H.264 video encoding up to 1080P@60fps with lowlatency

Video Output

- (1) Built-in HDMI 2.1 transmitter including both controller and PHY with CEC, Dynamic HDR and HDCP 2.2, 4Kx2K@60 max resolution output
- (2) CVBS 480i/576i standard definition output
- (3) Supports all standard SD/HD/FHD video output formats: 480i/p, 576i/p, 720p, 1080i/p and 4Kx2K
- (4) 4-lane MIPI DSI interface, resolution up to 1920*1080 with rotation and panel calibration

Chip Performance

CPU Sub-system

- (7) Quad Core ARM Cortex-A73 and Dual Core ARM Cortex-A53 CPU
- (8) ARMv8-A architecture with Neon and Crypto extensions
- (9) Unified system L2 cache
- (10) Build-in Cortex-M4 core for always on processing
- (11) Advanced TrustZone security system
- (12) Application based traffic optimization using internal QoS-based switching fabrics
- 3D Graphics Processing Unit
- (5) ARM Mali-G52 MP4 (4ppc) GPU
- (6) 8-wide warps, 2xdual texture pipe, 6x8-wide execution engines(EE)
- (7) Concurrent multi-core processing
- (8) OpenGL ES3.2, Vulkan 1.0 and OpenCL 2.0 support

Video/Picture CODEC

- (6) Amlogic Video Engine (AVE) with dedicated hardware decoders and encoders
- (7) Support multi-video decoder up to 4Kx2K@60fps+1x1080P@60fps
- (8) Supports multiple "secured" video decoding sessions and simultaneous decoding and encoding
- (9) Video/Picture Decoding

VP9 Profile-2 up to4Kx2K@60fps

H.265 HEVCMP-10@L5.1upto 4Kx2K@60fps

AVS2-P2 Profile up to 4Kx2K@60fps

H.264 AVCHP@L5.1upto 4Kx2K@30fps

H.264 MVC up to 1080P@60fps

MPEG-4 ASP@L5 up to 1080P@60fps (ISO-14496)

WMV/VC-1 SP/MP/AP up to 1080P@60fps

AVS-P16(AVS+) /AVS-P2 JiZhun Profile up to1080P@60fps

MPEG-2 MP/HL up to 1080P@60fps(ISO-13818)

MPEG-1MP/HLupto1080P@60fps(ISO-11172)

RealVideo 8/9/10 up to 1080P@60fps

Multiple language and multiple format sub-title videosupport

MJPEG and JPEG unlimited pixel resolution decoding(ISO/IEC-10918)

Supports JPEG thumbnail, scaling, rotation and transition effects

Supports *.mkv,*.wmv,*.mpg, *.mpeg, *.dat, *.avi,*.mov, *.iso,*.mp4, *.rm and*.jpg file formats

(10) Video/Picture Encoding

Independent JPEG and H.265/H.264 encoder with configurable performance/bit-rate

JPEG image encoding

H.265/H.264 video encoding up to 1080P@60fps with lowlatency

Video Output

- (5) Built-in HDMI 2.1 transmitter including both controller and PHY with CEC, Dynamic HDR and HDCP 2.2, 4Kx2K@60 max resolution output
- (6) CVBS 480i/576i standard definition output
- (7) Supports all standard SD/HD/FHD video output formats: 480i/p, 576i/p, 720p, 1080i/p and 4Kx2K
- (8) 4-lane MIPI DSI interface, resolution up to 1920*1080 with rotation and panel calibration

Welcome to the world of top-notch entertainment with our range of Android TV boxes, where innovation meets affordability. As the leading Android TV box manufacturer in China and a trusted supplier globally, we take pride in delivering cutting-edge technology at budget-friendly prices.

Our Android TV boxes are designed to revolutionize your home entertainment experience. Powered by advanced processors, ample RAM, and spacious storage options, our devices ensure smooth and lag-free streaming of your favorite movies, TV shows, games, and more. With support for high-resolution 4K content, HDR, and Dolby audio, you'll enjoy immersive visuals and crystal-clear sound like never before.

One of the standout features of our Android TV boxes is their versatility. Whether you're a casual viewer, a gaming enthusiast, or a productivity-focused user, our devices cater to all your needs.

Enjoy seamless access to popular streaming platforms like Netflix, Amazon Prime Video, YouTube, and more, directly from your TV screen. The inclusion of Google Play Store opens up a world of apps, games, and utilities, allowing you to customize your entertainment setup to suit your preferences.

Our Android TV boxes are not just about entertainment; they also offer productivity-enhancing features. With the ability to install productivity apps, web browsers, and communication tools, you can turn your TV into a multifunctional hub for work and play.

Connectivity is another area where our Android TV boxes excel. Equipped with HDMI, USB, Ethernet, and Wi-Fi capabilities, you can easily connect to a wide range of devices and networks. Some models even come with Bluetooth support for seamless pairing with accessories like keyboards, mice, and game controllers.

Setting up our Android TV boxes is a breeze, thanks to user-friendly interfaces and intuitive navigation. Whether you're a tech enthusiast or a novice user, you'll find our devices easy to operate and customize according to your preferences.

At our company, quality is paramount. Each Android TV box undergoes rigorous testing to ensure reliability, stability, and long-term performance. We are committed to providing products that exceed customer expectations in terms of quality, features, and value.

In summary, as the best <u>Android TV box manufacturer</u> in China and a reliable supplier worldwide, we offer a winning combination of affordability, performance, and versatility. Transform your TV into a smart entertainment center with our feature-packed Android TV boxes. Experience the future of home entertainment today!