

# Google TV Box HDMI 1.4 1080 P

## Android 4.0 TV Box

### Amlogic 8726 TV Box

- ▶ Amlogic 8726 M3 ARM Cortex A9
- ▶ Quad Core Mali™-400MP GPU
- ▶ Google Android™ 4.0
- ▶ Support HD 1920x1080P

M3H



Amlogic  
Cortex-A9

1GB  
DDR3

4GB  
FLASH

4.0  
Android

Wi-Fi

### مواصفات الأجهزة

وحدة المعالجة المركزية	8726 م3 أمليجيك
GPU	رباعية النواة مالي™ -وحدة معالجة الرسومات 400 ميغابكسل
فلاش	فلاش ناند 4 جيجابايت
ذاكرة	جيجا دي دي ار 3 1

### مواصفات مصدر الطاقة

مزود الطاقة	تيار مستمر 5 فولت/2 أمبير
مؤشر الطاقة (LED)	التشغيل: أزرق؛ الاستعداد: أحمر

### الخصائص الرئيسية

نظام التشغيل	أندرويد™ 4.0
3D	تسريع الرسومات ثلاثية الأبعاد بشكل قوي
دعم تنسيق فك التشفير	MPEG1/2/4, H.264, HD AVC/VC-1, RM/RMVB, Xvid/DivX3/4/5/6, RealVideo8/9/10
دعم تنسيق الوسائط	أفي/RM/Rmvb/Ts/Vob/Mkv/Mov/ISO/wmv/asf/flv/dat/mpg/mpeg
دعم تنسيق الموسيقى	MP3/WMA/AAC/WAV/OGG/AC3/DDP/TrueHD/DTS/DTS/HD/FLAC/APE
دعم تنسيق الصور	HD JPEG/BMP/GIF/PNG/TIFF
USB مضيف	USB HDD ومحرك أقراص U عالي السرعة ثنائي الاتجاه، يدعم قرص USB 2.0 مضيف
قارئ البطاقة	SD/SDHC/MMC بطاقات
نظام ملفات الأقراص الصلبة	FAT16/FAT32/NTFS بوصة 2.5
دعم الترجمة	SRT/SMI/SUB/SSA/IDXUSB
إخراج فيديو عالي الوضوح	بحد أقصى 1920 × 1080 بكسل SD/HD
لغات OSD نوع	الإنجليزية/الفرنسية/الألمانية/الإسبانية/الإيطالية/الخ اللغات المتعددة الأطراف
لان	RJ-45 إيثرنت: 10/100 م، معيار
لاسلكي	WIFI™ بنيت في
الماوس/لوحة المفاتيح	؛ ويدعم الماوس اللاسلكي 2.4 جيجا هرتز وUSB يدعم الماوس ولوحة المفاتيح عبر
إتش دي ام إي™	جيجا هرتز USB 2.4 لوحة المفاتيح عبر دونجل
مركبات وأشعة فوق بنفسجية	حتى 1080 بكسل HDMI™ 1.4
سبيديف/IEC958	يدعم
	البصرية والمحورية

### مواصفات البرمجيات

وطيفة الشبكة	دردشة سكايب، بيكاسا، يوتيوب، فليكر، فيسبوك، الأفلام عبر الإنترنت، إلخ
ميزة أخرى	الكثير، Android™ بحث مجاني على الإنترنت، الآلاف من تطبيقات وأنواع الألعاب، إلخ.





# Picture Show





Tomato

Tomato

# Tomato



Camera

Tomato  
Tomato



APPS

WIDGETS



SHOP

Tomato  
Tomato



AppInstaller



Browser



Calculator



Calendar



Camera



Clock



Downloads



Email



FileBrowser



Gallery



Media Center



MoviePlayer



MusicPlayer



Network



OOBE



PicturePlayer



Play Store



Popular Weeds



PPP-OC



screenshot



Search



Settings




Upgrade

Tomato



Tomato





WIRELESS & NETWORKS

- Wi-Fi
- Bluetooth
- Ethernet
- More...

DEVICE

- Sound
- Display
- Storage
- Apps

PERSONAL

- Accounts & sync
- Location services

Volumes

SYSTEM

Touch sounds

Digital audio output

PCM	<input checked="" type="radio"/>
RAW	<input type="radio"/>

Cancel



WIRELESS & NETWORKS

- Wi-Fi
- Bluetooth
- Ethernet
- More...

DEVICE

- Sound
- Display
- Storage
- Apps


PERSONAL

- Accounts & sync
- Location services

Output mode

480I	<input type="radio"/>
480P	<input type="radio"/>
576I	<input type="radio"/>
576P	<input type="radio"/>
720P 60HZ	<input type="radio"/>
1080I 60HZ	<input type="radio"/>
1080P 60HZ	<input type="radio"/>
720P 50HZ	<input type="radio"/>
1080I 50HZ	<input type="radio"/>
1080P 50HZ	<input checked="" type="radio"/>

Cancel



Storage

Apps

PERSONAL

Accounts & sync

Location services

Security

Language & input

Backup & reset

SYSTEM

Date & time

Accessibility

Developer options

About MediaBox

System updates

Status

Status of network, Serial number and other information

Legal information

Model number

MBX reference board (f16ref)

Android version

4.0.4

Kernel version


2.6.34  
ubuntu@ubuntu-desktop #51  
Thu Mar 21 13:24:15 CST 2013

Build number

ICS.MBX.20130325

Ethernet Info

IP address,DNS,MAC address,etc.



Scores Test Ranking

Scores


Detailed Scores

Benchmark by AnTuTu v3

2500

Check scores

Test Again Submit Scores



Authenticated



★★★★★

MBX reference board (f16ref)

Unauthenticated, please contact with us:

Unknown

marketing@antutu.com



Test




Chart



Info



Forum



Phone model:  
MBX reference board (f16ref)

Brand:  
MBX

CPU hardware:  
AMLOGIC MESON3 8726M SKT SH

CPU model:  
ARMv7 Processor

CPU frequency:  
100.0 ~ 1000.0 MHz

Screen resolution:  
1280 x 672

Screen density:  
160 dpi

GPU vendor:  
ARM

GPU renderer:  
Mali-400 MP

GPU version (OpenGL):  
OpenGL ES 2.0



Test



Chart



Info



Forum

GPU vendor:  
ARM

GPU renderer:  
Mali-400 MP

GPU version (OpenGL):  
OpenGL ES 2.0

Memory size (available/total):  
963.5 / 1022.0 MB

RAM size (available/total):  
296.8 / 852.6 MB

SD card size (available/total):  
2096.0 / 2096.9 MB

Android version:  
4.0.4

Build number:  
ICS.MBX.20130325

IMEI:  
591321361009121

Kernel:  
Linux version 2.6.34 (ubuntu@ubuntu-desktop) (gcc version 4.4.1 (Sourcery G++ Lite 2010q1-202)) #51 Thu Mar 21 13:24:15 CST 2013



Test



Chart



Info



Forum