

Full HD

Smart Android TV Box

Smart Android TV Box
S905Y4 Cortex-A35 (S905Y4)
Mali-G31 MP2 OpenGL ES 1.1/2.0/3.2 OpenCL 2.0 Vulkan 1.1
2 1/2/4
16 8/16/32
11
2.4G 5G IEEE 802.11

AV1 MP-10@L5.1 4 Kx2K@60

AV1 MP-10@L5.1 4 Kx2K@60
VP9 Profile-2 4 Kx2K@60
H.265 HEVC MP-10@L5.1 4 Kx2K@60
H.264 AVC HP@L5.1 4 Kx2K@30
MPEG-4 ASP@L5 1080 P@60 (ISO-14496)
WMV/VC-1 SP/MP/AP 1080 P@60
AVS-P16(AVS) /AVS-P2 JiZhun 1080 P@60
MPEG-2 MP/HL 1080 P@60 (ISO-13818)
MPEG-1 MP/HL 1080 P@60 (ISO-11172)
JPEG
*.mkv *.wmv *.mpg *.mpeg *.dat *.avi *.mov *.iso
*.mp4 *.rm *.jpg

MP3 AAC WMA RM FLAC

4 K*2K UHD HDMI 2.1

4 K*2K UHD HDMI 2.1
1 * USB2.0
2.5
.4
-C 2/5

HD JPEG BMP GIF PNG TIF

HD JPEG BMP GIF PNG TIF

ONENUTS

4K TV Box features with HDR10+



Amlogic S905Y4 Quad Core

With ARM Cortex-A35 high-performance CPU which delivers the best combination of power efficiency and performance in its class

CPU 4core 64 bit
Cortex A35

GPU Mali-G31
MP2

RAM 2/4G
ROM 16/32G




4GB RAM, Large Memory

Large storage capacity that allows you to install a wide number of applications



Android 11

Latest system, enhanced protection of user privacy



Android 11

Android 10

Android 9.0



Android 11



NETFLIX

Google play

YouTube

chrome

AV1

1



AV1 20%~30%

VP9

H.265



4K

HDR10+

H.265
HEVC

With the latest HDR10+ technology and high speed 4K processing up to 60fps playback. Bring you a lifelike viewing experience.



Low Power Consumption

Ensure stronger and more stable WiFi signal with faster transmission speed. Never worry about disconnect from WiFi.



2.4G&5G WiFi



Fast, stable, multi-devices connection

External devices available via BT function



Headset



Speaker



Mouse



Tablet



Phone



BT4.X

Mini TV Stick

Delicate and smooth appearance design with fashionable blue signal light, which make your eyes brightly.




WHAT CAN WE DO?

With elegant design and excellent performance, our products are warmly welcomed internationally.



Play games



Watch movies



Working Conference




Music sharing



Interface & Dimension

Convenient, fast, rechargeable and data transmission type-C of the interface



Amlogic S905Y4 SoC 採用 雙核 四核 雙通道 雙通道 雙通道 雙 ARM Cortex-A35 處理器 雙核 雙核 雙核 雙核 Mali-G31 MP2 處理器 雙通道 雙通道 雙通道 雙通道 雙通道 雙通道 H.265 VP9 AV1 4 通道 K@120 8 通道 雙核 雙核 雙核 雙核 雙核 雙核 K HDR 雙通道。

雙核 雙核 雙核 Amlogic S905Y4 雙核 雙核 雙核 雙核 A35 雙核 雙核 雙核 雙核 雙核 雙核 Cortex-A55 雙核 雙核 雙核 %32 雙核 雙核 雙核 雙核 雙核 雙核 雙核 雙核 Cortex-A55。

雙核 雙核 Amlogic S905Y4 SoC 雙核 雙核 雙核 雙核 雙核 雙核 12 雙核 雙核 雙核 雙核 雙核 雙核 ARM Cortex-A35 雙核 雙核 雙核 雙核 雙核 雙核 1.8 雙核 雙核 雙核 雙核 HDMI 2.1 4 通道 K@120fps 8 通道 K 雙核 雙核 USB 3.0 雙核 雙核 雙核 雙核 eMMC Ethernet 10/100 雙核 雙核 雙核 雙核 雙核 8 雙核 雙核 雙核 雙核。

雙核 雙核 雙核 雙核 Amlogic S905Y4 SoC 雙核 雙核 雙核 雙核 雙核 ARM Cortex-A35 雙核 雙核 雙核 雙核 雙核 雙核 2 雙核。

GPU


GPU는 Mali-G31 MP2 GPU를 탑재하여 최대 650 MHz의 클럭 속도로 동작하며 (0.65) 2.6 = 1.3 (Mali-450). OpenGL ES 3.2, Vulkan 1.2, OpenCL 2.0 FP, Render Script, L2 Cache, 512 AMBA 4 ACE-LITE.

영상 처리

영상 처리는 h.265 VP9, AV1, HDR, REC709 / BT2020, UHD 4K@120fps 8K, HDMI 2.1, 512 AMBA 4 ACE-LITE.

시스템 인터페이스

11 (API 30) 5.4.86



Smart Android TV Box. Full HD, HDR, 4K@120fps, 8K, HDMI 2.1, 512 AMBA 4 ACE-LITE.

1. Full HD. HDR, 4K@120fps, 8K, HDMI 2.1, 512 AMBA 4 ACE-LITE.
2. 512 AMBA 4 ACE-LITE.

