

Full-HD-Mediaplayer RK3288 Quad-Core 2,4G/5G WLAN



Spezifikationen des Anhangs

Modell#	Android Smart Mini Box
CPU	RK3288 Ultra Quad-Core Cortex-A17-Serie, bis zu 1,8 GHz
Hauptfrequenz	Quad-Core-ARM-Cortex-A17-CPU mit bis zu 1,8 GHz und GPU ist Mali™-T764
Innere Erinnerung	2G DDR3
Erinnerung	8G
Betriebssystem	Android™ 4.4.2
Benutzeroberfläche	Android™-Systemschnittstellenstil
Video	4K H.264/H.265-Decoder, 1080P Multi-Video-Decoder
Audio	1080P-Videokodierung für H.264 und VP8, MVC
Bild	MP3/WMA/APE/FLAC/AAC/OGG/AC3/WAV usw.
Blitz	Unterstützt das Durchsuchen verschiedener Bildformate (jpg , png, bmp usw. □
Speichererweiterung	Unterstützt Flash
USB	Unterstützt TF-Karte und mobile Festplattenerweiterung
TF-Karte	1 USB HOST 2.0 unterstützt 3G
HDMI™	Unterstützt bis zu 32 GB Kapazität
Bluetooth™	HDMI™ 2.0 3D HD-Ausgabe (1080P)
WiFi™	BT 4.0
Rj45	2,4G/5G WiFi™
Audio optisch	Verbinden Sie das Kabelnetzwerk
Fernbedienung	Unterstützt optischen Audioausgang
Spannungsparameter	Unterstützt IR-Fernbedienung und 2,4-G-Funkfernbedienung
	5V-2,5A Gleichstrom



Picture Show



Antenna

HDMI



HDMI

RECOVER



RJ45

USB

IR

TF

OTG

DC



mini BOX



mini BOX



mini BOX



mini BOX





Wi-Fi

WIRELESS & NETWORKS

- Wi-Fi ON
- Bluetooth ON
- Ethernet
- Data usage
- More...

DEVICES

- Tomato

Tomato	
Status	Connected
Signal strength	Good
Link speed	65Mbps
Security	WPA2 PSK

08:49

Ethernet

- Bluetooth ON
- Ethernet ON
- Data usage
- More...

DEVICES

- USB
- Sound
- Display

Ethernet

Ethernet is enabled

MAC
5a:d0:02:2b:4a:4a

IP address
0.0.0.0

netmask
0.0.0.0

gateway
0.0.0.0

dns1
0.0.0.0

08:50

Storage


- Display
- ScreenshotSetting
- Storage
- Apps

PERSONAL

- Security
- Language & input
- Backup & reset

INTERNAL STORAGE

Category	Value
Total space	1.91 GB
Available	1.61 GB
Apps (app data & media content)	288 MB
Cached data	54.93 MB



08:55

CPU-Z SOC SYSTEM BATTERY SENSORS ABOUT

ARM ARM 0xc0d
1.80 GHz

CPU Architecture	ARM 0xc0d
Cores	4
Revision	r0p1
Clock Speed	312 MHz - 1.80 GHz
Core 0	600 MHz
Core 1	600 MHz
Core 2	600 MHz
Core 3	600 MHz
CPU Load	3 %
GPU Vendor	ARM
GPU Renderer	Mali-T764

08:55

CPU-Z SOC SYSTEM BATTERY SENSORS ABOUT

Model	rk3288 (rk3288)
Manufacturer	rockchip
Board	rk30sdk
Display	rk3288-eng 4.4.2 KOT49H eng.ant.20140910.191101 test-keys
Hardware	rk30board
Android Version	4.4.2
Kernel Architecture	armv7l
Kernel Version	3.10.0 (eng.ant.20140910.191101)
Screen Resolution	1920 x 1008
Screen Density	240 dpi
Total RAM	2019 MB
Available RAM	989 MB (48%)
Internal Storage	1.91 GB
Available Storage	1.62 GB (85%)
Root Access	Yes

08:56

Wifi Analyzer VIEW SETTINGS

Connected to: Tomato a8:15:4d:67:8e:0e

Tomato (a8:15:4d:67:8e:0e)	TP-LINK TECHNOLOGIES CO., LTD
CH 1 2412 MHz	-52 dBm
WPA2	
Hung (b8:55:10:8a:40:cc)	ZIONCOM ELECTRONICS (SHENZHEN) LTD
CH 11 2462 MHz	-51 dBm
WPA2	
HiWiFi_0122A2 (d4:ee:07:01:22:a2)	HIWIFI CO., LTD
CH 1 2412 MHz	-50 dBm