

## 4.0 Android TV box XBMC media player HDD soporte interno M3H

### Amlogic 8726 TV Box

M3H

- ▶ Amlogic 8726 M3 ARM Cortex A9
- ▶ Quad Core Mali™-400MP GPU
- ▶ Google Android™ 4.0
- ▶ Support HD 1920x1080P

Amlogic  
Cortex-A9

1GB  
DDR3

4GB  
FLASH

4.0  
Android

Wi-Fi



### Especificaciones de hardware

CPU	ARM Cortex A9 de Amlogic 8726 M3
GPU	Quad Core Mali™-400MP GPU
Flash	4GB NAND FLASH
Memoria	1GB DDR3

### Especificaciones de la fuente de poder

Fuente de alimentación	DC 5V/2A
Indicador (LED)	ON:blue de potencia; Espera: rojo

### Características principales

OS	Android™ 4.0
3D	Gráficos 3D hardware aceleración
Ayuda decodificador Formato	MPEG1/2/4,H.264 HD, HD AVC y VC-1, RM/RMVB, Xvid/DivX3/4/5/6, RealVideo8/9/10
Formato de los medios de apoyo	AVI/Rm/Rmvb/Ts/Vob/Mkv/Mov/ISO/wmv/asf/flv/dat/mpg/mpeg
Formato de música de la ayuda	MP3/WMA/AAC/WAV/OGG/AC3/DDP/TrueHD/DTS/DTS/HD/FLAC/APE
Formato de la foto de apoyo	HD JPEG/BMP/GIF/PNG/TIFF
Anfitrión del USB	2 vías de alta velocidad USB 2.0 host, soporte U DISK y USB HDD
Lector de tarjetas	Tarjetas SD/SDHC/MMC
Archivo de disco DURO Sistema de	FAT16/FAT32/NTFS; Apoyo interno 2.5" HDD
Subtítulo de la ayuda	SRT/SMI/SUB/SSA/IDX + USB
Vídeo de alta definición Salida	Pixel de max.1920x1080 SD/HD
Tipo OSD de idiomas	Inglés/francés/alemán/español/italiano etc. multilaterales idiomas
LAN	Ethernet: 10 / 100M, RJ-45 estándar
Wireless	Construido en WIFI™
Ratón / teclado	Soporte de ratón y teclado mediante USB; Ratón inalámbrico de 2,4 GHz de apoyo y teclado vía USB de 2,4 GHz dongle
HDMI™	HDMI™ 1.4 hasta 1080p
AV y YUV	Apoyo
SPDIF/IEC958	Óptica y coaxial

### Especificaciones de software

Función de red	Skype Chat, Picasa, Youtube, Flickr, Facebook, Películas Online, etc.
Otra característica	Conexión gratuita a Internet Búsqueda, miles de aplicaciones Android™, muchos Clases de juegos, etc..

Android TV Box soporte Hi-Fi audio decodificación, completo HD decodificación de vídeo 1080p y salida de... características avanzadas tales como PPPOE, AP WiFi y DLNA, soporte interno SATA de disco duro y los dispositivos externos como USB flash, disco duro USB, tarjeta SD/SDHC/MMC.

### **¿Qué es la caja?**

- 1 \* android TV Box
- 1 \* Cable HDMI
- 1 \* Control remoto
- 1 \* adaptador de corriente
- 1 \* Manual de usuario



# Picture Show



Tomato

Tomato

Tomato



Camera

Tomato  
Tomato



APPS

WIDGETS



SHOP

Tomato  
Tomato



AppInstaller



Browser



Calculator



Calendar



Camera



Clock



Downloads



Email



FileBrowser



Gallery



Media Center



MoviePlayer



MusicPlayer



Network



OOBE



PicturePlayer



Play Store



Popular Weeds



PPP-OC



screenshot



Search



Settings




Upgrade

Tomato



Tomato



WIRELESS & NETWORKS

- Wi-Fi
- Bluetooth
- Ethernet
- More...

DEVICE

- Sound
- Display
- Storage
- Apps

PERSONAL

- Accounts & sync
- Location services

Volumes

SYSTEM

Touch sounds

Digital audio output

PCM

RAW



Cancel

WIRELESS & NETWORKS

- Wi-Fi
- Bluetooth
- Ethernet
- More...

DEVICE

- Sound
- Display
- Storage
- Apps

PERSONAL

- Accounts & sync
- Location services

Output mode

480I

480P

576I

576P

720P 60HZ

1080I 60HZ

1080P 60HZ

720P 50HZ

1080I 50HZ

1080P 50HZ



Cancel

Storage

Apps

PERSONAL

Accounts & sync

Location services

Security

Language & input

Backup & reset

SYSTEM

Date & time

Accessibility

Developer options

About MediaBox

System updates

Status

Status of network, Serial number and other information

Legal information

Model number

MBX reference board (f16ref)

Android version

4.0.4

Kernel version

2.6.34  
ubuntu@ubuntu-desktop #51  
Thu Mar 21 13:24:15 CST 2013

Build number

ICS.MBX.20130325

Ethernet Info

IP address,DNS,MAC address,etc.



Scores Test Ranking

Scores


Detailed Scores

Benchmark by AnTuTu v3

2500

Check scores

Test Again Submit Scores



Authenticated



★★★★★

MBX reference board (f16ref)

Unauthenticated, please contact with us:

Unknown

marketing@antutu.com



Test




Chart



Info



Forum



Phone model:  
MBX reference board (f16ref)

Brand:  
MBX

CPU hardware:  
AMLOGIC MESON3 8726M SKT SH

CPU model:  
ARMv7 Processor

CPU frequency:  
100.0 ~ 1000.0 MHz

Screen resolution:  
1280 x 672

Screen density:  
160 dpi

GPU vendor:  
ARM

GPU renderer:  
Mali-400 MP

GPU version (OpenGL):  
OpenGL ES 2.0



Test



Chart



Info



Forum

GPU vendor:  
ARM

GPU renderer:  
Mali-400 MP

GPU version (OpenGL):  
OpenGL ES 2.0

Memory size (available/total):  
963.5 / 1022.0 MB

RAM size (available/total):  
296.8 / 852.6 MB

SD card size (available/total):  
2096.0 / 2096.9 MB

Android version:  
4.0.4

Build number:  
ICS.MBX.20130325

IMEI:  
591321361009121

Kernel:  
Linux version 2.6.34 (ubuntu@ubuntu-desktop) (gcc version 4.4.1 (Sourcery G++ Lite 2010q1-202)) #51 Thu Mar 21 13:24:15 CST 2013



Test



Chart



Info



Forum