

Boîtier TV Android TV Quad Core RK3288

Quad-Core 1,8 GHz Cortex-A17

Spécifications de l'annexe

Modèle#	Mini-boîtier intelligent Android
CPU	Série RK3288 Ultra Quad-Core Cortex-A17, jusqu'à 1,8 GHz
Fréquence principale	Processeur quadricœur ARM Cortex-A17 avec jusqu'à 1,8 GHz et GPU Mali™ -T764
Mémoire intérieure	2G DDR3
Mémoire	8G
Système opérateur	Android™ 4.4.2
Interface utilisateur	Style d'interface du système Android™
Vidéo	Décodeur 4K H.264/H.265, décodeurs multi-vidéo 1080P Encodage vidéo 1080P pour H.264 et VP8, MVC
l'audio	MP3/WMA/APE/FLAC/AAC/OGG/AC3/WAV, etc.
Image	Prend en charge une variété de formats d'image pour la navigation (jpg □ png □ bmp etc. □
Éclair	Prend en charge Flash
Extension de stockage	Prise en charge de la carte TF et de l'extension du disque dur mobile
USB	1 hôte USB 2.0 prenant en charge la 3G
carte TF	Prise en charge d'une capacité de 32 Go
HDMI™	HDMI™ 2.0 3D Sortie HD (1080P)
Bluetooth™	BT 4.0
Wi-Fi™	Wi-Fi™ 2,4G/5G
Rj45	Connexion du réseau filaire
Audio Optique	Prend en charge la sortie optique audio
Télécommande	Prise en charge de la télécommande IR et de la télécommande sans fil 2,4 G
Paramètres de tension	5 V-2,5 A CC.



Picture Show



Antenna

HDMI



HDMI

RECOVER



RJ45

USB

IR

TF

OTG

DC



mini BOX



mini BOX




mini BOX



mini BOX





Wi-Fi

WIRELESS & NETWORKS

- Wi-Fi ON
- Bluetooth ON
- Ethernet
- Data usage
- More...

DEVICES

- Tomato

Status	Connected
Signal strength	Good
Link speed	65Mbps
Security	WPA2 PSK

08:49

Ethernet

- Bluetooth ON
- Ethernet ON
- Data usage
- More...

DEVICES

- USB
- Sound
- Display

Ethernet

Ethernet is enabled

MAC
5a:d0:02:2b:4a:4a

IP address
0.0.0.0

netmask
0.0.0.0

gateway
0.0.0.0

dns1
0.0.0.0

08:50

Storage


- Display
- ScreenshotSetting
- Storage
- Apps

PERSONAL

- Security
- Language & input
- Backup & reset

INTERNAL STORAGE

Total space	1.91 GB
Available	1.61 GB
Apps (app data & media content)	288 MB
Cached data	54.93 MB



Details 08:53

38156

rk3288

CPU: Good, Supports large apps and multitasking. RAM: Excellent, 2D graphics: Excellent, 3D graphics: Excellent, Fluently support large mobile games.

UX Android 4.4.2

Multitask: 10801

Runtime: 4613

RAM 1227.8 / 2019.4 MB

RAM Operation: 2102

RAM Speed: 2049

AnTuTu Benchmark 08:54

Test Ranking Device Info

Basic Information

Brand	rockchip
Model	rk3288
Android Version	4.4.2
CPU Model	Rockchip RK3288
Renderer	Mali-T764
Resolution	1920 x 1080
IMEI	012345678912345

AnTuTu Benchmark 08:54

Test Ranking Device Info

Internal Storage Available: 4.17GB

Junk Files (54MB) Clean

CPU

CPU Model	Rockchip RK3288
Cores	4
Frequency	312.0 ~ 1800.0 MHz

[More CPU Information](#)

Display

Renderer	Mali-T764
Vender	ARM

08:55

CPU-Z SOC SYSTEM BATTERY SENSORS ABOUT

ARM ARM 0xc0d
1.80 GHz

CPU Architecture	ARM 0xc0d
Cores	4
Revision	r0p1
Clock Speed	312 MHz - 1.80 GHz
Core 0	600 MHz
Core 1	600 MHz
Core 2	600 MHz
Core 3	600 MHz
CPU Load	3 %
GPU Vendor	ARM
GPU Renderer	Mali-T764

08:55

CPU-Z SOC SYSTEM BATTERY SENSORS ABOUT

Model	rk3288 (rk3288)
Manufacturer	rockchip
Board	rk30sdk
Display	rk3288-eng 4.4.2 KOT49H eng.ant.20140910.191101 test-keys
Hardware	rk30board
Android Version	4.4.2
Kernel Architecture	armv7l
Kernel Version	3.10.0 (eng.ant.20140910.191101)
Screen Resolution	1920 x 1008
Screen Density	240 dpi
Total RAM	2019 MB
Available RAM	989 MB (48%)
Internal Storage	1.91 GB
Available Storage	1.62 GB (85%)
Root Access	Yes

08:56

Wifi Analyzer VIEW SETTINGS

Connected to: Tomato a8:15:4d:67:8e:0e

Tomato (a8:15:4d:67:8e:0e)	TP-LINK TECHNOLOGIES CO., LTD
CH 1 2412 MHz -52 dBm	
WPA2	
Hung (b8:55:10:8a:40:cc)	ZIONCOM ELECTRONICS (SHENZHEN) LTD
CH 11 2462 MHz -51 dBm	
WPA2	
HiWiFi_0122A2 (d4:ee:07:01:22:a2)	HIWIFI CO., LTD
CH 1 2412 MHz -50 dBm	