

Google tv box Quad Core Mali-400MP GPU 4.0 Android tv box M3H

Amlogic 8726 TV Box

M3H

- ▶ Amlogic 8726 M3 ARM Cortex A9
- ▶ Quad Core Mali™-400MP GPU
- ▶ Google Android™ 4.0
- ▶ Support HD 1920x1080P



Amlogic Cortex-A9 1GB DDR3 4GB FLASH 4.0 Android

Spécifications matérielles

UNITÉ CENTRALE DE TRAITEMENT	AMLogic 8726 M3 ARM Cortex A9
GPU	Quad Core Mali™ -400MP GPU
Flash	4 GO DE NAND FLASH
Mémoire	1 GO DE MÉMOIRE DDR3

Puissance d'alimentation spécifications

Bloc d'alimentation	DC 5V/2 A
Voyant d'alimentation (LED)	Puissance ON:blue; En veille: rouge

Principales caractéristiques

SYSTÈME D'EXPLOITATION	Android™ 4.0
3D	Graphismes 3D hardware accélération
Décodeur de soutien Format	HD MPEG1/2/4,H.264, HD AVC/VC-1, RM/RMVB, Xvid/DivX 3/4/5/6, RealVideo8/9/10
Format de médias de soutien	AVI/Rm/RmVb/Ts/Vob/Mkv/Mov/ISO/wmv/asf/flv/dat/mpg/mpeg
Format de musique de soutien	MP3/WMA/AAC/WAV/OGG/AC3/DDP/TrueHD/DTS/DTS/HD/FLAC/APE
Format de Photo de soutien	HD JPEG/BMP/GIF/PNG/TIFF
Centre serveur d'USB	2 voies à grande vitesse USB 2.0 héberger, le soutien de DISQUE U et USB HDD
Lecteur de carte	Cartes SD/SDHC/MMC
Fichier de disque DUR Système	FAT16/FAT32/NTFS. Soutien interne HDD de 2.5"
Sous-titre de soutien	SRT/SMI/SUB/SSA/IDX + USB
Haute Définition vidéo Sortie	Pixel max.1920x1080 SD/HD
OSD Type de langues	Langues multilatérales Anglais/Français/Allemand/Espagnol/Italien/etc
LAN	Ethernet: 10 / 100M, standard RJ-45
Sans fil	Construit en WIFI™
Souris / clavier	Souris de soutien et clavier via USB; Souris sans fil 2,4 GHz de soutien et clavier via 2,4 GHz USB dongle
HDMI™	HDMI™ 1.4 jusqu'à 1080 P
AV & YUV	Prise en charge
SPDIF/IEC958	Optique et coaxiale

Spécifications relatives au logiciel

Fonction réseau	Skype Bavarder, Picasa, Youtube, Flickr, Facebook, films en ligne, etc.
Autre caractéristique	Accès Internet gratuit La recherche, des milliers d'Applications de Android™, de nombreux Genres de jeux, etc..



Picture Show





Tomato

Tomato

Tomato



Camera

Tomato
Tomato



APPS

WIDGETS



SHOP

Tomato
Tomato



AppInstaller



Browser



Calculator



Calendar



Camera



Clock



Downloads



Email



FileBrowser



Gallery



Media Center



MoviePlayer



MusicPlayer



Network



OOBE



PicturePlayer



Play Store



Popular Weeds



PPP-OC



screenshot



Search



Settings



Upgrade

Tomato



Tomato

Tomato

Tomato

Tomato



Camera

Tomato
Tomato



APPS

WIDGETS



SHOP

Tomato
Tomato



AppInstaller



Browser



Calculator



Calendar



Camera



Clock



Downloads



Email



FileBrowser



Gallery



Media Center



MoviePlayer



MusicPlayer



Network



OOBE



PicturePlayer



Play Store



Popular Weeds



PPP-OC



screenshot



Search



Settings




Upgrade

Tomato



Tomato



WIRELESS & NETWORKS

- Wi-Fi
- Bluetooth
- Ethernet
- More...

DEVICE

- Sound
- Display
- Storage
- Apps

PERSONAL

- Accounts & sync
- Location services

Volumes

SYSTEM

Touch sounds


Digital audio output

PCM

RAW



Cancel



WIRELESS & NETWORKS

- Wi-Fi
- Bluetooth
- Ethernet
- More...

DEVICE

- Sound
- Display
- Storage
- Apps

PERSONAL

- Accounts & sync
- Location services

Output mode

480I

480P

576I

576P

720P 60HZ

1080I 60HZ

1080P 60HZ


720P 50HZ

1080I 50HZ

1080P 50HZ



Cancel



Storage

Apps

PERSONAL

Accounts & sync

Location services

Security

Language & input

Backup & reset

SYSTEM

Date & time

Accessibility

Developer options

About MediaBox

System updates

Status

Status of network, Serial number and other information

Legal information

Model number

MAX reference board (f16ref)

Android version

4.0.4

Kernel version


2.6.34
ubuntu@ubuntu-desktop #51
Thu Mar 21 13:24:15 CST 2013

Build number

ICS.MBX.20130325

Ethernet Info

IP address,DNS,MAC address,etc.



Scores Test Ranking

Scores

Detailed Scores

Benchmark by AnTuTu v3

2500

Check scores

Test Again Submit Scores



Authenticated



★★★★★

MBX reference board (f16ref)

Unauthenticated, please contact with us:

Unknown

marketing@antutu.com



Test




Chart



Info



Forum



Phone model:
MBX reference board (f16ref)

Brand:
MBX

CPU hardware:
AMLOGIC MESON3 8726M SKT SH

CPU model:
ARMv7 Processor

CPU frequency:
100.0 ~ 1000.0 MHz

Screen resolution:
1280 x 672

Screen density:
160 dpi

GPU vendor:
ARM

GPU renderer:
Mali-400 MP

GPU version (OpenGL):
OpenGL ES 2.0



Test



Chart



Info



Forum

GPU vendor:
ARM

GPU renderer:
Mali-400 MP

GPU version (OpenGL):
OpenGL ES 2.0

Memory size (available/total):
963.5 / 1022.0 MB

RAM size (available/total):
296.8 / 852.6 MB

SD card size (available/total):
2096.0 / 2096.9 MB

Android version:
4.0.4

Build number:
ICS.MBX.20130325

IMEI:
591321361009121

Kernel:
Linux version 2.6.34 (ubuntu@ubuntu-desktop) (gcc version 4.4.1 (Sourcery G++ Lite 2010q1-202)) #51 Thu Mar 21 13:24:15 CST 2013



Test



Chart



Info



Forum