

Google TV Box Quad Core Mali-GPU da 400MP Android 4.0 TV Box

Amlogic 8726 TV Box

M3H

- ▶ Amlogic 8726 M3 ARM Cortex A9
- ▶ Quad Core Mali™-400MP GPU
- ▶ Google Android™ 4.0
- ▶ Support HD 1920x1080P

Amlogic
Cortex-A9

1GB
DDR3

4GB
FLASH

4.0
Android

Wi-Fi



Specifiche dell'hardware

processore	Amlogic 8726 M3 BRACCIO Corteccia A9
GPU	Quad Core Mali™ -400MP GPU
Veloce	FLASH NAND DA 4GB
Memoria	DDR3 da 1GB

Specifiche dell'alimentatore

Alimentazione elettrica	CC 5 V/2 A
Indicatore di alimentazione (LED)	Accensione:blu; Standby: rsistema operativo

Caratteristiche principali

OS	Android™ 4.0
3D	Accelerazione grafica 3D eccezionale
Supporto al formato del decodificatore	HDMPEG1/2/4,H.264, HD AVC/VC-1,RM/RMVB,Xvid/DivX3/4/5/6,RealVideo8/9/10
Supporta il formato multimediale	Avi/Rm/Rm vb/Ts/Vob/Mkv/Mov/ISO/wmv/asf/flv/dat/mpg/mpeg
Supporta il formato musicale	MP3/WMA/AAC/WAV/OGG/AC3/DDP/TrueHD/DTS/DTS/HD/FLAC/APE
Supporta il formato foto	HD JPEG/BMP/GIF/PNG/TIFF
Ospite USB	Host USB 2.0 a 2 vie ad alta velocità, supporta U DISK e USB HDD
Letto di schede	Schede SD/SDHC/MMC
Sistema di file dell'HDD	FAT16/FAT32/NTFS; supporta HDD interno da 2,5".
Supporta i sottotitoli	SRT/SMI/SUB/SSA/IDXUSB
Uscita video ad alta definizione	SD/HD massimo 1920x1080 pixel
Tipo di lingue OSD	Lingue multilaterali inglese/francese/tedesco/spagnolo/italiano/ecc
LAN	Ethernet: 10/100M, standard RJ-45
senza fili	Wi-Fi™ integrato
Mouse/tastiera	Supporta mouse e tastiera tramite USB; supporta mouse wireless da 2,4 GHz e tastiera tramite dongle USB da 2,4 GHz
HDMI™	HDMI™ 1.4 fino a 1080P
AV&YUV	Support
SPDIF/IEC958	Ottico e coassiale

Specifiche del software

Funzione di rete	Chat Skype, Picasa, Youtube, Flickr, Facebook, Film online, ecc
Altra caratteristica	Ricerca Internet gratuita, migliaia di applicazioni Android™, molte Tipi di giochi, ecc.



Picture Show





Tomato

Tomato

Tomato



Camera

Tomato
Tomato



APPS

WIDGETS



SHOP

Tomato
Tomato



AppInstaller



Browser



Calculator



Calendar



Camera



Clock



Downloads



Email



FileBrowser



Gallery



Media Center



MoviePlayer



MusicPlayer



Network



OOBE



PicturePlayer



Play Store



Popular Widget



PPP-OC



screenshot



Search



Settings



Upgrade

Tomato



Tomato

Tomato

Tomato

Tomato



Camera

Tomato
Tomato



APPS

WIDGETS



SHOP

Tomato
Tomato



AppInstaller



Browser



Calculator



Calendar



Camera



Clock



Downloads



Email



FileBrowser



Gallery



Media Center



MoviePlayer



MusicPlayer



Network



OOBE



PicturePlayer



Play Store



Popular Weeds



PPP-OC



screenshot



Search



Settings



Upgrade

Tomato



Tomato



WIRELESS & NETWORKS

- Wi-Fi
- Bluetooth
- Ethernet
- More...

DEVICE

- Sound
- Display
- Storage
- Apps

PERSONAL

- Accounts & sync
- Location services

Volumes

SYSTEM

Touch sounds

Digital audio output

PCM

RAW

Cancel

WIRELESS & NETWORKS

- Wi-Fi
- Bluetooth
- Ethernet
- More...

DEVICE

- Sound
- Display
- Storage
- Apps

PERSONAL

- Accounts & sync
- Location services

Output mode

480I

480P

576I

576P

720P 60HZ

1080I 60HZ

1080P 60HZ

720P 50HZ

1080I 50HZ

1080P 50HZ

Cancel

Storage

Apps

PERSONAL

Accounts & sync

Location services

Security

Language & input

Backup & reset

SYSTEM

Date & time

Accessibility

Developer options

About MediaBox

System updates

Status

Status of network, Serial number and other information

Legal information

Model number

MBX reference board (f16ref)

Android version

4.0.4

Kernel version

2.6.34
ubuntu@ubuntu-desktop #51
Thu Mar 21 13:24:15 CST 2013

Build number

ICS.MBX.20130325

Ethernet Info

IP address,DNS,MAC address,etc.



Scores Test Ranking

Scores


Detailed Scores

Benchmark by AnTuTu v3

2500

Check scores

Test Again Submit Scores



Authenticated



★★★★★

MBX reference board (f16ref)

Unauthenticated, please contact with us:

Unknown

marketing@antutu.com



Test



Chart



Info



Forum



Phone model:
MBX reference board (f16ref)

Brand:
MBX

CPU hardware:
AMLOGIC MESON3 8726M SKT SH

CPU model:
ARMv7 Processor

CPU frequency:
100.0 ~ 1000.0 MHz

Screen resolution:
1280 x 672

Screen density:
160 dpi

GPU vendor:
ARM

GPU renderer:
Mali-400 MP

GPU version (OpenGL):
OpenGL ES 2.0



Test



Chart



Info



Forum

GPU vendor:
ARM

GPU renderer:
Mali-400 MP

GPU version (OpenGL):
OpenGL ES 2.0

Memory size (available/total):
963.5 / 1022.0 MB

RAM size (available/total):
296.8 / 852.6 MB

SD card size (available/total):
2096.0 / 2096.9 MB

Android version:
4.0.4

Build number:
ICS.MBX.20130325

IMEI:
591321361009121

Kernel:
Linux version 2.6.34 (ubuntu@ubuntu-desktop) (gcc version 4.4.1 (Sourcery G++ Lite 2010q1-202)) #51 Thu Mar 21 13:24:15 CST 2013



Test



Chart



Info



Forum