Android TV Box Manufacturer, The Streaming TV Box Supplier


Specifications Model No. Amlogic A311D Android TV Box Manufacturer CPU Amlogic A311D Quad Core ARM Cortex A73 and Dual Core ARM Cortex A53 1.98Ghz GPU ARM Mali-G52 MP4 (6EE) OpenGL ES 3.2, Vulkan 1.1 and OpenCL 2.0 RAM DDR4 2GB/4GB ROM 16GB eMMC (Expandable up to 128GB) Android 9.0 OS Video&Audio CODEC Decoding resolution Support 4K H265 10Bit, H.264, AVS, MPEG-2 and many other formats Multimedia Support Support MPEG1, MPEG2, MPEG4, H.264, WMV, MKV, TS, flv and other video formats; Support MP3 and other audio formats; support JPG, JPEG, BMP, PNG, GIF and other photo formats **Port** Video output 1 channel LVDS 40-pin 2.0mm double-pin, can support 8bit, 10bit screen; 1 channel HDMI output; 1 channel AV output Video input x1, MIPI CSI 4-pin 2.5mm socket 25W@2 amplifier and 3W@2 speaker Audio ouput Network interface x1, 10M/100M Ethernet WIFI+BT, 2.4G single band or 2.4G/5G dual band for options PCIE slot (4G) x1 or M.2 slot (4G) x1 for options USB2.0 interface USB OTG x1 (available for HOST) USB HOST x7 Backlight interface x2, 6-pin 2.0mm socket x1, 7-pin 2.0mm socket, supports both red and green LED indicators Infrared interface Function expansion port Serial ports x4 TF card slot х1 SIM card slot x1


Supports time synchronization

12V, 2.5DC Connector


RTC


Power Supply





180mm*95mm*20mm





Amlogic S922X Android Dvelopment Board multimedia network player-LCD driver integrated board adopts Amlogic S922X 12nm high-end chip, which supports UHD 4K@60fps hardware video decoding. It also supports supports H.265 10-bit, H.264 and AVS+ and many other formats. Support HDR10 and HLG high dynamic range processing, with multi-channel UART and USB interfaces. Support Bluetooth, WIFI, 4G and Ethernet functions. Support AV serial use, SD card expansion. Perfectly supports all kinds of touch screens, suitable for high-performance intelligent display terminal equipment, industrial automation terminal, computer vision/algorithm, 3D experience, game/amusement equipment, high-performance face recognition computing/storage, AI intelligence, etc. It can be widely used as a high-end intelligent motherboard for various industries such as finance, advertising, security, transportation, and public transportation.

(1) With various interfaces

- 1 channel LVDS video output (40pins)
- 1 channel HDMI video output
- 5 channels USB2.0
- 4 channels RS232 (can be modified to USB2.0 by patch)
- 1 channel MIPI CSI
- 1 channel AV output
- 1 channel I2C
- I2SC/IS2B
- 1 channel 25W super power amplifier and 3W speaker interface

- (2) Hybrid networking to break through network constraints
- Support wired, WiFi and 4G access, can realize multi-network hybrid networking
- (3) Easy to operate & fast maintenance
- Support breakpoint playback
- Super multi-period timing switch function
- Support U disk loading or direct playback
- Support automatic repair, remote upgrade, intelligent domain name resolution

Chip Performance

CPU Sub-system

- (1) Quad Core ARM Cortex-A73 and Dual Core ARM Cortex-A53 CPU
- (2) ARMv8-A architecture with Neon and Crypto extensions
- (3) Unified system L2 cache
- (4) Build-in Cortex-M4 core for always on processing
- (5) Advanced TrustZone security system
- (6) Application based traffic optimization using internal QoS-based switching fabrics
- 3D Graphics Processing Unit
- (1) ARM Mali-G52 MP4 (4ppc) GPU
- (2) 8-wide warps, 2xdual texture pipe, 6x8-wide execution engines(EE)
- (3) Concurrent multi-core processing
- (4) OpenGL ES3.2, Vulkan 1.0 and OpenCL 2.0 support

Video/Picture CODEC

- (1) Amlogic Video Engine (AVE) with dedicated hardware decoders and encoders
- (2) Support multi-video decoder up to 4Kx2K@60fps+1x1080P@60fps
- (3) Supports multiple "secured" video decoding sessions and simultaneous decoding and encoding
- (4) Video/Picture Decoding

VP9 Profile-2 up to4Kx2K@60fps

H.265 HEVCMP-10@L5.1upto 4Kx2K@60fps

AVS2-P2 Profile up to 4Kx2K@60fps

H.264 AVCHP@L5.1upto 4Kx2K@30fps

H.264 MVC up to 1080P@60fps

MPEG-4 ASP@L5 up to 1080P@60fps (ISO-14496)

WMV/VC-1 SP/MP/AP up to 1080P@60fps

AVS-P16(AVS+) /AVS-P2 JiZhun Profile up to1080P@60fps

MPEG-2 MP/HL up to 1080P@60fps(ISO-13818)

MPEG-1MP/HLupto1080P@60fps(ISO-11172)

RealVideo 8/9/10 up to 1080P@60fps

Multiple language and multiple format sub-title videosupport

MJPEG and JPEG unlimited pixel resolution decoding(ISO/IEC-10918)

Supports JPEG thumbnail, scaling, rotation and transition effects

Supports *.mkv,*.wmv,*.mpg, *.mpeg, *.dat, *.avi,*.mov, *.iso,*.mp4, *.rm and*.jpg file formats

(5) Video/Picture Encoding

Independent JPEG and H.265/H.264 encoder with configurable performance/bit-rate

JPEG image encoding

H.265/H.264 video encoding up to 1080P@60fps with lowlatency

Video Output

- (1) Built-in HDMI 2.1 transmitter including both controller and PHY with CEC, Dynamic HDR and HDCP 2.2, 4Kx2K@60 max resolution output
- (2) CVBS 480i/576i standard definition output
- (3) Supports all standard SD/HD/FHD video output formats: 480i/p, 576i/p, 720p, 1080i/p and 4Kx2K
- (4) 4-lane MIPI DSI interface, resolution up to 1920*1080 with rotation and panel calibration

Chip Performance

- (7) Ouad Core ARM Cortex-A73 and Dual Core ARM Cortex-A53 CPU
- (8) ARMv8-A architecture with Neon and Crypto extensions
- (9) Unified system L2 cache
- (10) Build-in Cortex-M4 core for always on processing
- (11) Advanced TrustZone security system
- (12) Application based traffic optimization using internal QoS-based switching fabrics
- 3D Graphics Processing Unit
- (5) ARM Mali-G52 MP4 (4ppc) GPU
- (6) 8-wide warps, 2xdual texture pipe, 6x8-wide execution engines(EE)
- (7) Concurrent multi-core processing
- (8) OpenGL ES3.2, Vulkan 1.0 and OpenCL 2.0 support

Video/Picture CODEC

- (6) Amlogic Video Engine (AVE) with dedicated hardware decoders and encoders
- (7) Support multi-video decoder up to 4Kx2K@60fps+1x1080P@60fps
- (8) Supports multiple "secured" video decoding sessions and simultaneous decoding and encoding
- (9) Video/Picture Decoding

VP9 Profile-2 up to4Kx2K@60fps

H.265 HEVCMP-10@L5.1upto 4Kx2K@60fps

AVS2-P2 Profile up to 4Kx2K@60fps

H.264 AVCHP@L5.1upto 4Kx2K@30fps

H.264 MVC up to 1080P@60fps

MPEG-4 ASP@L5 up to 1080P@60fps (ISO-14496)

WMV/VC-1 SP/MP/AP up to 1080P@60fps

AVS-P16(AVS+) /AVS-P2 JiZhun Profile up to1080P@60fps

MPEG-2 MP/HL up to 1080P@60fps(ISO-13818)

MPEG-1MP/HLupto1080P@60fps(ISO-11172)

RealVideo 8/9/10 up to 1080P@60fps

Multiple language and multiple format sub-title videosupport

MJPEG and JPEG unlimited pixel resolution decoding(ISO/IEC-10918)

Supports JPEG thumbnail, scaling, rotation and transition effects

Supports *.mkv,*.wmv,*.mpg, *.mpeg, *.dat, *.avi,*.mov, *.iso,*.mp4, *.rm and*.jpg file formats

(10) Video/Picture Encoding

Independent JPEG and H.265/H.264 encoder with configurable performance/bit-rate

JPEG image encoding

H.265/H.264 video encoding up to 1080P@60fps with lowlatency

Video Output

- (5) Built-in HDMI 2.1 transmitter including both controller and PHY with CEC, Dynamic HDR and HDCP 2.2, 4Kx2K@60 max resolution output
- (6) CVBS 480i/576i standard definition output
- (7) Supports all standard SD/HD/FHD video output formats: 480i/p, 576i/p, 720p, 1080i/p and 4Kx2K
- (8) 4-lane MIPI DSI interface, resolution up to 1920*1080 with rotation and panel calibration

Welcome to our comprehensive range of Android TV Box solutions, where innovation and entertainment converge to create an immersive viewing experience.

Advanced Hardware

Our Android TV Boxes are equipped with advanced hardware components, including high-performance processors, dedicated graphics, and ample storage capacity. This ensures smooth operation and seamless multitasking, whether you're streaming content, playing games, or running multiple apps simultaneously.

Stunning Visuals

Experience breathtaking visuals with our Android TV Boxes, which support HD, Full HD, and even 4K resolution. Enjoy vivid colors, sharp details, and smooth motion for an immersive viewing experience.

Seamless Streaming

Stream your favorite movies, TV shows, and videos from popular platforms like Netflix, YouTube, Hulu, and more with our Android TV Boxes. Enjoy lag-free streaming and instant access to a vast library of content.

App Ecosystem

Access a wide range of apps and services directly from your TV with our Android TV Boxes. Whether you're into gaming, productivity, fitness, or education, there's an app for you. Explore the Google Play Store and discover endless entertainment options.

User-Friendly Interface

Our Android TV Boxes feature intuitive user interfaces that make navigation a breeze. Customize your home screen, organize apps, and access settings with ease. With support for voice commands and remote controls, interaction is seamless.

Versatile Connectivity

Connect your Android TV Box to your TV, speakers, gaming consoles, and other devices effortlessly. With HDMI, USB, Bluetooth, and Wi-Fi connectivity options, our devices offer versatile connectivity for a complete entertainment setup.

Gaming Experience

Turn your TV into a gaming console with our Android TV Boxes. Play your favorite Android games using compatible controllers for a console-like gaming experience. Enjoy multiplayer gaming, streaming platforms, and cloud gaming services.

Customer Support

We prioritize customer satisfaction and provide dedicated support to assist you with setup, troubleshooting, and any questions you may have. Our team is committed to delivering a seamless experience from purchase to usage.

Conclusion

As a leading Android TV Box manufacturer and streaming TV box supplier, we are dedicated to providing high-quality products that enhance your entertainment experience. From stunning visuals to seamless streaming and versatile connectivity, our Android TV Boxes are designed to elevate your home entertainment setup. Explore our range and take your TV viewing to the next level.