

# Android TV Box with RJ45 Port and Android System Interface Style Quad Core



## Specifications of appendix

Model:	Android Smart Mini Box
CPU	RK3288 Ultra Quad-Core Cortex-A17 series, up to 1.8GHz
Main Frequency	Quad-core ARM Cortex-A17 CPU with up to 1.8GHz and GPU is Mali™-T764
Inner memory	2G DDR3
Memory	8G
Operating system	Android 4.4.2
User interface	Android™ System Interface Style 4K H.264/H.265 decoder, 1080P multi-video decoders 1080P video encoding for H.264 and VP8, MVC
Video	MP3/WMA/APE/FLAC/AAC/OGG/AC3/WAV etc.
Audio	Supports variety of image formats browsing (jpg/png/bmp etc.)
Picture	Supports Flash
Flash	Support TF card and mobile hard disk expansion
Storage Expansion	1 USB HOST 2.0 support 3G
USB	Support up to 32GB capacity
TF card	HDMI™ 2.0 3D HD output (1080P)
HDMI™	BT 4.0
Bluetooth™	2.4G/5G WiFi™
WiFi™	Connection the wire network
Rj45	Supports Audio optical output
Audio Optical	Support IR remote and 2.4G Wireless remote
Remote control	5V-2.5A DC
Voltage parameters	



## Picture Show







Wi-Fi

WIRELESS & NETWORKS

Wi-Fi

Bluetooth

Ethernet

Data usage

More...

DEVICE

11SR

Wi-Fi

wifi is enabled, click to turn it off

Tomato

Connected

Status

Signal strength

Link speed

Security

Connected

Good

65Mbps

WPA2 PSK

Ethernet

Bluetooth

Ethernet

Data usage

More...

DEVICE

USB

Sound

Display

Ethernet

Ethernet is enabled

MAC

5a:d0:02:2b:4a:4a

IP address

0.0.0.0

netmask

0.0.0.0

gateway

0.0.0.0

dns1

0.0.0.0

Storage

Display

ScreenshotSetting

Storage

Apps

PERSONAL

Security

Language & input

Backup & reset

INTERNAL STORAGE

Total space

1.91 GB

Available


1.61 GB

Apps (app data & media content)


288MB

Cached data

54.93MB







CPU-Z

SOC

SYSTEM

BATTERY

SENSORS

ABOUT

ARM

ARM 0xc0d  
1.80 GHz

CPU Architecture	ARM 0xc0d
Cores	4
Revision	r0p1
Clock Speed	312 MHz - 1.80 GHz
Core 0	600 MHz
Core 1	600 MHz
Core 2	600 MHz
Core 3	600 MHz
CPU Load	3 %
GPU Vendor	ARM
GPU Renderer	Mali-T764

CPU-Z

SOC

SYSTEM

BATTERY

SENSORS

ABOUT

Model	rk3288 (rk3288)
Manufacturer	rockchip
Board	rk30sdk
Display	rk3288-eng 4.4.2 KOT49H eng.ant.20140910.191101 test-keys
Hardware	rk30board
Android Version	4.4.2
Kernel Architecture	armv7l
Kernel Version	3.10.0 (eng.ant.20140910.191101)
Screen Resolution	1920 x 1008
Screen Density	240 dpi
Total RAM	2019 MB
Available RAM	989 MB (48%)
Internal Storage	1.91 GB
Available Storage	1.62 GB (85%)
Root Access	Yes

Wifi Analyzer

VIEW

SETTINGS

★

☰

Connected to:  
Tomato  
a8:15:4d:67:8e:0e

Tomato (a8:15:4d:67:8e:0e)

CH 1 2412 MHz -52 dBm TP-LINK TECHNOLOGIES CO., LTD

WPA2

Hung (b8:55:10:8a:40:cc)

CH 11 2462 MHz -51 dBm ZIONCOM ELECTRONICS (SHENZHEN) LTD

WPA2

HiWiFi\_0122A2 (d4:ee:07:01:22:a2)

CH 1 2412 MHz -50 dBm HIWIFI CO., LTD