

Android Tv Quad Core Android System Interface Style Google Android 4.4.2 tv box Mk288



Specifications of appendix

| | |
|--------------------|---|
| Model# | Android™ Smart Mini BOX MK288 |
| CPU | RK3288 Ultra Quad-Core Cortex-A17 series, up to 1.8GHz |
| Main Frequency | Quad-core ARM Cortex-A17 CPU with up to 1.8GHz and GPU is Mali™-T764 |
| Inner memory | 2G DDR3 |
| Memory | 8G |
| Operating system | Android™ 4.4.2 |
| User interface | Android™ System Interface Style 4K H.264/H.265 decoder, 1080P multi-video decoders |
| Video | 1080P video encoding for H.264 and VP8, MVC |
| Audio | MP3/WMA/APE/FLAC/AAC/OGG/AC3/WAV etc. |
| Picture | Supports variety of image formats browsing (jpg/png/bmp etc.) |
| Flash | Supports Flash |
| Storage Expansion | Support TF card and mobile hard disk expansion |
| USB | 1 USB HOST 2.0 support 3G |
| TF card | Support up to 32GB capacity |
| HDMI™ | HDMI™ 2.0 3D HD output (1080P) |
| Bluetooth™ | BT 4.0 |
| WiFi™ | 2.4G/5G WiFi™ |
| Rj45 | Connection the wire network |
| Audio Optical | Supports Audio optical output |
| Remote control | Support IR remote and 2.4G Wireless remote |
| Voltage parameters | 5V-2.5A DC |

Features:

1. Android Tv Quad Core boast a high performance RK3288 Quad Core A17 CPU that is paired with the powerful Quad Core Mali-T764 GPU this result in an insane android performance.
2. Android Tv Quad Core provide the best android experience available from any other competing product,so sit back and watch your favorite movies and live streams with vivid and smooth playback.

3. Android Tv Quad Core with 8GB internal storage gives you the room and freedom to install apps without having to always worry about running out of space.

What's in the box ?

1* Android TV Box

1* HDMI Cable

1* USB Cable

1* Infrared receiver

1* Remote Control

1* Power Adapter

1* User Manual



Picture Show







Wi-Fi

WIRELESS & NETWORKS

Wi-Fi

Bluetooth

Ethernet

Data usage

More...

DEVICE

115R

Wi-Fi

wifi is enabled, click to turn it off

Tomato

Connected

Status

Signal strength

Link speed

Security

Connected

Good

65Mbps

WPA2 PSK

Ethernet

Bluetooth

Ethernet

Data usage

More...

DEVICE

USB

Sound

Display

Ethernet

Ethernet is enabled

MAC

5a:d0:02:2b:4a:4a

IP address

0.0.0.0

netmask

0.0.0.0

gateway

0.0.0.0

dns1

0.0.0.0

Storage

Display

ScreenshotSetting

Storage

Apps

PERSONAL

Security

Language & input

Backup & reset

INTERNAL STORAGE

Total space

1.91 GB

Available


1.61 GB


Apps (app data & media content)

288MB

Cached data

54.93MB





CPU-Z

SOC

SYSTEM

BATTERY

SENSORS

ABOUT

ARM

ARM 0xc0d
1.80 GHz

| | |
|------------------|--------------------|
| CPU Architecture | ARM 0xc0d |
| Cores | 4 |
| Revision | r0p1 |
| Clock Speed | 312 MHz - 1.80 GHz |
| Core 0 | 600 MHz |
| Core 1 | 600 MHz |
| Core 2 | 600 MHz |
| Core 3 | 600 MHz |
| CPU Load | 3 % |
| GPU Vendor | ARM |
| GPU Renderer | Mali-T764 |

CPU-Z

SOC

SYSTEM

BATTERY

SENSORS

ABOUT

| | |
|---------------------|---|
| Model | rk3288 (rk3288) |
| Manufacturer | rockchip |
| Board | rk30sdk |
| Display | rk3288-eng 4.4.2 KOT49H eng.ant.20140910.191101 test-keys |
| Hardware | rk30board |
| Android Version | 4.4.2 |
| Kernel Architecture | armv7l |
| Kernel Version | 3.10.0 (eng.ant.20140910.191101) |
| Screen Resolution | 1920 x 1008 |
| Screen Density | 240 dpi |
| Total RAM | 2019 MB |
| Available RAM | 989 MB (48%) |
| Internal Storage | 1.91 GB |
| Available Storage | 1.62 GB (85%) |
| Root Access | Yes |

Wifi Analyzer

VIEW

SETTINGS

★

☰

Connected to:
Tomato
a8:15:4d:67:8e:0e

Tomato (a8:15:4d:67:8e:0e)

CH 1 2412 MHz -52 dBm TP-LINK TECHNOLOGIES CO., LTD

WPA2

Hung (b8:55:10:8a:40:cc)

CH 11 2462 MHz -51 dBm ZIONCOM ELECTRONICS (SHENZHEN) LTD

WPA2

HiWiFi_0122A2 (d4:ee:07:01:22:a2)

CH 1 2412 MHz -50 dBm HIWIFI CO., LTD