

Android 4.0 TV caixa suporte HDD interno de XBMC media player M3H

Amlogic 8726 TV Box

M3H

- ▶ Amlogic 8726 M3 ARM Cortex A9
- ▶ Quad Core Mali™-400MP GPU
- ▶ Google Android™ 4.0
- ▶ Support HD 1920x1080P



The image shows the Amlogic 8726 TV Box M3H, a small white device with a green Android logo on its side. It is connected to a television displaying the Android TV interface. The background features a collage of various images.

1GB DDR3 4GB FLASH 4.0 Android

Especificações de hardware

CPU	Amlogic 8726 M3 ARM Cortex A9
GPU	Quad-Core Mali™ -400MP GPU
Flash	4GB DE MEMÓRIA NAND FLASH
Memória	1GB DDR3

Especificações da fonte de alimentação

Fonte de alimentação	DC 5V/2A
Indicador de energia (LED)	Poder ON:blue; Modo de espera: vermelho

Principais características

SISTEMA OPERACIONAL	Android™ 4.0
3D	Gráficos 3D hardware aceleração
Decodificador de apoio Formato	HD MPEG1/2/4,H.264, HD AVC/VC-1, RM/RMVB, Xvid/DivX3/4/5/6, RealVideo8/9/10
Formato de mídia de apoio	Avi/Rm/Rm vb/Ts/Vob/Mkv/Mov/ISO/wmv/asf/flv/dat/mpg/mpeg
Formato da música da sustentação	MP3/WMA/AAC/WAV/OGG/AC3/DDP/TrueHD/DTS/DTS/HD/FLAC/APE
Formato da foto de apoio	HD JPEG/BMP/GIF/PNG/TIFF
USB Host	2 vias de alta velocidade USB 2.0 host, suporte U DISCO e USB HDD
Leitor de cartão	Cartões SD/SDHC/MMC
Arquivo de disco RÍGIDO Sistema	FAT16/FAT32/NTFS; Suporte interno 2.5 ' HDD
Subtítulo da sustentação	SRT/SMI/SUB/SSA/IDX + USB
Vídeo de alta definição Saída	Pixel de max.1920x1080 SD/HD
Tipo OSD línguas	Inglês/francês/alemão/espanhol/italiano/etc idiomas multilaterais
LAN	Ethernet: 10 / 100M, padrão RJ-45
Sem fio	Construído em WIFI™
Mouse / teclado	Rato de apoio e teclado via USB; Mouse sem fio de 2,4 GHz de apoio e teclado via 2.4GHz USB dongle
HDMI™	HDMI™ 1.4 até 1080p
AV & YUV	Suporte
SPDIF/IEC958	Óptico e coaxial

Especificações de software

Função de rede	Skype Bate-papo, Picasa, Youtube, Flickr, Facebook, Filmes Online, etc
Outra característica	Acesso gratuito à Internet Procurando, milhares de aplicativos Android™, muitos Tipos de jogos, etc.

Android TV caixa suporte Hi-Fi de decodificação de áudio, cheio de decodificação de vídeo HD 1080p e saída... recursos avançados como PPPOE, sem fio AP e DLNA, disco rígido SATA interno de suporte e dispositivos externos, incluindo USB flash, disco de rígido USB, cartão SD/SDHC/MMC.

O que há na caixa?

- 1 * android TV caixa
- 1 * cabo HDMI
- 1 * controle remoto
- 1 * adaptador de energia
- 1 * Manual do usuário



Picture Show



Tomato

Tomato

Tomato



Camera

Tomato
Tomato



APPS

WIDGETS



SHOP

Tomato
Tomato



AppInstaller



Browser



Calculator



Calendar



Camera



Clock



Downloads



Email



FileBrowser



Gallery



Media Center



MoviePlayer



MusicPlayer



Network



OOBE



PicturePlayer



Play Store



Popular Weeds



PPP-OC



screenshot



Search



Settings



Upgrade

Tomato



Tomato



WIRELESS & NETWORKS

- Wi-Fi
- Bluetooth
- Ethernet
- More...

DEVICE

- Sound
- Display
- Storage
- Apps

PERSONAL

- Accounts & sync
- Location services

Volumes

SYSTEM

Touch sounds

Digital audio output

PCM

RAW



Cancel

WIRELESS & NETWORKS

- Wi-Fi
- Bluetooth
- Ethernet
- More...

DEVICE

- Sound
- Display
- Storage
- Apps

PERSONAL

- Accounts & sync
- Location services

Output mode

480I

480P

576I

576P

720P 60HZ

1080I 60HZ

1080P 60HZ

720P 50HZ

1080I 50HZ

1080P 50HZ



Cancel

Storage

Apps

PERSONAL

Accounts & sync

Location services

Security

Language & input

Backup & reset

SYSTEM

Date & time

Accessibility

Developer options

About MediaBox

System updates

Status

Status of network, Serial number and other information

Legal information

Model number

MBX reference board (f16ref)

Android version

4.0.4

Kernel version


2.6.34
ubuntu@ubuntu-desktop #51
Thu Mar 21 13:24:15 CST 2013

Build number

ICS.MBX.20130325

Ethernet Info

IP address,DNS,MAC address,etc.



Scores Test Ranking

Scores

Detailed Scores

Benchmark by AnTuTu v3

2500

Check scores

Test Again

Submit Scores



Authenticated



★★★★★

MBX reference board (f16ref)

Unauthenticated, please contact with us:

Unknown

marketing@antutu.com



Test




Chart



Info



Forum



Phone model:
MBX reference board (f16ref)

Brand:
MBX

CPU hardware:
AMLOGIC MESON3 8726M SKT SH

CPU model:
ARMv7 Processor

CPU frequency:
100.0 ~ 1000.0 MHz

Screen resolution:
1280 x 672

Screen density:
160 dpi

GPU vendor:
ARM

GPU renderer:
Mali-400 MP

GPU version (OpenGL):
OpenGL ES 2.0



Test



Chart



Info



Forum

GPU vendor:
ARM

GPU renderer:
Mali-400 MP

GPU version (OpenGL):
OpenGL ES 2.0

Memory size (available/total):
963.5 / 1022.0 MB

RAM size (available/total):
296.8 / 852.6 MB

SD card size (available/total):
2096.0 / 2096.9 MB

Android version:
4.0.4

Build number:
ICS.MBX.20130325

IMEI:
591321361009121

Kernel:
Linux version 2.6.34 (ubuntu@ubuntu-desktop) (gcc version 4.4.1 (Sourcery G++ Lite 2010q1-202)) #51 Thu Mar 21 13:24:15 CST 2013



Test



Chart



Info



Forum