

# Медиаплеер Full HD RK3288, четырёхъядерный процессор 2,4G/5G, Wi-Fi



## Технические характеристики приложения

Модель#	Умная мини-коробка Android
Процессор	RK3288 Ультратрёхъядерный процессор серии Cortex-A17, до 1,8 ГГц Четырёхъядерный процессор ARM Cortex-A17 с тактовой частотой до 1,8 ГГц и графический процессор Mali™-T764.
Основная частота	
Внутренняя память	2 Гб памяти DDR3
Память	8G
Операционная система	Андроид™ 4.4.2
Пользовательский интерфейс	Стиль интерфейса системы Android™ Декодер 4K H.264/H.265, мультимедиадекодеры 1080P
видео	Кодирование видео 1080P для H.264 и VP8, MVC
Аудио	MP3/WMA/APE/FLAC/AAC/OGG/AC3/WAV и т. д.
Картина	Поддерживает просмотр различных форматов изображений (jpg , png, bmp и т. д. □
Вспышка	Поддерживает Flash
Расширение хранилища	Поддержка TF-карты и расширения мобильного жесткого диска
USB	1 USB-хост 2.0 с поддержкой 3G
TF карта	Поддержка емкости до 32 Гб
HDMI™	HDMI™ 2.0 3D HD-выход (1080P)
Bluetooth™	БТ 4.0
Wi-Fi™	2,4G/5G Wi-Fi™
Рджд45	Подключение проводной сети
Аудио оптический	Поддерживает оптический аудиовыход
Дистанционное управление	Поддержка ИК-пульта и беспроводного пульта 2,4G.
Параметры напряжения	5 В-2,5 А постоянного тока



# Picture Show







Wi-Fi

WIRELESS & NETWORKS

- Wi-Fi  ON
- Bluetooth  ON
- Ethernet
- Data usage
- More...

DEVICES

- Tomato

Tomato	
Status	Connected
Signal strength	Good
Link speed	65Mbps
Security	WPA2 PSK

08:49

Ethernet

- Bluetooth  ON
- Ethernet  ON
- Data usage
- More...

DEVICES

- USB
- Sound
- Display

Ethernet

Ethernet is enabled

MAC  
5a:d0:02:2b:4a:4a

IP address  
0.0.0.0

netmask  
0.0.0.0

gateway  
0.0.0.0

dns1  
0.0.0.0

08:50

Storage


- Display
- ScreenshotSetting
- Storage
- Apps

PERSONAL

- Security
- Language & input
- Backup & reset

INTERNAL STORAGE

Category	Value
Total space	1.91 GB
Available	1.61 GB
Apps (app data & media content)	288 MB
Cached data	54.93 MB



08:55

CPU-Z SOC SYSTEM BATTERY SENSORS ABOUT

**ARM** ARM 0xc0d  
1.80 GHz

CPU Architecture	ARM 0xc0d
Cores	4
Revision	r0p1
Clock Speed	312 MHz - 1.80 GHz
Core 0	600 MHz
Core 1	600 MHz
Core 2	600 MHz
Core 3	600 MHz
CPU Load	3 %
GPU Vendor	ARM
GPU Renderer	Mali-T764

08:55

CPU-Z SOC SYSTEM BATTERY SENSORS ABOUT

Model	rk3288 (rk3288)
Manufacturer	rockchip
Board	rk30sdk
Display	rk3288-eng 4.4.2 KOT49H eng.ant.20140910.191101 test-keys
Hardware	rk30board
Android Version	4.4.2
Kernel Architecture	armv7l
Kernel Version	3.10.0 (eng.ant.20140910.191101)
Screen Resolution	1920 x 1008
Screen Density	240 dpi
Total RAM	2019 MB
Available RAM	989 MB (48%)
Internal Storage	1.91 GB
Available Storage	1.62 GB (85%)
Root Access	Yes

08:56

Wifi Analyzer VIEW SETTINGS

Connected to: Tomato a8:15:4d:67:8e:0e

<b>Tomato (a8:15:4d:67:8e:0e)</b>	TP-LINK TECHNOLOGIES CO., LTD
CH 1 2412 MHz	-52 dBm
WPA2	
<b>Hung (b8:55:10:8a:40:cc)</b>	ZIONCOM ELECTRONICS (SHENZHEN) LTD
CH 11 2462 MHz	-51 dBm
WPA2	
<b>HiWiFi_0122A2 (d4:ee:07:01:22:a2)</b>	HIWIFI CO., LTD
CH 1 2412 MHz	-50 dBm