

# Google tv box Quad Core Мали 400MP GPU Android 4.0 tv box м3ч

## Amlogic 8726 TV Box

**M3H**

- ▶ Amlogic 8726 M3 ARM Cortex A9
- ▶ Quad Core Mali™-400MP GPU
- ▶ Google Android™ 4.0
- ▶ Support HD 1920x1080P



Amlogic Cortex-A9 1GB DDR3 4GB FLASH 4.0 Android

### Спецификации оборудования

ПРОЦЕССОР	Amlogic 8726 M3 ARM Cortex A9
GPU	Четырехъядерных процессоров Мали™ -400MP GPU
Вспышка	4 Гб NAND FLASH
Память	1 Гб DDR3

### Спецификации блока питания

Блок питания	DC 5V/2A
Индикатор питания (LED)	Мощность ON:blue; Режим ожидания: красный

### Основные характеристики

OS	Android™ 4.0
3D	Hardware 3D-графика ускорение
Поддержка декодер Формат	HD MPEG1/2/4,H.264, HD AVC/VC-1, RM/RMVB, Xvid/DivX3/4/5/6, RealVideo8/9/10
Поддержка медиа формат	AVI/Rm/Rmvb/Ts/Vob/Mkv/Mov/ISO/wmv/asf/flv/dat/mpg/mpeg
Поддержка музыкальный формат	MP3/WMA/AAC/WAV/OGG/AC3/DDP/TrueHD/DTS/DTS/HD/FLAC/ОБЕЗЬЯНА
Поддержка фото формата	HD JPEG/BMP/GIF/PNG/TIFF
USB-хост	2 способ высокоскоростной USB 2.0 хозяин, поддержка U ДИСК и USB HDD
Кард-ридер	SD/SDHC/MMC карты
Файл HDD Система	FAT16/FAT32/NTFS; Поддержка внутренних 2,5 " HDD
Поддержка субтитров	SRT, SMI, SUB, SSA/IDX + USB
Высокой четкости видео Выход	SD/HD max.1920x1080 пикселей
Тип OSD языков	Английский/Французский/Немецкий/Испанский/Итальянский/etc многосторонние языки
ДОСТУП В ИНТЕРНЕТ	Ethernet: 10 / 100M, Стандарт RJ-45
Беспроводные	Построенный в WIFI™
Мышь / клавиатура	Поддержка мыши и клавиатура через USB; Поддержка 2,4 ГГц беспроводная мышь и клавиатура через 2,4 ГГц USB ключ
HDMI™	1.4 HDMI™ до 1080 P
AV & YUV	Поддержка
SPDIF/IEC958	Оптический и коаксиальный

### Характеристики программного обеспечения

Функция сети	Skype Беседа, Picasa, Youtube, мерцание, Facebook, онлайн фильмы, etc
Другая особенность	Бесплатный Интернет Поиск, тысячи приложений Android™, многие Виды игры, и др.



# Picture Show





Tomato

Tomato

# Tomato



Camera

Tomato  
Tomato



APPS

WIDGETS



SHOP

Tomato  
Tomato



AppInstaller



Browser



Calculator



Calendar



Camera



Clock



Downloads



Email



FileBrowser



Gallery



Media Center



MoviePlayer



MusicPlayer



Network



OOBE



PicturePlayer



Play Store



Popular Weeds



PPP-OC



screenshot



Search



Settings



Upgrade

Tomato



Tomato

Tomato

Tomato

# Tomato



Camera

Tomato  
Tomato



APPS

WIDGETS



SHOP

Tomato  
Tomato



AppInstaller



Browser



Calculator



Calendar



Camera



Clock



Downloads



Email



FileBrowser



Gallery



Media Center



MoviePlayer



MusicPlayer



Network



OOBE



PicturePlayer



Play Store



Popular Weeds



PPP-OC



screenshot



Search



Settings



Upgrade

Tomato



Tomato



WIRELESS & NETWORKS

- Wi-Fi
- Bluetooth
- Ethernet
- More...

DEVICE

- Sound
- Display
- Storage
- Apps

PERSONAL

- Accounts & sync
- Location services

Volumes

SYSTEM

Touch sounds

Digital audio output

PCM

RAW



Cancel

WIRELESS & NETWORKS

- Wi-Fi
- Bluetooth
- Ethernet
- More...

DEVICE

- Sound
- Display
- Storage
- Apps

PERSONAL

- Accounts & sync
- Location services

Output mode

480I

480P

576I

576P

720P 60HZ

1080I 60HZ

1080P 60HZ

720P 50HZ

1080I 50HZ

1080P 50HZ



Cancel

Storage

Apps

PERSONAL

Accounts & sync

Location services

Security

Language & input

Backup & reset

SYSTEM

Date & time

Accessibility

Developer options

About MediaBox

System updates

Status

Status of network, Serial number and other information

Legal information

Model number

MBX reference board (f16ref)

Android version

4.0.4

Kernel version


2.6.34  
ubuntu@ubuntu-desktop #51  
Thu Mar 21 13:24:15 CST 2013

Build number

ICS.MBX.20130325

Ethernet Info

IP address,DNS,MAC address,etc.



Scores Test Ranking

Scores

Detailed Scores

Benchmark by AnTuTu v3

2500

Check scores

Test Again Submit Scores



Authenticated



★★★★★

MBX reference board (f16ref)

Unauthenticated, please contact with us:

Unknown

marketing@antutu.com



Test




Chart



Info



Forum





Phone model:  
MBX reference board (f16ref)

Brand:  
MBX

CPU hardware:  
AMLOGIC MESON3 8726M SKT SH

CPU model:  
ARMv7 Processor

CPU frequency:  
100.0 ~ 1000.0 MHz

Screen resolution:  
1280 x 672

Screen density:  
160 dpi

GPU vendor:  
ARM

GPU renderer:  
Mali-400 MP

GPU version (OpenGL):  
OpenGL ES 2.0



Test



Chart



Info



Forum

GPU vendor:  
ARM

GPU renderer:  
Mali-400 MP

GPU version (OpenGL):  
OpenGL ES 2.0

Memory size (available/total):  
963.5 / 1022.0 MB

RAM size (available/total):  
296.8 / 852.6 MB

SD card size (available/total):  
2096.0 / 2096.9 MB

Android version:  
4.0.4

Build number:  
ICS.MBX.20130325

IMEI:  
591321361009121

Kernel:  
Linux version 2.6.34 (ubuntu@ubuntu-desktop) (gcc version 4.4.1 (Sourcery G++ Lite 2010q1-202)) #51 Thu Mar 21 13:24:15 CST 2013



Test



Chart



Info



Forum