

Full HD Media Player RK3288 2.4G / 5 G Wifi MK288



XXXXXXXXXXXXXXXXXXXX

XXXX #	XXXXXXXXXX™ Mini XXXXXX MK288 XXXXX
XXXXXX	XXXXXXXXXX RK3288 XXXXXXXX Cortex-A17 XXXX 1.8GHz
XXXXXXXXXXXXXX	XXXX quad-core CPU cortex A17 XXXX 1.8GHz XXXX GPU XXXXXXXX™ -T764
XXXXXXXXXXXXXXXXXXXX	2G DDR3
XXXXXXXXXXXXXX	8 XXXXX
XXXXXXXXXXXXXX	XXXXXXXXXX™ 4.4.2
XXXXXXXXXXXXXX	XXXXXXXXXX™ XXXXX Interface XXXXXXX
XXXXXX	H.264/H.265 4K XXXXXXXX XXXXXXXXXXXXXXXXXXXXXXX 1080P
XXXXXX	XXXXXXXXXXXXXX H.264 XXXX VP8, MVC XXXXXXX 1080p
XXXXXX	MP3/WMA/XXXX/FLAC/AAC/OGG/AC3/WAV XXXX
XXXXXX	XXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXXXXX (jpg/png/bmp XXXXXXXXX)
XXXXXX	XXXXXXXXXXXXXX
XXXXXXXXXXXXXXXXXXXX	XXXX TF XXXXXXXXX XXXX XXXXXXXXXXXXXXXXXXXXXXX
USB	1 XXXXXXX USB 2.0 XXXXXXX 3g
XXXX TF	XXXXXXXXXXXXXX 32GB XXXXXXXXXXXXXXX
HDMI™	HDMI™ 2.0 3D XXXXXXXXX HD (1080p)
XXXXXXXX™	BT 4.0
WiFi™	2.4G / WiFi 5 XXXXX™
Rj45	XXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXX
XXXXXXXXXXXXXX	XXXXXXXXXXXXXX XXXXXXX
XXXXXXXXXXXXXX	XXXXXXXXXXXX IR XXXXXXX XXXX 2.4 XXXXXXXXXXXXXXX G
XXXXXXXXXXXXXX	5V-2.5 A DC

XXXXXXXXXXXX:

1. full HD Media Player XXXXXXXXXXXXXXXXXXXXXXX RK3288 Quad Core A17 CPU XXXXXXXXXXXXXXX GPU XXXX T764 XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX android XXXXXXX
2. full HD Media Player XXXX android XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX X XXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXXXXX
3. full HD Media Player XXXXXXXXXXXXXXXXXXXXXXX 8GB XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

- XXXXXXXXXXXX
- 1 * XXXX HD Media Player
 - 1 * XXXX HDMI
 - 1 * XXXX USB
 - 1 * XXXXXXXXXXXXXXXXXXXXXXX

1 * □□□□□□□□□□□□□□□□

1 * □□□□□□

1 * □□□□□□□□□□



Picture Show



Antenna

HDMI



HDMI

RECOVER



RJ45

USB

IR

TF

OTG

DC



mini BOX



mini BOX



mini BOX



mini BOX





Wi-Fi

WIRELESS & NETWORKS

- Wi-Fi ON
- Bluetooth ON
- Ethernet
- Data usage
- More...

DEVICES

- Tomato

Status	Connected
Signal strength	Good
Link speed	65Mbps
Security	WPA2 PSK

08:49

Ethernet

- Bluetooth ON
- Ethernet ON
- Data usage
- More...

DEVICES

- USB
- Sound
- Display

Ethernet

Ethernet is enabled

MAC
5a:d0:02:2b:4a:4a

IP address
0.0.0.0

netmask
0.0.0.0

gateway
0.0.0.0

dns1
0.0.0.0

08:50

Storage


- Display
- ScreenshotSetting
- Storage
- Apps

PERSONAL

- Security
- Language & input
- Backup & reset

INTERNAL STORAGE

Total space	1.91 GB
Available	1.61 GB
Apps (app data & media content)	288 MB
Cached data	54.93 MB



08:55

CPU-Z SOC SYSTEM BATTERY SENSORS ABOUT

ARM ARM 0xc0d
1.80 GHz

CPU Architecture	ARM 0xc0d
Cores	4
Revision	r0p1
Clock Speed	312 MHz - 1.80 GHz
Core 0	600 MHz
Core 1	600 MHz
Core 2	600 MHz
Core 3	600 MHz
CPU Load	3 %
GPU Vendor	ARM
GPU Renderer	Mali-T764

08:55

CPU-Z SOC SYSTEM BATTERY SENSORS ABOUT

Model	rk3288 (rk3288)
Manufacturer	rockchip
Board	rk30sdk
Display	rk3288-eng 4.4.2 KOT49H eng.ant.20140910.191101 test-keys
Hardware	rk30board
Android Version	4.4.2
Kernel Architecture	armv7l
Kernel Version	3.10.0 (eng.ant.20140910.191101)
Screen Resolution	1920 x 1008
Screen Density	240 dpi
Total RAM	2019 MB
Available RAM	989 MB (48%)
Internal Storage	1.91 GB
Available Storage	1.62 GB (85%)
Root Access	Yes

08:56

Wifi Analyzer VIEW SETTINGS

Connected to: Tomato a8:15:4d:67:8e:0e

Tomato (a8:15:4d:67:8e:0e)	TP-LINK TECHNOLOGIES CO., LTD
CH 1 2412 MHz -52 dBm	
WPA2	
Hung (b8:55:10:3a:40:cc)	ZIONCOM ELECTRONICS (SHENZHEN) LTD
CH 11 2462 MHz -51 dBm	
WPA2	
HiWiFi_0122A2 (d4:ee:07:01:22:a2)	HIWIFI CO., LTD
CH 1 2412 MHz -50 dBm	