

Full HD Medya Oynatıcı RK3288 Dört Çekirdekli 2.4G/5G WiFi



Ekin özellikleri

Model#	Android Akıllı Mini Kutu
İşlemci	RK3288 Ultra Dört Çekirdekli Cortex-A17 serisi, 1,8 GHz'e kadar
Ana Frekans	1,8 GHz'e kadar dört çekirdekli ARM Cortex-A17 CPU ve GPU Mali™-T764'tür
İç hafıza	2G DDR3
Hafıza	8G
İşletim sistemi	Android™ 4.4.2
Kullanıcı arayüzü	Android™ Sistem Arayüzü Stili 4K H.264/H.265 kod çözücü, 1080P çoklu video kod çözümler H.264 ve VP8, MVC için 1080P video kodlaması
Video	
Ses	MP3/WMA/APE/FLAC/AAC/OGG/AC3/WAV vb.
Resim	Çeşitli görüntü formatlarını taramayı destekler (jpg , png, bmp vb. □
Flaş	Flash'ı destekler
Depolama Genişletme	TF kartı ve mobil sabit disk genişletmeyi destekleyin
USB	1 USB HOST 2.0, 3G'yi destekler
TF kartı	32 GB kapasiteye kadar destek
HDMI™	HDMI™ 2.0 3D HD çıkışı (1080P)
Bluetooth™	BT4.0
Wi-Fi™	2.4G/5G Wi-Fi™
Rj45	Tel ağını bağlama
Ses Optik	Ses optik çıkışını destekler
Uzaktan kumanda	IR uzaktan kumandayı ve 2.4G Kablosuz uzaktan kumandayı destekleyin
Gerilim parametreleri	5V-2.5ADC



Picture Show



Antenna

HDMI



HDMI

RECOVER



RJ45

USB

IR

TF

OTG

DC



mini BOX



mini BOX




mini BOX



mini BOX





Wi-Fi

WIRELESS & NETWORKS

- Wi-Fi ON
- Bluetooth ON
- Ethernet
- Data usage
- More...

DEVICES

- Tomato Connected

Tomato	
Status	Connected
Signal strength	Good
Link speed	65Mbps
Security	WPA2 PSK

08:49

Ethernet

- Bluetooth ON
- Ethernet ON
- Data usage
- More...

DEVICES

- USB
- Sound
- Display

Ethernet Ethernet is enabled

MAC
5a:d0:02:2b:4a:4a

IP address
0.0.0.0

netmask
0.0.0.0

gateway
0.0.0.0

dns1
0.0.0.0

08:50

Storage


- Display
- ScreenshotSetting
- Storage
- Apps

PERSONAL

- Security
- Language & input
- Backup & reset

INTERNAL STORAGE

Category	Value
Total space	1.91 GB
Available	1.61 GB
Apps (app data & media content)	288 MB
Cached data	54.93 MB



08:55

CPU-Z SOC SYSTEM BATTERY SENSORS ABOUT

ARM ARM 0xc0d
1.80 GHz

CPU Architecture	ARM 0xc0d
Cores	4
Revision	r0p1
Clock Speed	312 MHz - 1.80 GHz
Core 0	600 MHz
Core 1	600 MHz
Core 2	600 MHz
Core 3	600 MHz
CPU Load	3 %
GPU Vendor	ARM
GPU Renderer	Mali-T764

08:55

CPU-Z SOC SYSTEM BATTERY SENSORS ABOUT

Model	rk3288 (rk3288)
Manufacturer	rockchip
Board	rk30sdk
Display	rk3288-eng 4.4.2 KOT49H eng.ant.20140910.191101 test-keys
Hardware	rk30board
Android Version	4.4.2
Kernel Architecture	armv7l
Kernel Version	3.10.0 (eng.ant.20140910.191101)
Screen Resolution	1920 x 1008
Screen Density	240 dpi
Total RAM	2019 MB
Available RAM	989 MB (48%)
Internal Storage	1.91 GB
Available Storage	1.62 GB (85%)
Root Access	Yes

08:56

Wifi Analyzer VIEW SETTINGS

Connected to: Tomato a8:15:4d:67:8e:0e

Tomato (a8:15:4d:67:8e:0e)	TP-LINK TECHNOLOGIES CO., LTD
CH 1 2412 MHz	-52 dBm
WPA2	
Hung (b8:55:10:8a:40:cc)	ZIONCOM ELECTRONICS (SHENZHEN) LTD
CH 11 2462 MHz	-51 dBm
WPA2	
HiWiFi_0122A2 (d4:ee:07:01:22:a2)	HIWIFI CO., LTD
CH 1 2412 MHz	-50 dBm