2.4 □□□□□□□□□□ □□□□ □□□□G/5 □ □□□ □□□ RK3288 □□□□□□□□□ 1.8 □□□□□ □□□□□□-A17 T288

المواصفات الواردة في التذييل	
نموذج	الروبوت™ مربع الذكية
وحدة المعالجة المركزية	يصل إلى 1.8 جيجاهرتز، A17-الترا سلسلة رباعية النواة اللحاء RK3288
تردد الرئيسية	مع تصل إلى 1.8 جيجاهرتز والجرافيك هو مالي A17-ذراع رباعي وحدة المعالجة المركزية اللحاء T764--™
الذاكرة الداخلية	2 ز ذاكرة DDR3
الذاكرة	8 ز
نظام التشغيل	الروبوت™ 4.4
واجهة المستخدم	واجهة نظام اندرويد نمط
فيديو	ك 4 وحدة فك الترميز، 1080 ع الفيديو متعدد أجهزة فك التشفير H.264/H.265 الفيديو ترميز H.264 و VP8، MVC 1080p
الصوت	MP3/WMA/القرد/فلك/AAC/أغ/AC3/WAV إلخ.
الصورة	وتدعم مجموعة متنوعة من تنسيقات الصور التصفح (jpg□بابوا غينيا الجديدة□bmp إلخ.□
فلاش	يدعم فلاش
توسيع التخزين	الدعم و توسيع القرص الصلب المحمول TF بطاقة
الناقل التسلسلي العام	1 المضيف USB 2.0 3 ودعمg الجيل الثالث
بطاقة TF	دعم ما يصل إلى 32 جيجابايت القدرات
هدمي™	3 2.0 ™هدمي D إخراج HD (1080p)
بلوتوث™	بريتيش تيليكوم 4.0
وأي فأي™	2.4 G/5 ز وأي فأي™
منفذ Rj45	الاتصال بالسلك شبكة
السمعية البصرية	ويدعم الصوت الإخراج البصري
جهاز التحكم عن بعد	2.4 و G دعم الأشعة تحت الحمراء البعيدة عن بعد اللاسلكية
خارج AV	مركبات الدعم خارج

Picture Show

4K
Ultra HD TV BOX
OK

4K

09:08
Google
Browser
eHomeMediaCenter
Settings
FileExplorer
09:09
ApkInstaller
Browser
Calculator
Calendar
Camera
Clock
Downloads
eHomeMediaCenter
Email
FileExplorer
Gallery
Gmail
Music
Play Store
Quickoffice
RKGameControlSetting
Search
Settings
Video
WifiDisplay
XBMC


09:16
AnTuTu Benchmark
Test
Ranking
Device Info
Basic Information
Brand
rockchip
Model
rk3288
OS
4.4.2
CPU Model
Rockchip RK3288
GPU Renderer
Mali-T764
Resolution
1920 x 1080
IMEI
012345678912345
Have root access
Yes
CPU
Model
Rockchip RK3288
Cores
4
Frequency
312.0 ~ 1800.0 MHz
More CPU Information
Display
Renderer
Mali-T764
Vender
ARM
GPU Version
OpenGL ES 3.0
Resolution
1920 x 1080
Density
240 dpi
09:16
Wifi Analyzer
VIEW
SETTINGS
Tomato (a8:15:4d:67:8e:0e)
CH 1
2412 MHz
-67 dBm
TP-LINK TECHNOLOGIES CO., LTD
WPA2
HiWiFi_0122A2 (d4:ee:07:01:22:a2)
CH 1
2412 MHz
-51 dBm
HIWIFI CO., LTD
WPA2
Connected to:
Tomato
a8:15:4d:67:8e:0e
IP address: 192.168.1.188
Gateway: 192.168.1.1
Netmask: 255.255.255.0
DNS1: 202.96.128.86
Hung (b8:55:10:8a:40:cc)
CH 11
2462 MHz
-54 dBm
ZIONCOM ELECTRONICS (SHENZHEN) LTD
WPA2
Tomato_5G (b8:55:10:8a:40:c8)
5G
ZIONCOM ELECTRONICS (SHENZHEN) LTD


09:16
CPU-Z
SOC
SYSTEM
BATTERY
SENSORS
ABOUT
ARM 0xc0d
1.80 GHz
CPU Architecture ARM 0xc0d
Cores 4
Revision r0p1
Clock Speed 312 MHz - 1.80 GHz
Core 0 600 MHz
Core 1 600 MHz
Core 2 816 MHz
Core 3 816 MHz
CPU Load 20 %
GPU Vendor ARM
GPU Renderer Mali-T764
Saving screenshot...
CPU-Z
SOC
SYSTEM
BATTERY
SENSORS
ABOUT
Model rk3288 (rk3288)
Manufacturer rockchip
Board rk30sdk
Display rk3288-eng 4.4.2 KOT49H eng.ant.20140915.173341 test-keys
Hardware rk30board
Android Version 4.4.2
Kernel Architecture armv7l
Kernel Version 3.10.0 (eng.ant.20140915.173341)
Screen Resolution 1920 x 1008
Screen Density 240 dpi
Total RAM 2019 MB
Available RAM 958 MB (47%)
Internal Storage 1.91 GB
Available Storage 1.68 GB (87%)
Root Access Yes


09:17
Apps
SHOW CACHED PROCESSES
ScreenshotSetting
Storage
Apps
PERSONAL
Security
Language & input
Backup & reset
ACCOUNTS
Add account
SYSTEM
Data usage
More...
DEVICE
USB
Sound
Display
ScreenshotSetting
Storage
Apps
PERSONAL
Backup & reset
ACCOUNTS
Add account
SYSTEM
Date & time
Printing
Developer options
About device
ON SD CARD
RUNNING
ALL
Settings
1 process and 0 services
21MB
AnTuTu Benchmark
0 processes and 1 service
0.00B
00:53
Android System
1 process and 1 service
2.1MB
10:08
Bluetooth Share
1 process and 9 services
6.3MB
09:51
Google Services
2 processes and 3 services
21MB
10:10
Google Play Store
1 process and 1 service
10MB
07:34
Total space
1.91GB
Available
1.66GB
Apps (app data & media content)
280MB
Cached data
1.04MB
NAND FLASH
Total space
Model number
rk3288
Android version
4.4.2
Baseband version
Unknown
Kernel version
3.10.0
Mon Sep 15 17:00:10 CST 2014
Build number
rk3288-eng 4.4.2 KOT49H eng.ant.20140915.173341 test-keys