

Android TV Quad Core Amlogic S805 Android 4.4 Quad-Core unterstützen 265 4K2K MXQ2

### Hardware Technische Daten

Modell-Nr.	MXQ2
CPU	Amlogic S805 Quad-Core Cortex-A5@1.5GHz
GPU	Quad-Core-Mali™ -450@600MHz+
BLITZ	8GB NAND FLASH
SDRAM	1GB DDR3

### Macht Spezifikationen zu liefern

Stromversorgung	DC 5V/2A
Betriebsanzeige (LED)	Einschalten: blau; Standby: rot

### Main Funktionen

OS	Android™ 4.4
3D	Hardware 3D Grafik-Beschleunigung
Support für Decoder format	HD MPEG1/2/4, <b>H. 265</b> , HD AVC/VC-1, RM/RMVB, Xvid/DivX3/4/5/6, RealVideo8/9/10
Support für Media-format	AVI/Rm/Rmvp/Ts/Vob/Mkv/Mov/ISO/Wmv/Asf/Flv/Dat/mpg/mpeg
Unterstützung-Musik-format	MP3/WMA/AAC/WAV/OGG/AC3/DDP/TrueHD/DTS/DTS/HD/FLAC/APE
Support für Foto-format	HD JPEG/BMP/GIF/PNG/TIFF
USB-host	2 high-Speed USB 2.0, U-SCHEIBE zu unterstützen und USB-HDD
Kartenleser	TF-Karte
HDD-Dateisystem	FAT16/FAT32/NTFS
Support für Untertitel	SRT, SMI, SUB, SSA/IDX + USB
High-Definition-video-Ausgang	SD/HD max.1920x1080 pixel
OSD-Typ von Sprachen	Englisch/Französisch/Deutsch/Spanisch/Italienisch/Etc multilateralen Sprachen
LAN	Ethernet: 10 / 100M, Standard RJ-45
Wireless	In WiFi gebaut™
Bluetooth™	Unterstützung von Bluetooth™ 4.0
Maus/Tastatur	Maus und Tastatur über USB zu unterstützen; Support für 2,4-GHz-wireless-Maus und Tastatur über 2,4 GHz USB-dongle

HDMI™	HDMI™ 1.4 mit CEC
AV	Unterstützung
3G	Unterstützung
SPDIF/IEC958	Koaxiale

### **Software Technische Daten**

Netzwerk-Funktion	XBMC, Skype, Picasa, Youtube, Flickr, Facebook, Online-Chats Filme, etc.
Andere Funktion	Kostenlose Internet suchen, Tausende von android Anwendungen, viele Arten von spielen, etc..



# Picture Show











- Black color: available now and enough stocks
- Red/Grey/Blue colors: **OEM**





27°C 上海

10:32 Wednesday, Sep 10

 <p>Online Video</p>	 <p>My recommend</p>	 <p>Setting</p>			
 <p>My Apps</p>	 <p>Music</p>	 <p>Local</p>			




# Root Checker

Device: MXQ  
Android: 4.4.2 | API: 19

Check Now

Status: Rooted

Id: uid=0(root) gid=0(root)

Superuser: Not found

Busybox: /system/xbin/busybox

Su Location: /system/xbin/su

Sudo Location: Not found

Environment Vars.:  
/sbin/  
/vendor/bin/  
/system/sbin/  
/system/bin/  
/system/xbin/

CPU-Z CPU-Z SOC SYSTEM BATTERY SENSORS ABOUT CPU-Z SOC SYSTEM BATTERY SENSORS ABOUT

Model	MXQ(MXQ)
Manufacturer	MBX
Board	MXQ
Display	KOT49H.20140903 test-keys
Hardware	amlogic
Android Version	4.4.2
Kernel Architecture	armv7l
Kernel Version	3.10.33 (20140903)
Screen Resolution	1920 x 1008
Screen Density	240 dpi
Total RAM	825 MB
Available RAM	244 MB (29%)
Internal Storage	5.26 GB
Available Storage	4.98 GB (94%)
Root Access	Yes


**Cortex** ARM Cortex-A5  
Intelligent Processors by ARM®  
1.49 GHz

CPU Architecture	ARM Cortex-A5
Cores	4
Revision	r0p1
Clock Speed	24 MHz - 1.49 GHz
Core 0	1488 MHz
Core 1	1488 MHz
Core 2	1488 MHz
Core 3	1488 MHz
CPU Load	11 %
GPU Vendor	ARM
GPU Renderer	Mali-450 MP

 Language

Afrikaans	Español (España)	Slovenčina	Српски	فارسی	
Bahasa Indonesia	Español (Estados Unidos)	Magyar	Slovenščina	Українська	አማርኛ
Bahasa Melayu	Filipino	Nederlands	Suomi	עברית	हिन्दी
Català	Français	Norsk bokmål	Svenska	العربية	ไทย
Čeština	Hrvatski	Polski	Tiếng Việt	فارسی	한국어
Dansk	IsiZulu	Português (Brasil)	Türkçe	አማርኛ	中文 (简体)
Deutsch	Italiano	Português (Portugal)	Ελληνικά	हिन्दी	中文 (繁體)
English (United Kingdom)	Kiswahili	Română	Български	ไทย	日本語
English (United States)	Latviešu	Rumantsch	Русский	한국어	







# SETTINGS



Network



Display



Advanced



Other



Miracast

Remote Control

OFF

CEC Control

Location

Shanghai

Shanghai

Application request to change orientation



Keep landscape mode on home screen



Digital audio auto-detection

OFF

Digital Audio Output

PCM



About MediaBox

10:33

System updates

Status

Status of network and other information

Legal information

Model number

hd18q

Android version

4.4.2

Kernel version

3.10.33

tao.jiang@wyst #10

Wed Sep 3 10:13:24 CST 2014

Build number

KOT49H.20140903 test-keys

Ethernet Infor

IP address,DNS,MAC address,etc.