

Google tv box Quad Core Mali-400MP GPU Android 4.0 tv Box M3H

Amlogic 8726 TV Box

- ▶ Amlogic 8726 M3 ARM Cortex A9
- ▶ Quad Core Mali™-400MP GPU
- ▶ Google Android™ 4.0
- ▶ Support HD 1920x1080P

M3H



Amlogic
Cortex-A9

1GB
DDR3

4GB
FLASH

4.0
Android

Wi-Fi

Hardware-Spezifikationen

CPU	Amlogic 8726 M3 ARM Cortex A9
GPU	Quad-Core-Mali™ -400MP GPU
Blitz	4GB NAND FLASH
Speicher	1GB DDR3

Power Supply Spezifikationen

Stromversorgung	DC 5V/2A
Betriebsanzeige (LED)	Macht ON:blue; Standby: rot

Hauptmerkmale

OS	Android™ 4.0
3D	Hardward 3D-Grafik Beschleunigung
Support für Decoder Format	HD-MPEG1/2/4,H.264 HD AVC/VC-1, RM/RMVB, Xvid/DivX3/4/5/6, RealVideo8/9/10
Support für Media-Format	AVI/Rm/Rmvb/Ts/Vob/Mkv/Mov/ISO/Wmv/Asf/Flv/Dat/mpg/mpeg
Unterstützung-Musik-Format	MP3/WMA/AAC/WAV/OGG/AC3/DDP/TrueHD/DTS/DTS/HD/FLAC/APE
Support für Foto-Format	HD JPEG/BMP/GIF/PNG/TIFF
USB-Host	2-Wege-High-Speed USB 2.0 Host, U-DISK und USB HDD zu unterstützen
Kartenleser	SD/SDHC/MMC-Karten
HDD-Datei System	FAT16/FAT32/NTFS; Unterstützung interner 2,5 " HDD
Support für Untertitel	SRT, SMI, SUB, SSA/IDX + USB
Hoher Kantenschärfe Video Ausgabe	SD/HD max.1920x1080 pixel
OSD-Typ von Sprachen	Englisch/Französisch/Deutsch/Spanisch/Italienisch/Etc multilateralen Sprachen
LAN	Ethernet: 10 / 100M, standard RJ-45
Wireless	Erbaut im WIFI™
Maus / Tastatur	Support für Maus und Tastatur über USB; Support für 2,4-GHz-wireless-Maus und über 2,4 GHz USB Tastatur Dongle
HDMI™	HDMI™ 1.4 bis zu 1080 P
AV & YUV	Unterstützung
SPDIF/IEC958	Optische und koaxiale

Software-Spezifikationen

Netzwerk-Funktion	Skype Chatten, Picasa, Youtube, Flickr, Facebook, Online-Filme, etc.
Andere Funktion	Kostenloses Internet Auf der Suche, Tausende von Android™ Anwendungen, viele Arten der Spiele, etc..



Picture Show





Tomato

Tomato

Tomato



Camera

Tomato
Tomato



APPS

WIDGETS



SHOP

Tomato
Tomato



AppInstaller



Browser



Calculator



Calendar



Camera



Clock



Downloads



Email



FileBrowser



Gallery



Media Center



MoviePlayer



MusicPlayer



Network



OOBE



PicturePlayer



Play Store



Popular Weeds



PPP-OC



screenshot



Search



Settings



Upgrade

Tomato



Tomato

Tomato

Tomato

Tomato



Camera

Tomato
Tomato



APPS

WIDGETS



SHOP

Tomato
Tomato



AppInstaller



Browser



Calculator



Calendar



Camera



Clock



Downloads



Email



FileBrowser



Gallery



Media Center



MoviePlayer



MusicPlayer



Network



OOBE



PicturePlayer



Play Store



Popular Weeds



PPP-OC



screenshot



Search



Settings




Upgrade

Tomato



Tomato



WIRELESS & NETWORKS

- Wi-Fi
- Bluetooth
- Ethernet
- More...

DEVICE

- Sound
- Display
- Storage
- Apps

PERSONAL

- Accounts & sync
- Location services

Volumes

SYSTEM

Touch sounds

Digital audio output

- PCM
- RAW

Cancel

WIRELESS & NETWORKS

- Wi-Fi
- Bluetooth
- Ethernet
- More...

DEVICE

- Sound
- Display
- Storage
- Apps

PERSONAL

- Accounts & sync
- Location services

Output mode

- 480I
- 480P
- 576I
- 576P
- 720P 60HZ
- 1080I 60HZ
- 1080P 60HZ
- 720P 50HZ
- 1080I 50HZ
- 1080P 50HZ

Cancel

Storage

Apps

PERSONAL

Accounts & sync

Location services

Security

Language & input

Backup & reset

SYSTEM

Date & time

Accessibility

Developer options

About MediaBox

System updates

Status

Status of network, Serial number and other information

Legal information

Model number

MBX reference board (f16ref)

Android version

4.0.4

Kernel version


2.6.34
ubuntu@ubuntu-desktop #51
Thu Mar 21 13:24:15 CST 2013

Build number

ICS.MBX.20130325

Ethernet Info

IP address,DNS,MAC address,etc.



Scores Test Ranking

Scores

Detailed Scores

Benchmark by AnTuTu v3

2500

Check scores

Test Again Submit Scores



Authenticated



★★★★★

MBX reference board (f16ref)

Unauthenticated, please contact with us:

Unknown

marketing@antutu.com



Test



Chart



Info



Forum



Phone model:
MBX reference board (f16ref)

Brand:
MBX

CPU hardware:
AMLOGIC MESON3 8726M SKT SH

CPU model:
ARMv7 Processor

CPU frequency:
100.0 ~ 1000.0 MHz

Screen resolution:
1280 x 672

Screen density:
160 dpi

GPU vendor:
ARM

GPU renderer:
Mali-400 MP

GPU version (OpenGL):
OpenGL ES 2.0



Test



Chart



Info



Forum

GPU vendor:
ARM

GPU renderer:
Mali-400 MP

GPU version (OpenGL):
OpenGL ES 2.0

Memory size (available/total):
963.5 / 1022.0 MB

RAM size (available/total):
296.8 / 852.6 MB

SD card size (available/total):
2096.0 / 2096.9 MB

Android version:
4.0.4

Build number:
ICS.MBX.20130325

IMEI:
591321361009121

Kernel:
Linux version 2.6.34 (ubuntu@ubuntu-desktop) (gcc version 4.4.1 (Sourcery G++ Lite 2010q1-202)) #51 Thu Mar 21 13:24:15 CST 2013



Test



Chart



Info



Forum