Palillo dual de los medios TV de Android TV Box RK3066 de la base con Miracast WiFi

Especificaciones	
N º de Modelo.	MK808B
Sistema operativo	Google Android™ 4.2.2
UPC	RockChip RK3066, Cortex A9 de doble núcleo 1,2-1,6 GHz, gráficos de cuatro núcleos
RAM	DDR3 1GB
Memoria interna	Flash Nand de 8GB
Memoria Externa	Admite almacenamiento externo a través de. Tarjeta TF, admite hasta 32 GB
Redes	WiFi™ 802.11b/g/n 10/100Mbps Con antena interna
Tipo de gráficos	Gráficos integrados Mali400 MP, admite vídeo 1080P (1920*1080)
Bluetooth™	bluetooth™ 4.0
Conectores de entrada/salida	
Puertos	1 X host USB 2.0 para unidad/componente externo 1 X Mini USB para alimentación 1 X Salida HDMI1.4 - Protección ESD con Rclamps 1 X ranura para tarjeta Micro-TF
Fuerza	Entrada de 100-240 V, 50/60 Hz, máx. potencia: 30W, Salida: 5V/2A
Rendimiento suave	
Mercado de Android	Soporte Android™ Market Place
Reproductor Flash	Compatible con Adobe™ Flash 11
Juego de azar	Acelerador 3D incorporado. Admite juegos 3D
Correo electrónico	Gmail™, POP3/SMTP/IMAP4. Enviar correos electrónicos es más fácil que nunca antes cuando hay conexión de red
Multimedia	
Video	Mire videos en línea conectándose a Internet. reproducción de vídeo local: Decodificación de vídeo: Mpeg1/2/4.H.264,VC-1,Divx,Xvid,RM8/9/10,VP6, Formatos de vídeo: MKV,TS,TP,M2TS,RM/RMVB,BD-ISO,AVI,MPG,VOB, Formatos completos DAT, ASF, TRP, FLV, etc.
Audio	Decodificación de audio: DTS,AC3,LPCM,FLAC,HE-AAC Formatos de audio: MP3,OGG,WMA,WMAPRO
Imagen	JPEG, PNG, BMP, GIF
Libro electronico	PDF, TXT, etc.

Picture Show

OTG

MINI TV
Dual-Core A9 Processor
4.1
A9
HDMI

MINI TV for android
Dual-Core A9 Processor
MINI TV Dongle
User Manual


WIRELESS & NETWORKS
Wi-Fi
ON
Bluetooth
Ethernet
Data usage
More...
DEVICE
USB
Sound
Display
Screen
ScreenshotSetting
Storage
Wi-Fi
wifi is enabled, click to turn it off
tomato
Connected
tomato
Status
Connected
Signal strength
Excellent
Link speed
Security
WPA/WPA2 PSK
IP address
192.168.1.104
Cancel
Forget


Settings
WIRELESS & NETWORKS
Wi-Fi
ON
Bluetooth
ON
Ethernet
OFF
Data usage
More...
DEVICE
USB
Sound
Display
Screen
ScreenshotSetting
Storage
VPN
Portable hotspot
PPPoE


WIRELESS & NETWORKS
Wi-Fi
ON
Bluetooth
Ethernet
Data usage
More...
DEVICE
USB
Sound
Display
Screen
ScreenshotSetting
Storage
Screen Scale
Output Interface
1920x1080p-60
1920x1080p-50
1280x720p-60
1280x720p-50
720x576p-50
720x480p-60
Cancel

Settings
More...
DEVICE
USB
Sound
Display
Screen
ScreenshotSetting
Storage
Apps
Users
PERSONAL
Location access
Security
Language & input
INTERNAL STORAGE
Total space
1.48GB
Available
1.35GB
Apps (app data & media content)
Cached data
6.70MB
Misc.
728KB
NAND FLASH
Total space
4.27GB

AnTuTu Benchmark v3.0.3

Scores Test Ranking

Scores

Detailed Scores

Benchmark by AnTuTu v3

10087

Test Again Submit Scores

Authenticated

MK808B

Unauthenticated, please contact with us:

Unknow

marketing@antutu.com

User ratings

Total:

Test Chart Info Forum

AnTuTu Benchmark v3.0.3

Device Info System Info

Phone model:
MK808B

Brand:
rk30sdk

CPU hardware:
RK30board

CPU model:
Dual-Core ARMv7 Processor (VFPv3, NEON)

CPU frequency:
252.0 ~ 1608.0 MHz

Screen resolution:
1280 x 672

GPU vendor:
ARM

GPU renderer:
Mali-400 MP

GPU version (OpenGL):
OpenGL ES 2.0

Memory size (available/total):
1361.2 / 1511.9 MB

RAM size (available/total):

Test Chart Info Forum

AnTuTu Benchmark v3.0.3

Scores Test Ranking

Scores

Detailed Scores

Benchmark by AnTuTu v3

10087

Test Again Submit Scores

Authenticated

MK808B

Unauthenticated, please contact with us:

Unknow

marketing@antutu.com

User ratings

Total:

Test Chart Info Forum

AnTuTu Benchmark v3.0.3

Device Info System Info

Phone model:
MK808B

Brand:
rk30sdk

CPU hardware:
RK30board

CPU model:
Dual-Core ARMv7 Processor (VFPv3, NEON)

CPU frequency:
252.0 ~ 1608.0 MHz

Screen resolution:
1280 x 672

GPU vendor:
ARM

GPU renderer:
Mali-400 MP

GPU version (OpenGL):
OpenGL ES 2.0

Memory size (available/total):
1361.2 / 1511.9 MB

RAM size (available/total):

Test Chart Info Forum

AnTuTu Benchmark v3.0.3
Device Info
System Info
GPU vendor:
ARM
GPU renderer:
Mali-400 MP
GPU version (OpenGL):
OpenGL ES 2.0
Memory size (available/total):
1361.2 / 1511.9 MB
RAM size (available/total):
515.1 / 882.3 MB
SD card size (available/total):
4905.4 / 4907.2 MB
Android version:
4.1.1
Build number:
rk30sdk-eng 4.1.1 JRO03H eng.lfwang.20121218.171933 test-keys
IMEI:
Kernel:
Linux version 3.0.8+ (lfwang_V_401j1) (gcc version 4.4.3 (GCC)) #26 SMP PREEMPT Tue Dec 18 17:18:40 CST 2012
Test
Chart
Info
Forum
Saving screenshot
eHomeMediaCenter
09:35 AM
2013 - 07 - 02
Media Server
Media Player
Settings