

Google TV Box Malí de cuatro núcleSO-GPU de 400MP Android 4.0 TV Box

Amlogic 8726 TV Box

M3H

- ▶ Amlogic 8726 M3 ARM Cortex A9
- ▶ Quad Core Mali™-400MP GPU
- ▶ Google Android™ 4.0
- ▶ Support HD 1920x1080P

Amlogic
Cortex-A9

1GB
DDR3

4GB
FLASH

4.0
Android

Wi-Fi



Especificaciones de hardware

UPC	Amlogic 8726 M3 ARM Corteza A9
GPU	Quad Core Mali™ -400MP GPU
Destello	FLASH NAND DE 4GB
Memoria	1GBDDR3

Especificaciones de la fuente de alimentación

Fuente de alimentación	CC 5 V/2 A.
Indicador de encendido (LED)	Encendido: azul; En espera: rojo

Principales características

OS	Android™ 4.0
3D	Aceleración de gráficos 3D dura
Formato de decodificador de soporte	HD MPEG1/2/4, H.264, HD AVC/VC-1, RM/RMVB, Xvid/DivX3/4/5/6, RealVideo8/9/10
Formato multimedia compatible	Avi/Rm/Rm vb/Ts/Vob/Mkv/Mov/ISO/wmv/asf/flv/dat/mpg/mpeg
Formato de música compatible	MP3/WMA/AAC/WAV/OGG/AC3/DDP/TrueHD/DTS/DTS/HD/FLAC/APE
Formato de foto de soporte	HDJPEG/BMP/GIF/PNG/TIFF
Puerto USB	Host USB 2.0 de alta velocidad de 2 vías, compatible con U DISK y USB HDD
Lector de tarjetas	Tarjetas SD/SDHC/MMC
Sistema de archivos HDD	FAT16/FAT32/NTFS; admite disco duro interno de 2,5"
Subtítulo de soporte	SRT/SMI/SUB/SSA/IDXUSB
Salida de vídeo de alta definición	SD/HD máx.1920x1080 píxeles
Tipo de idiomas OSD	Idiomas multilaterales inglés/francés/alemán/español/italiano/etc.
LAN	Ethernet: 10/100M, estándar RJ-45
Inalámbrico	WIFI™ integrado
Ratón/teclado	Admite mouse y teclado a través de USB; Admite mouse inalámbrico de 2,4 GHz y teclado mediante dongle USB de 2,4 GHz
HDMI™	HDMI™ 1.4 hasta 1080P
AV&YUV	Apoyo
SPDIF/IEC958	Óptico y coaxial

Especificaciones de software

Función de red	Chat de Skype, Picasa, Youtube, Flicker, Facebook, películas en línea, etc.
Otra característica	Búsqueda gratuita en Internet, miles de aplicaciones de Android™, muchas Tipos de juegos, etc.



Picture Show





Tomato

Tomato

Tomato



Camera

Tomato
Tomato



APPS

WIDGETS



SHOP

Tomato
Tomato



AppInstaller



Browser



Calculator



Calendar



Camera



Clock



Downloads



Email



FileBrowser



Gallery



Media Center



MoviePlayer



MusicPlayer



Network



OOBE



PicturePlayer



Play Store



Popular widget



PPP-OC



screenshot



Search



Settings



Upgrade

Tomato



Tomato

Tomato

Tomato

Tomato



Camera

Tomato
Tomato



APPS

WIDGETS



SHOP

Tomato
Tomato



AppInstaller



Browser



Calculator



Calendar



Camera



Clock



Downloads



Email



FileBrowser



Gallery



Media Center



MoviePlayer



MusicPlayer



Network



OOBE



PicturePlayer



Play Store



Popular Weeds



PPP-OC



screenshot



Search



Settings




Upgrade

Tomato



Tomato



WIRELESS & NETWORKS

- Wi-Fi
- Bluetooth
- Ethernet
- More...

DEVICE

- Sound
- Display
- Storage
- Apps

PERSONAL

- Accounts & sync
- Location services

Volumes

SYSTEM

Touch sounds


Digital audio output

PCM

RAW



Cancel



WIRELESS & NETWORKS

- Wi-Fi
- Bluetooth
- Ethernet
- More...

DEVICE

- Sound
- Display
- Storage
- Apps

PERSONAL

- Accounts & sync
- Location services

Output mode

480I

480P

576I

576P

720P 60HZ

1080I 60HZ

1080P 60HZ


720P 50HZ

1080I 50HZ

1080P 50HZ



Cancel



Storage

Apps

PERSONAL

Accounts & sync

Location services

Security

Language & input

Backup & reset

SYSTEM

Date & time

Accessibility

Developer options

About MediaBox

System updates

Status

Status of network, Serial number and other information

Legal information

Model number

MBX reference board (f16ref)

Android version

4.0.4

Kernel version


2.6.34
ubuntu@ubuntu-desktop #51
Thu Mar 21 13:24:15 CST 2013

Build number

ICS.MBX.20130325

Ethernet Info

IP address,DNS,MAC address,etc.



Scores Test Ranking

Scores

Detailed Scores

Benchmark by AnTuTu v3

2500

Check scores

Test Again Submit Scores



Authenticated



★★★★★

MBX reference board (f16ref)

Unauthenticated, please contact with us:

Unknown

marketing@antutu.com



Test




Chart



Info



Forum



Phone model:
 MBX reference board (f16ref)
 Brand:
 MBX
 CPU hardware:
 AMLOGIC MESON3 8726M SKT SH
 CPU model:
 ARMv7 Processor
 CPU frequency:
 100.0 ~ 1000.0 MHz
 Screen resolution:
 1280 x 672
 Screen density:
 160 dpi
 GPU vendor:
 ARM
 GPU renderer:
 Mali-400 MP
 GPU version (OpenGL):
 OpenGL ES 2.0



Test



Chart



Info



Forum



GPU vendor:
 ARM
 GPU renderer:
 Mali-400 MP
 GPU version (OpenGL):
 OpenGL ES 2.0
 Memory size (available/total):
 963.5 / 1022.0 MB
 RAM size (available/total):
 296.8 / 852.6 MB
 SD card size (available/total):
 2096.0 / 2096.9 MB
 Android version:
 4.0.4
 Build number:
 ICS.MBX.20130325
 IMEI:
 591321361009121
 Kernel:
 Linux version 2.6.34 (ubuntu@ubuntu-desktop) (gcc version 4.4.1 (Sourcery G++ Lite 2010q1-202)) #51 Thu Mar 21 13:24:15 CST 2013



Test



Chart



Info



Forum

