

Caja de TV de cuatro núcleos RK3288 1,8 GHz Cortex-A17 con antena externa



Especificaciones del apéndice

Modelo	Caja inteligente Android
UPC	Serie RK3288 Ultra Quad-Core Cortex-A17, hasta 1,8 GHz
Frecuencia principal	CPU ARM Cortex-A17 de cuatro núcleos con hasta 1,8 GHz y GPU Mali™ -T764
memoria interior	2G DDR3
Memoria	8G
Sistema operativo	Android™ 4.4
Interfaz de usuario	Estilo de interfaz del sistema Android Decodificador 4K H.264/H.265, decodificadores multivideo 1080P
Video	Codificación de vídeo 1080P para H.264 y VP8, MVC
Audio	MP3/WMA/APE/FLAC/AAC/OGG/AC3/WAV, etc.
Imagen	Admite una variedad de formatos de imagen de navegación (jpg □ png □ bmp, etc. □
Destello	Soporta flash
Ampliación de almacenamiento	Admite tarjeta TF y expansión de disco duro móvil
USB	1 HOST USB 2.0 compatible con 3G
tarjeta TF	Admite hasta 32 GB de capacidad
HDMI™	HDMI™ 2.0 3D Salida HD (1080P)
Bluetooth™	Bluetooth 4.0
Wi-Fi™	2,4G /5G WiFi™
rj45	Conexión de la red de cables
Audio Óptico	Admite salida óptica de audio
Control remoto	Admite control remoto IR y control remoto inalámbrico 2,4G
Salida AV	Soporta salida AV



Picture Show







09:16

AnTuTu Benchmark

Test
Ranking
Device Info

Basic Information

Brand	rockchip
Model	rk3288
OS	4.4.2
CPU Model	Rockchip RK3288
GPU Renderer	Mali-T764
Resolution	1920 x 1080
IMEI	012345678912345
Have root access	Yes

CPU

Model	Rockchip RK3288
Cores	4
Frequency	312.0 ~ 1800.0 MHz

More CPU Information >

Display

Renderer	Mali-T764
Vender	ARM
GPU Version	OpenGL ES 3.0
Resolution	1920 x 1080
Density	240 dpi

09:16

Wifi Analyzer

VIEW
SETTINGS
★

Connected to:
Tomato
a8:15:4d:67:8e:0e

IP address: 192.168.1.188
Gateway: 192.168.1.1
Netmask: 255.255.255.0
DNS1: 202.96.128.86

Tomato (a8:15:4d:67:8e:0e)	CH 1 2412 MHz	<div style="width: 60%; background-color: #008000; height: 10px;"></div> -67 dBm	TP-LINK TECHNOLOGIES CO., LTD
WPA2			
HiWiFi_0122A2 (d4:ee:07:01:22:a2)	CH 1 2412 MHz	<div style="width: 70%; background-color: #008000; height: 10px;"></div> -51 dBm	HIWIFI CO., LTD
WPA2			
Hung (b8:55:10:8a:40:cc)	CH 11 2462 MHz	<div style="width: 65%; background-color: #008000; height: 10px;"></div> -54 dBm	ZIONCOM ELECTRONICS (SHENZHEN) LTD
WPA2			
Tomato_5G (b8:55:10:8a:40:c8)	CH 140 5745 MHz	<div style="width: 60%; background-color: #008000; height: 10px;"></div>	ZIONCOM ELECTRONICS (SHENZHEN) LTD 5G



ARM ARM 0xc0d
1.80 GHz

CPU Architecture	ARM 0xc0d
Cores	4
Revision	r0p1
Clock Speed	312 MHz - 1.80 GHz
Core 0	600 MHz
Core 1	600 MHz
Core 2	816 MHz
Core 3	816 MHz
CPU Load	20 %
GPU Vendor	ARM
GPU Renderer	Mali-T764

Saving screenshot...



Model	rk3288 (rk3288)
Manufacturer	rockchip
Board	rk30sdk
Display	rk3288-eng 4.4.2 KOT49H eng.ant.20140915.173341 test-keys
Hardware	rk30board
Android Version	4.4.2
Kernel Architecture	armv7l
Kernel Version	3.10.0 (eng.ant.20140915.173341)
Screen Resolution	1920 x 1008
Screen Density	240 dpi
Total RAM	2019 MB
Available RAM	958 MB (47%)
Internal Storage	1.91 GB
Available Storage	1.68 GB (87%)
Root Access	Yes

Apps

ScreenshotSetting

Storage

Apps

PERSONAL

Security

Language & input

Backup & reset

ACCOUNTS

+ Add account

SYSTEM

Data usage

More...

DEVICE

USB

Sound

Display

ScreenshotSetting

Storage

Apps

PERSONAL

Backup & reset

ACCOUNTS

+ Add account

SYSTEM

Date & time

Printing

{ } Developer options

ⓘ About device

ON SD CARD

RUNNING

ALL



Settings

1 process and 0 services

21MB



AnTuTu Benchmark

0 processes and 1 service

0.00B

00:53



Android System

1 process and 1 service

2.1MB

10:08



Bluetooth Share

1 process and 9 services

6.3MB

09:51



Google Services

2 processes and 3 services

21MB

10:10



Google Play Store

1 process and 1 service

10MB

07:34

Total space

1.91GB

Available

1.66GB

Apps (app data & media content)

280MB

Cached data

1.04MB

NAND FLASH

Total space

Model number

rk3288

Android version

4.4.2

Baseband version

Unknown

Kernel version

3.10.0

Mon Sep 15 17:00:10 CST 2014

Build number

rk3288-eng 4.4.2 KOT49H eng.ant.20140915.173341 test-keys

