Lecteur multimédia Full HD RK3288 Quad Core Cortex-A17 4K Smart TV Box

Spécifications de l'annexe	
Modèle#	Mini-boîtier intelligent Android
CPU	Série RK3288 Ultra Quad-Core Cortex-A17, jusqu'à 1,8 GHz
Fréquence principale	Processeur quadricœur ARM Cortex-A17 avec jusqu'à 1,8 GHz et GPU Mali™-T764
Mémoire intérieure	2G DDR3
Mémoire	8G
Système opérateur	Android™ 4.4.2
Interface utilisateur	Style d'interface du système Android™
Vidéo	Décodeur 4K H.264/H.265, décodeurs multi-vidéo 1080P Encodage vidéo 1080P pour H.264 et VP8, MVC
l'audio	MP3/WMA/APE/FLAC/AAC/OGG/AC3/WAV, etc.
Image	Prend en charge une variété de formats d'image pour la navigation (jpg png bmp etc.
Éclair	Prend en charge Flash
Extension de stockage	Prise en charge de la carte TF et de l'extension du disque dur mobile
USB	1 hôte USB 2.0 prenant en charge la 3G
carte TF	Prise en charge d'une capacité de 32 Go
HDMI™	HDMI™ 2.0 3D Sortie HD (1080P)
Bluetooth™	BT 4.0
Wi-Fi™	Wi-Fi™ 2,4G/5G
Rj45	Connexion du réseau filaire
Audio Optique	Prend en charge la sortie optique audio
Télécommande	Prise en charge de la télécommande IR et de la télécommande sans fil 2,4 G
Paramètres de tension	5 V-2,5 A CC.

Picture Show

OK
1
2
3
4
5
6
7
8
9
0
MINI BOX

OK
1
2
3
4
5
6
7
8
9
0


08:49
Google
Browser
eHomeMediaCenter
Settings
FileExplorer
08:49
AnTuTu Benchmark
ApkInstaller
Browser
Calculator
Calendar
Clock
Downloads
eHomeMediaCenter
Email
FileExplorer
Gallery
Music
Play Store
Quickoffice
RKGameControlSetting
Search
Settings
Video
WifiDisplay
XBMC


08:49
Wi-Fi
WIRELESS & NETWORKS
Wi-Fi
ON
Bluetooth
ON
Ethernet
Data usage
More...
DEVICE
Wi-Fi
wifi is enabled, click to turn it off
Tomato
Connected
Tomato
Status
Connected
Signal strength
Good
Link speed
65Mbps
Security
WPA2 PSK


08:49
Ethernet
Bluetooth
ON
Ethernet
ON
Data usage
More...
DEVICE
USB
Sound
Display
Ethernet
Ethernet is enabled
MAC
5a:d0:02:2b:4a:4a
IP address
0.0.0.0
netmask
0.0.0.0
gateway
0.0.0.0
dns1
0.0.0.0


08:50
Storage
Display
ScreenshotSetting
Storage
Apps
PERSONAL
Security
Language & input
INTERNAL STORAGE
Total space
1.91GB
Available
1.61GB
Apps (app data & media content)
288MB
Cached data
54.93MB

08:53

Details

38156

rk3288

CPU: Good, Supports large apps and multitasking. RAM: Excellent, 2D graphics: Excellent, 3D graphics: Excellent, Fluently support large mobile games.

UX Android 4.4.2	
Multitask:	10801
Runtime:	4613
RAM 1227.8 / 2019.4 MB	
RAM Operation:	2102
RAM Speed:	2049

08:54

AnTuTu Benchmark

Test | Ranking | Device Info

Basic Information

Brand	rockchip
Model	rk3288
Android Version	4.4.2
CPU Model	Rockchip RK3288
Renderer	Mali-T764
Resolution	1920 x 1080
IMEI	012345678912345

08:54

AnTuTu Benchmark

Test | Ranking | Device Info

Internal Storage	Available:4.17GB
Junk Files(54MB)	Clean

CPU

CPU Model	Rockchip RK3288
Cores	4
Frequency	312.0 ~ 1800.0 MHz

More CPU Information

Display

Renderer	Mali-T764
Vender	ARM

08:55

CPU-Z | SOC | SYSTEM | BATTERY | SENSORS | ABOUT

ARM 0xc0d
1.80 GHz

CPU Architecture	ARM 0xc0d
Cores	4
Revision	r0p1
Clock Speed	312 MHz - 1.80 GHz
Core 0	600 MHz
Core 1	600 MHz
Core 2	600 MHz
Core 3	600 MHz
CPU Load	3 %
GPU Vendor	ARM
GPU Renderer	Mali-T764

08:55

CPU-Z | SOC | SYSTEM | BATTERY | SENSORS | ABOUT

Model	rk3288 (rk3288)
Manufacturer	rockchip
Board	rk30sdk
Display	rk3288-eng 4.4.2 KOT49H eng.ant.20140910.191101 test-keys
Hardware	rk30board
Android Version	4.4.2
Kernel Architecture	armv7l
Kernel Version	3.10.0 (eng.ant.20140910.191101)
Screen Resolution	1920 x 1008
Screen Density	240 dpi
Total RAM	2019 MB
Available RAM	989 MB (48%)
Internal Storage	1.91 GB
Available Storage	1.62 GB (85%)
Root Access	Yes

08:56

Wifi Analyzer | VIEW | SETTINGS

Connected to:
Tomato
a8:15:4d:67:8e:0e

Tomato (a8:15:4d:67:8e:0e)
CH 1 2412 MHz -52 dBm
TP-LINK TECHNOLOGIES CO., LTD
WPA2

Hung (b8:55:10:8a:40:cc)
CH 11 2462 MHz -51 dBm
ZIONCOM ELECTRONICS (SHENZHEN) LTD
WPA2

HiWiFi_0122A2 (d4:ee:07:01:22:a2)
CH 1 2412 MHz -50 dBm
HIWIFI CO., LTD