

# Google TV Box Quad Core Mali-GPU 400MP Android 4.0 TV Box

## Amlogic 8726 TV Box

- ▶ Amlogic 8726 M3 ARM Cortex A9
- ▶ Quad Core Mali™-400MP GPU
- ▶ Google Android™ 4.0
- ▶ Support HD 1920x1080P

Amlogic  
Cortex-A9

1GB  
DDR3

4GB  
FLASH

4.0  
Android

Wi-Fi

M3H



### Spécifications matérielles

CPU	Amlogic 8726 M3 ARM Cortex A9
GPU	Quad Core Mali™ -400MP GPU
Éclair	FLASH NAND 4 Go
Mémoire	1 Go DDR3

### Spécifications de l'alimentation

Source de courant	C.C 5V/2A
Indicateur d'alimentation (LED)	Mise sous tension : bleu ; Veille : Rouge

### Caractéristiques principales

Système d'exploitation	Android™ 4.0
3D	Accélération graphique 3D dure
Format de décodeur pris en charge	HDMPEG1/2/4,H.264, HD AVC/VC-1,RM/RMVB,Xvid/DivX3/4/5/6, RealVideo8/9/10
Format multimédia pris en charge	Avi/Rm/Rmvp/Ts/Vob/Mkv/Mov/ISO/wmv/asf/flv/dat/mpg/mpeg
Format de musique pris en charge	MP3/WMA/AAC/WAV/OGG/AC3/DDP/TrueHD/DTS/DTS/HD/FLAC/APE
Format de photo pris en charge	HDJPEG/BMP/GIF/PNG/TIFF
Emplacement USB	Hôte USB 2.0 haute vitesse à 2 voies, prend en charge le disque U et le disque dur USB
Lecteur de cartes	Cartes SD/SDHC/MMC
Système de fichiers du disque dur	FAT16/FAT32/NTFS ; Prise en charge du disque dur interne de 2,5 pouces
Sous-titre de soutien	SRT/SMI/SUB/SSA/IDXUSB
Sortie vidéo haute définition	SD/HD max.1920 x 1080 pixels
Type de Réseau localgues OSD	Anglais/français/allemand/espagnol/italien/etc langues multilatérales
LAN	Ethernet : 10/100 M, norme RJ-45
Sans fil	WIFI™ intégré
Souris/Clavier	Prise en charge de la souris et du clavier via USB ; prise en charge de la souris sans fil 2,4 GHz et clavier via dongle USB 2,4 GHz
HDMI™	HDMI™ 1.4 jusqu'à 1080P
AV&YUV	Soutien
SPDIF/IEC958	Optique et coaxial

### Spécifications du logiciel

Fonction réseau	Chat Skype, Picasa, Youtube, Flickr, Facebook, films en ligne, etc.
Autre fonctionnalité	Recherche Internet gratuite, des milliers d'applications Android™, de nombreuses Types de jeux, etc.







# Picture Show





Tomato

Tomato

# Tomato



Camera

Tomato  
Tomato



APPS

WIDGETS



SHOP

Tomato  
Tomato



AppInstaller



Browser



Calculator



Calendar



Camera



Clock



Downloads



Email



FileBrowser



Gallery



Media Center



MoviePlayer



MusicPlayer



Network



OOBE



PicturePlayer



Play Store



Popular Weeds



PPP-OC



screenshot



Search



Settings



Upgrade

Tomato



Tomato

Tomato

Tomato

# Tomato



Camera

Tomato  
Tomato



APPS

WIDGETS



SHOP

Tomato  
Tomato



AppInstaller



Browser



Calculator



Calendar



Camera



Clock



Downloads



Email



FileBrowser



Gallery



Media Center



MoviePlayer



MusicPlayer



Network



OOBE



PicturePlayer



Play Store



Popular Weeds



PPP-OC



screenshot



Search



Settings




Upgrade

Tomato



Tomato



WIRELESS & NETWORKS

- Wi-Fi
- Bluetooth
- Ethernet
- More...

DEVICE

- Sound
- Display
- Storage
- Apps

PERSONAL

- Accounts & sync
- Location services

Volumes

SYSTEM

Touch sounds

Digital audio output

PCM

RAW



Cancel

WIRELESS & NETWORKS

- Wi-Fi
- Bluetooth
- Ethernet
- More...

DEVICE

- Sound
- Display
- Storage
- Apps

PERSONAL

- Accounts & sync
- Location services

Output mode

480I

480P

576I

576P

720P 60HZ

1080I 60HZ

1080P 60HZ

720P 50HZ

1080I 50HZ

1080P 50HZ



Cancel

Storage

Apps

PERSONAL

Accounts & sync

Location services

Security

Language & input

Backup & reset

SYSTEM

Date & time

Accessibility

Developer options

About MediaBox

System updates

Status

Status of network, Serial number and other information

Legal information

Model number

MBX reference board (f16ref)

Android version

4.0.4

Kernel version

2.6.34  
ubuntu@ubuntu-desktop #51  
Thu Mar 21 13:24:15 CST 2013

Build number

ICS.MBX.20130325

Ethernet Info

IP address,DNS,MAC address,etc.



Scores Test Ranking

Scores

Detailed Scores

Benchmark by AnTuTu v3

2500

Check scores

Test Again Submit Scores



Authenticated



★★★★★

MBX reference board (f16ref)

Unauthenticated, please contact with us:

Unknown

marketing@antutu.com



Test




Chart



Info



Forum



Phone model:  
MBX reference board (f16ref)

Brand:  
MBX

CPU hardware:  
AMLOGIC MESON3 8726M SKT SH

CPU model:  
ARMv7 Processor

CPU frequency:  
100.0 ~ 1000.0 MHz

Screen resolution:  
1280 x 672

Screen density:  
160 dpi

GPU vendor:  
ARM

GPU renderer:  
Mali-400 MP

GPU version (OpenGL):  
OpenGL ES 2.0



Test



Chart



Info



Forum

GPU vendor:  
ARM

GPU renderer:  
Mali-400 MP

GPU version (OpenGL):  
OpenGL ES 2.0

Memory size (available/total):  
963.5 / 1022.0 MB

RAM size (available/total):  
296.8 / 852.6 MB

SD card size (available/total):  
2096.0 / 2096.9 MB

Android version:  
4.0.4

Build number:  
ICS.MBX.20130325

IMEI:  
591321361009121

Kernel:  
Linux version 2.6.34 (ubuntu@ubuntu-desktop) (gcc version 4.4.1 (Sourcery G++ Lite 2010q1-202)) #51 Thu Mar 21 13:24:15 CST 2013



Test



Chart



Info



Forum