

Quad Core TV Box TM8 TV Box Ultra HD 4K2K AMLOGIC S812 Google Android 4.4 TV Box TM8S



Spécifications matérielles

Modèle n °	TM8S
Processeur	Amlogic S812 Quad Core Cortex-A9R4 2,0 GHz
GPU	GPU octo-core Mali ™ -450MP
ÉCLAIR	8 Go de Nand Flash

Spécifications d'alimentation

Alimentation électrique	DC 5V / 2A
Indicateur de puissance (LED)	Pouvoir ON :bleu; Veille: rouge

Caractéristiques principales

OS	Google Android ™ 4.4 Kitkat
3D	3D-HD 1080px2
Bluetooth ™	Prise en charge de Bluetooth ™ 4.0
Format de décodeur de Soutien	HD MPEG1 / 2/4, H.264 / H.265 , HD AviationC / VC-1, RM / RMVB, XVID / DIVX3 / 4/5/6, Realvideo8 / 9/10
Soutenir le format multimédia	AVI / RM / RMVB / TS / VOB / MKV / MOV / ISO / WMV / ASF / FLV / DAT / MPG / MPEG
Format de musique de soutien	MP3 / WMA / AAC / WAV / OGG / AC3 / DDP / TRUEHD / DTS / DTS / HD / FLAC / APE
Soutenir le format photo	HD JPEG / BMP / GIF / PNG / TIFF
Hôte USB	2 USB 2.0 à haute vitesse, Soutien U et disque USB
Lecteur de carte	Cartes SD / SDHC / MMC
Système de fichiers HDD	FAT16 / FAT32 / NTFS
Sous-titre de Soutien	SRT / SMI / SUB / SSA / IDX USB
Sortie vidéo à haute division	Prise en charge de tous les décodage et sortie standard SD / HD / 4K2K
Type de Langues OSD	Anglais / français / allemand / espagnol / italien, etc.
LAN	Ethernet: 10 / 100m, RJ-45 standard
Sans fil	Prise en charge du double groupe Wi-Fi ™ (2,4 GHz / 5 GHz) (AP6330)
Souris / clavier	Prise en charge de la souris et du clavier via USB; Prise en charge de la souris et du clavier VIRESS 2,4 GHz via un dongle USB 2,4 GHz
HDMI ™	HDMI ™ 1.4b


AV	Soutien
Optique	Soutien
3G	Soutien
SPDIF / IEC958	Optique
IPTV et OTT	Soutenez de nombreux types de programmes IPTV et OTT


Spécifications du logiciel

Fonction du réseau	Miracast, XBMC, AirPlay, Skype Chatting, Picasa, YouTube, Flickr, Facebook, Films en ligne, etc.
Autre caractéristique	Recherche gratuite sur Internet, milliers d'applications Android, plusieurs types de jeux, etc.



Picture Show







06:18 Friday, Nov 7



Online Video



My recommend



Settings



My Apps



Music



Local



SETTINGS



Network



Display



Advanced



Other

Model number :

M8S

System Update

Android version :

4.4.2

More Settings

Build number :

KOT49H.20141103 test-keys

Kernel version :

3.10.33

shaoshuai.cen@wyst #2

Mon Nov 3 11:40:41 CST 2014

SETTINGS



Network



Display



Advanced



Other

Miracast

Remote Control

OFF

Google TV Remote

OFF

CEC Control

Audio format must be the same as the source

Screen orientation

Screen

PCM

Output Modes

4k2k-25hz

4k2k-30hz

4k2k-smp



Confluence

Summary information

Summary

Free memory: 937MB

IP address: 192.168.1.195

Storage

Screen resolution: 1920x1080@60.00Hz - Full screen (30.51 fps)

Network

Operating system: Linux 3.10.33 #2 SMP PREEMPT Mon Nov 3 11:40:41 CST 201...

Video

System uptime: 0 Minutes

Hardware

Total uptime: 0 Minutes

PVR service

Battery level: 100%

XBMC 13.2 Git:20140821-c5ae8b3 (Compiled: Sep 23 2014)

CPU Usage: CPU0: 28.6% CPU3: 31.2%



CPU-Z

SOC

SYSTEM

BATTERY

SENSORS

ARM Cortex-A9
1.99 GHz

CPU Architecture	ARM Cortex-A9
Cores	4
Revision	r4p1
Clock Speed	24 MHz - 1.99 GHz
Core 0	648 MHz
Core 1	stopped
Core 2	stopped
Core 3	984 MHz
CPU Load	33 %
GPU Vendor	ARM
GPU Renderer	Mali-450 MP



CPU-Z

SOC

SYSTEM

BATTERY

SENSORS

ABOUT

Model	M8S (n200)
Manufacturer	MBX
Board	n200
Display	KOT49H.20141103 test-keys
Hardware	amlogic
Android Version	4.4.2
Kernel Architecture	armv7l
Kernel Version	3.10.33 (20141103)
Screen Resolution	1920 x 1008
Screen Density	240 dpi
Total RAM	1606 MB
Available RAM	984 MB (61%)
Internal Storage	5.33 GB
Available Storage	4.99 GB (93%)
Root Access	Yes



Root Checker

Device: M8S

Android: 4.4.2 | API: 19

Check Now

Status: Rooted
Id: uid=0(root) gid=0(root)
Superuser: Not found
Busybox: /system/xbin/busybox
Su Location: /system/xbin/su
Sudo Location: Not found
Environment Vars.:
/sbin/
/vendor/bin/
/system/sbin/
/system/bin/
/system/xbin/

Tomato



Wifi Analyzer

VIEW

SETTINGS



Tomato (50:bd:5f:2e:9b:d4)

CH 6 2437 MHz

-40 dBm

WPA2

ChinaNet-iabK (34:cd:be:8a:7c:34)

Tomato
Connected

ChinaNet-iabK
Secured with WPA/WPA2 (WPS available)

HiWiFi_012

Secured with W

ChinaNet-b

Secured with W

ChinaNet-c

Secured with W

82583300

Secured with W

Tomato

Status	Connected
Signal strength	Excellent
Link speed	65Mbps
Security	WPA/WPA2 PSK
IP address	192.168.1.195

Cancel

Forget

Connected to:
Tomato
50:bd:5f:2e:9b:d4

IP address: 192.168.1.195
Gateway: 192.168.1.1
Netmask: 255.255.255.0
DNS1: 202.96.128.86
DNS2: 202.96.134.33
Server IP: 192.168.1.1

CH 6 2437 MHz

-64 dBm

WPA



