

HD 1080P RK3288 2.4G / 5 G Wifi MK288



型號	RK3288™ 四核電視盒 MK288
CPU	RK3288 四核 1.8 GHz Cortex-A17
GPU	四核 1.8 GHz Mali™-T764 GPU
RAM	2G DDR3
內存	8 G
系統	Android™ 4.4.2
支援格式	Android™ 4.4.2 Interface 支援 4 K H.264/H.265 硬解, 1080p 硬解 1080p 硬解 h. 264 VP8, MVC 硬解
音訊	MP3/WMA/APE/FLAC/AAC/OGG/AC3/WAV 硬解。
圖片	支援 Jpg, png, bmp 格式。
儲存	支援 TF 卡
USB	1 USB 2.0 埠
TF 卡	支援 32 gb 以下
HDMI™	HDMI™ 2.0 3D HD 輸出 (1080p)
藍牙™	BT 4.0
WiFi™	2.4G / 5 G WiFi™
Rj45	網路埠
紅外線	紅外線接收器
電源	IR 接收器 2.4 G 無線
電源	5V-2.5 A DC

- 注意:
1. HD 1080P 電視盒 RK3288 四核 Cortex-A17 CPU 四核 1.8 GHz Mali™-T764 GPU 四核。
 2. HD 1080P 電視盒 支援 4 K H.264/H.265 硬解, 1080p 硬解, 1080p 硬解 h. 264 VP8, MVC 硬解。
 3. HD 1080P 電視盒 8 個埠: 1 個 USB 2.0 埠, 1 個 TF 卡埠, 1 個網路埠, 1 個紅外線接收器, 1 個藍牙接收器, 1 個 WiFi 接收器, 1 個 HDMI 埠, 1 個電源埠。

- 包裝內容:
- 1 * HD 1080P 電視盒
 - 1 * HDMI 線
 - 1 * USB 線
 - 1 * 說明書
 - 1 * 遙控器
 - 1 * 電池

1 * □□□ □□□



Picture Show



Antenna

HDMI



HDMI

RECOVER



RJ45

USB

IR

TF

OTG

DC



mini BOX



mini BOX



mini BOX



mini BOX





Wi-Fi

WIRELESS & NETWORKS

- Wi-Fi ON
- Bluetooth ON
- Ethernet
- Data usage
- More...

DEVICES

- Tomato

Tomato	
Status	Connected
Signal strength	Good
Link speed	65Mbps
Security	WPA2 PSK

08:49

Ethernet

- Bluetooth ON
- Ethernet ON
- Data usage
- More...

DEVICES

- USB
- Sound
- Display

Ethernet

Ethernet is enabled

MAC
5a:d0:02:2b:4a:4a

IP address
0.0.0.0

netmask
0.0.0.0

gateway
0.0.0.0

dns1
0.0.0.0

08:50

Storage


- Display
- ScreenshotSetting
- Storage
- Apps

PERSONAL

- Security
- Language & input
- Backup & reset

INTERNAL STORAGE

Category	Value
Total space	1.91 GB
Available	1.61 GB
Apps (app data & media content)	288 MB
Cached data	54.93 MB



08:55

CPU-Z SOC SYSTEM BATTERY SENSORS ABOUT

ARM ARM 0xc0d
1.80 GHz

CPU Architecture	ARM 0xc0d
Cores	4
Revision	r0p1
Clock Speed	312 MHz - 1.80 GHz
Core 0	600 MHz
Core 1	600 MHz
Core 2	600 MHz
Core 3	600 MHz
CPU Load	3 %
GPU Vendor	ARM
GPU Renderer	Mali-T764

08:55

CPU-Z SOC SYSTEM BATTERY SENSORS ABOUT

Model	rk3288 (rk3288)
Manufacturer	rockchip
Board	rk30sdk
Display	rk3288-eng 4.4.2 KOT49H eng.ant.20140910.191101 test-keys
Hardware	rk30board
Android Version	4.4.2
Kernel Architecture	armv7l
Kernel Version	3.10.0 (eng.ant.20140910.191101)
Screen Resolution	1920 x 1008
Screen Density	240 dpi
Total RAM	2019 MB
Available RAM	989 MB (48%)
Internal Storage	1.91 GB
Available Storage	1.62 GB (85%)
Root Access	Yes

08:56

Wifi Analyzer VIEW SETTINGS

Connected to: Tomato a8:15:4d:67:8e:0e

Tomato (a8:15:4d:67:8e:0e)	TP-LINK TECHNOLOGIES CO., LTD
CH 1 2412 MHz	-52 dBm
WPA2	
Hung (b8:55:10:8a:40:cc)	ZIONCOM ELECTRONICS (SHENZHEN) LTD
CH 11 2462 MHz	-51 dBm
WPA2	
HiWiFi_0122A2 (d4:ee:07:01:22:a2)	HIWIFI CO., LTD
CH 1 2412 MHz	-50 dBm