


OEM IPTV OEM TV


	Amlogic S928X-J OEM IPTV
cpu	Amlogic S928x-j Cortex-A76 Cortex-A55
gpu	ARM Mali-G57 MC2, 4K GUI OPENGL ES 3.2, VULKAN 1.2 OPENCL 2.0
npu	3.2
ram	64 DDR4, LPDDR4/4X 8GB DDR4266
emmc	EMMC 5.1, SLC NAND FLASH
	Amlogic Video Engine (AVE)
	AV1 MP-10 @ L6.1 8kp60
	VP9 -2 @ 6.1 8kp60
	H.265 HEVC MP-10 @ L6.1 8kp60
	Avs3 Phase 1 8kp60
	AVS2-P2 8kp60
	H.264 AVC HP @ L5.2 4KP60
	MPEG-4, WMV/VC-1, AVS, MPEG-2, MPEG-1 1080p60
	MJPEG JPEG Unlimited Pixel Resolution Decoding (ISO/IEC-10918)
	4x 4kp60
	4kp60 JPEG
	H.265 4kp60
	H.264 4kp60
	Dolby Vision (), HDR10, HDR10, HLG HDR Vivid Processing 8
	Amlogic Trulife
AI	TPU (Tensor Processing Unit) 3.2 Tops NNA (Neural Network Accelerator),
	PHY CEC, HDR HDCP 2.2/2.3 HDMI 2.1A , EARC, VRR, QMS, QFT, ALLM, DSC & SBTM 8KP60 .
	MP3, AAC, WMA, RM, FLAC, OGG Vorbis, Opus, SRS Truvolume, Dolby Audio (), DTS () 7.1/5.1
	vad
Audio opuut	SPDIF 192kHz 16/24/32
	3X TDM/PCM/I2S TDM/PCM 48kHz x 32bits x 32ch 192khz x 16bits x 16ch i2s 384khz x 32bits x 16ch
	CIC, LPF, HPF PDM , 8 DMICS
	dac
	10/100/1000 Mac
USB2.0	1X USB XHCI OTG 2.0, 2X USB 2.0 , 1X USB 3.0 (5 GBPS) PCIE 2.0 .

S928X









0000 000000 OEM IPTV 000 00 0 00000000 [TV Box](#) 000 000 000000 00000 00? 0000 00 000 00 00000 0
 00 00000 000 00000 00 0000 000000. 000 00 000 OEM 00000 "S 0000 0000 00000 00000000.