

# Android TV Box RK3066 with Bluetooth Dual Core Andorid 4.2.2 Mini PC



## Specifications

Model No.	MK808B
Operation System	Google Android™ 4.2.2
CPU	RockChip RK3066, Dual Core Cortex A9 1.2-1.6 GHz, Quad Core Graphics
RAM	DDR3 1GB
Internal Memory	Nand Flash 8GB
Memory External	Support External Storage via. TF card, Support up to 32GB
Networking	WiFi™ 802.11b/g/n 10/100Mbps With internal Antenna
Graphics Type	Integrated Graphics Mali400 MP, Supports 1080P video (1920*1080)
Bluetooth™	bluetooth™ 4.0

## Input/Output Connectors

Ports	1 X USB 2.0 Host for external drive/component
	1 X Mini USB for power
	1 X HDMI1.4 Output - ESD Protection with Rclamps
	1 X Micro-TF card slot
Power	100-240V,50/60Hz input, max. power: 30W, Output: 5V/2A

## Soft Performance


Android Market	Support Android™ Market Place
Flash Player	Support Adobe™ Flash 11
Gaming	Built-in 3D Accelerator. Support 3D gaming
Email	Gmail™, POP3/SMTP/IMAP4. Emailing is easier than ever before when there is network connection

## Multi-Media

Video	Watch online video by connect to internet. local video playing: Video Decoding:Mpeg1/2/4.H.264,VC-1,Divx,Xvid,RM8/9/10,VP6, Video Formats:MKV,TS,TP,M2TS,RM/RMVB,BD-ISO,AVI,MPG,VOB, DAT,ASF,TRP,FLV etc full formats
Audio	Audio Decoding:DTS,AC3,LPCM,FLAC,HE-AAC Audio Formats: MP3,OGG,WMA,WMAPRO
Picture	JPEG, PNG, BMP, GIF
E-Book	PDF, TXT etc.



# Picture Show





WIRELESS & NETWORKS

- Wi-Fi  ON
  - Bluetooth  ON
  - Ethernet  OFF
  - Data usage
  - More...
- DEVICE
- USB
  - Sound
  - Display
  - Screen
  - ScreenshotSetting

Wi-Fi  wifi is enabled, click to turn it off.

tomato  Connected

tomato

Status	Connected
Signal strength	Excellent
Link speed	85M bps
Security	WPA/WPA2 PSK
IP address	192.168.1.104

Cancel Forget

WIRELESS & NETWORKS

- Wi-Fi  ON
  - Bluetooth  ON
  - Ethernet  OFF
  - Data usage
  - More...
- DEVICE
- USB
  - Sound
  - Display
  - Screen
  - ScreenshotSetting

VPN

Portable hotspot

PPPoE

WIRELESS & NETWORKS

- Wi-Fi
- Bluetooth
- Ethernet
- Data usage
- More...
- DEVICE
- USB
- Sound
- Display

- Screen
- ScreenshotSetting

Storage

Screen Scale

Output Interface

- 1920x1080p-60
  - 1920x1080p-50
  - 1280x720p-60
  - 1280x720p-50
  - 720x576p-50
  - 720x480p-60
- Cancel

System tray area with icons for network, volume, camera, power, and settings.

More...


DEVICE

- USB
- Sound
- Display
- Screen
- ScreenshotSetting
- Storage
- Apps
- Users
- PERSONAL
- Location access
- Security
- Language & input

INTERNAL STORAGE



NAND FLASH



System tray area with icons for network, volume, camera, power, and settings.

WIRELESS & NETWORKS

- Wi-Fi
- Bluetooth
- Ethernet
- Data usage
- More...
- DEVICE
- USB
- Sound
- Display

- Screen
- ScreenshotSetting

Storage

Screen Scale

Output Interface

- 1920x1080p-60
  - 1920x1080p-50
  - 1280x720p-60
  - 1280x720p-50
  - 720x576p-50
  - 720x480p-60
- Cancel

Tomato Settings

More...


DEVICE

- USB
- Sound
- Display
- Screen
- ScreenshotSetting
- Storage
- Apps
- Users
- PERSONAL
- Location access
- Security
- Language & input

INTERNAL STORAGE



NAND FLASH



Tomato



Scores

Detailed Scores

Benchmark by AnTuTu v3

10087

Test Again

Submit Scores

Authenticated



★★★★★  
MK808B

Unauthenticated, please contact with us:



marketing@antutu.com

Unknown

User ratings

Total: ★★★★★



Test



Chart



Info



Forum



Device Info System Info



Phone model:  
MK808B

Brand:  
rk30sdk

CPU hardware:  
RK30board

CPU model:  
Dual-Core ARMv7 Processor (VFPv3, NEON)

CPU frequency:  
252.0 ~ 1608.0 MHz

Screen resolution:  
1280 x 672

GPU vendor:  
ARM

GPU renderer:  
Mali-400 MP

GPU version (OpenGL):  
OpenGL ES 2.0

Memory size (available/total):  
1361.2 / 1511.9 MB

RAM size (available/total):



Test



Chart



Info



Forum



GPU vendor:  
ARM

GPU renderer:  
Mali-400 MP

GPU version (OpenGL):  
OpenGL ES 2.0

Memory size (available/total):  
1361.2 / 1511.9 MB

RAM size (available/total):  
515.1 / 882.3 MB

SD card size (available/total):  
4905.4 / 4907.2 MB

Android version:  
4.1.1

Build number:  
rk30sdk-eng 4.1.1 JRO03H eng.lfwang.20121218.171933 test-keys

IMEI:

Kernel:  
Linux version 3.0.8+ (lfwang\_V\_401j1) (gcc version 4.4.3 (GCC)) #26 SMP PREEMPT Tue Dec 18 17:18:40 CST 2012



Test



Chart



Info



Forum



Saving screenshot  
Screenshot is being saved



eHomeMediaCenter

09:35 AM  
2013 - 07 - 02



Media Server



Media Player



Settings

