

Smart TV Box Support True HD 1080P Double Cooling Plate Android 4.2.2 TV Box



RockChip RK3066 MK808B

- ▶ RockChip RK3066
- ▶ Dual Core Cortex A9
- ▶ Integrated Graphics Mali™400 MP
- ▶ Google Android™ 4.2.2
- ▶ Support 1080P Video



Specifications

Model No.	MK808B
Operation System	Google Android 4.2.2
CPU	RockChip RK3066, Dual Core Cortex A9 1.2-1.6 GHz, Quad Core Graphics
RAM	DDR3 1GB
Internal Memory	Nand Flash 8GB
Memory External	Support External Storage via. TF card, Support up to 32GB
Networking	WiFi™ 802.11b/g/n 10/100Mbps With internal Antenna
Graphics Type	Integrated Graphics Mali400 MP, Supports 1080P video (1920*1080)
Bluetooth™	bluetooth™ 4.0

Input/Output Connectors

Ports	1 X USB 2.0 Host for external drive/component
	1 X Mini USB for power
	1 X HDMI1.4 Output - ESD Protection with Rclamps
	1 X Micro-TF card slot
Power	100-240V,50/60Hz input, max. power: 30W, Output: 5V/2A

Soft Performance

Android Market	Support Android™ Market Place
Flash Player	Support Adobe™ Flash 11
Gaming	Built-in 3D Accelerator. Support 3D gaming
Email	Gmail™ , POP3/SMTP/IMAP4. Emailing is easier than ever before when there is network connection

Multi-Media

Video	Watch online video by connect to internet. local video playing: Video Decoding:Mpeg1/2/4.H.264,VC-1,Divx,Xvid,RM8/9/10,VP6, Video Formats:MKV,TS,TP,M2TS,RM/RMVB,BD-ISO,AVI,MPG,VOB, DAT,ASF,TRP,FLV etc full formats
Audio	Audio Decoding:DTS,AC3,LPCM,FLAC,HE-AAC Audio Formats: MP3,OGG,WMA,WMAPRO
Picture	JPEG, PNG, BMP, GIF
E-Book	PDF, TXT etc.



Picture Show





WIRELESS & NETWORKS

Wi-Fi ON

Bluetooth ON

Ethernet

Data usage

More...

DEVICE

USB

Sound

Display

Screen

ScreenshotSetting

Storage

Wi-Fi

wifi is enabled, click to turn it off.

tomato

Connected

tomato

Status Connected
Signal strength Excellent
Link speed 85M bps
Security WPA/WPA2 PSK
IP address 192.168.1.104

Cancel

Forget



WIRELESS & NETWORKS

Wi-Fi ON

Bluetooth ON

Ethernet OFF

Data usage

More...

DEVICE

USB

Sound

Display

Screen

ScreenshotSetting

Storage

VPN

Portable hotspot

PPPoE



WIRELESS & NETWORKS

- Wi-Fi
- Bluetooth
- Ethernet
- Data usage
- More...
- DEVICE
- USB
- Sound
- Display

- Screen
- ScreenshotSetting

Storage

Screen Scale

Output Interface

1920x1080p-60	<input checked="" type="radio"/>
1920x1080p-50	<input type="radio"/>
1280x720p-60	<input type="radio"/>
1280x720p-50	<input type="radio"/>
720x576p-50	<input type="radio"/>
720x480p-60	<input type="radio"/>

Cancel

System tray icons: Home, Volume, Network, Power, and a menu icon.

More...

DEVICE

- USB
- Sound
- Display
- Screen
- ScreenshotSetting
- Storage
- Apps
- Users
- PERSONAL
- Location access
- Security
- Language & input

INTERNAL STORAGE

Storage bar chart showing usage.

Total space: 1.48GB

Available: 1.35GB

Apps (app data & media content): 83.24MB

Cached data: 6.70MB

Misc.: 728KB

NAND FLASH

NAND Flash bar chart showing usage.

Total space: 4.27GB

System tray icons: Home, Volume, Network, Power, and a menu icon.

WIRELESS & NETWORKS

- Wi-Fi
- Bluetooth
- Ethernet
- Data usage
- More...
- DEVICE
- USB
- Sound
- Display

- Screen
- ScreenshotSetting

Storage

Screen Scale

Output Interface

- 1920x1080p-60
 - 1920x1080p-50
 - 1280x720p-60
 - 1280x720p-50
 - 720x576p-50
 - 720x480p-60
- Cancel

Tomato Settings

Volume icons: - +

System icons: Network, Power, Menu

More...


DEVICE

- USB
- Sound
- Display
- Screen
- ScreenshotSetting
- Storage
- Apps
- Users
- PERSONAL
- Location access
- Security
- Language & input

INTERNAL STORAGE



NAND FLASH



Tomato Settings

Volume icons: - +

System icons: Network, Power, Menu

Scores

Detailed Scores

Benchmark by AnTuTu v3

10087

Test Again

Submit Scores

Authenticated



★★★★★
MK808B

Unauthenticated, please contact with us:

Tomato

Unknown

marketing@antutu.com

User ratings

Total: ★★★★★



Test



Chart



Info



Forum

Phone model:
MK808B

Brand:
rk30sdk

CPU hardware:
RK30board

CPU model:
Dual-Core ARMv7 Processor (VFPv3, NEON)

CPU frequency:
252.0 ~ 1608.0 MHz

Screen resolution:
1280 x 672

GPU vendor:
ARM

GPU renderer:
Mali-400 MP

GPU version (OpenGL):
OpenGL ES 2.0

Memory size (available/total):
1361.2 / 1511.9 MB

RAM size (available/total):

Tomato



Test



Chart



Info



Forum

GPU vendor:
ARM

GPU renderer:
Mali-400 MP

GPU version (OpenGL):
OpenGL ES 2.0

Memory size (available/total):
1361.2 / 1511.9 MB

RAM size (available/total):
515.1 / 882.3 MB

SD card size (available/total):
4905.4 / 4907.2 MB

Android version:
4.1.1

Build number:
rk30sdk-eng 4.1.1 JRO03H eng.lfwang.20121218.171933 test-keys

IMEI:

Kernel:
Linux version 3.0.8+ (lfwang_V_401j1) (gcc version 4.4.3 (GCC)) #26 SMP PREEMPT Tue Dec 18 17:18:40 CST 2012



Test



Chart



Info



Forum



Saving screenshot
Screenshot is being saved



eHomeMediaCenter

09:35 AM
2013 - 07 - 02



Media Server



Media Player



Settings

