

Smart Android TV caixa Amlogic S812 Quad-Core Cortex-A9r4 2.0GHz Android™ 4.4 KitKat TM8S



Ferragem Especificações

Modelo no.	TM8S
CPU	Amlogic S812 Quad-Core Cortex-A9r4 2.0GHz
GPU	Octo-Core GPU de Mali™ -450MP
FLASH	8GB NAND FLASH

Fonte de alimentação Especificações

Poder Abastecimento de	DC 5V/2A
Poder Indicador (LED)	Poder DIANTE : azul; Modo de espera: vermelho

Principais características

SISTEMA OPERACIONAL	Google Android™ 4.4 KitKat
3D	3D-HD 1080Px2
Bluetooth™	Suporte Bluetooth™ 4.0
Suporte Formato de decodificador	HD MPEG1/2/4, H.264/H.265, HD AVC/VC-1, RM/RMVB, Xvid/DivX3/4/5/6, RealVideo8/9/10
Suporte Formato de mídia	Avi/Rm/Rmvb/Ts/Vob/Mkv/Mov/ISO/Wmv/Asf/Flv/Dat/Mpg/Mpeg
Suporte Formato da música	MP3/WMA/AAC/WAV/OGG/AC3/DDP/TrueHD/DTS/DTS/HD/FLAC/APE
Suporte Formato da foto	HD JPEG/BMP/GIF/PNG/TIFF
USB Host	2 alta Velocidade USB 2.0, suporte U DISCO e USB HDD
Cartão Leitor de	SD/SDHC/MMC Cartões de
Arquivo de disco RÍGIDO Sistema	FAT16/FAT32/NTFS
Suporte Legendas	SRT/SMI/SUB/SSA/IDX + USB
Alta Saída de Difinition vídeo	Suporte Todos padrão SD/HD/4K2K Ultra HD descodificação e saída
Tipo OSD de línguas	Inglês/francês/alemão/espanhol/italiano Línguas multilaterais etc.
LAN	Ethernet: 10 / 100M, padrão RJ-45
Sem fio	Suporte Dual Band Wi-Fi™ (2.4 GHz/5GHz) (AP6330)
Mouse/teclado	Suporte Mouse e teclado Via USB; Suporte 2,4 GHz interessante Mouse e teclado através de 2.4GHz USB Dongle
HDMI™	HDMI™ 1.4B
AV	Suporte
Óptico	Suporte
3G	Suporte
SPDIF/IEC958	Óptico
IPTV e OTT	Suporte Muitos tipos de programas OTT e IPTV


Software de Especificações

Rede Função	Miracast, XBMC, Airplay, Skype Bate-papo, Picasa, Youtube, Flickr, Facebook, Filmes Online, etc
Outros Recurso	Grátis Busca de Internet, milhares de aplicativos Android, muitos tipos de jogos, etc



Picture Show







06:18 Friday, Nov 7

Online Video My recommend Settings

My Apps Music Local

4K, Home, Play Store, Android, App Store, Plus

SETTINGS

SETTINGS

Network

Display

Advanced

Other

Network

Display

Advanced

Other

Model number :
M8S

System Update

Android version :
4.4.2

More Settings

Build number :
KOT49H.20141103 test-keys

Kernel version :
3.10.33
shaoshuai.cen@wyst #2
Mon Nov 3 11:40:41 CST 2014

Miracast

Remote Control

OFF

Google TV Remote

OFF

CEC Control

Output Modes

4k2k-25hz

4k2k-30hz

4k2k-smpte

PCM



Confluence

Summary information

Summary Free memory: 937MB
 IP address: 192.168.1.195

Storage Screen resolution: 1920x1080@60.00Hz - Full screen (30.51 fps)

Network Operating system: Linux 3.10.33 #2 SMP PREEMPT Mon Nov 3 11:40:41 CST 201...
 System uptime: 0 Minutes

Video Total uptime: 0 Minutes

Hardware Battery level: 100%

PVR service

XBMC 13.2 Git:20140821-c5ae8b3 (Compiled: Sep 23 2014)

CPU Usage: CPU0: 28.6% CPU3: 31.2%

CPU-Z SOC SYSTEM BATTERY SENSORS

Cortex ARM Cortex-A9
 Intelligent Processors by ARM[®]
 1.99 GHz

CPU Architecture	ARM Cortex-A9
Cores	4
Revision	r4p1
Clock Speed	24 MHz - 1.99 GHz
Core 0	648 MHz
Core 1	stopped
Core 2	stopped
Core 3	984 MHz
CPU Load	33 %
GPU Vendor	ARM
GPU Renderer	Mali-450 MP

CPU-Z SOC SYSTEM BATTERY SENSORS ABOUT

Model	M8S (n200)
Manufacturer	MBX
Board	n200
Display	KOT49H.20141103 test-keys
Hardware	amlogic
Android Version	4.4.2
Kernel Architecture	armv7l
Kernel Version	3.10.33 (20141103)
Screen Resolution	1920 x 1008
Screen Density	240 dpi
Total RAM	1606 MB
Available RAM	984 MB (61%)
Internal Storage	5.33 GB
Available Storage	4.99 GB (93%)
Root Access	Yes

Root Checker

Device: M8S

Android: 4.4.2 | API: 19

Check Now

Status: Rooted
Id: uid=0(root) gid=0(root)
Superuser: Not found
Busybox: /system/xbin/busybox
Su Location: /system/xbin/su
Sudo Location: Not found
Environment Vars.:
/sbin/
/vendor/bin/
/system/sbin/
/system/bin/
/system/xbin/



Wifi Analyzer

VIEW SETTINGS

Tomato (50:bd:5f:2e:9b:d4)



WPA2

ChinaNet-iabK (34:cd:be:8a:7c:34)

Connected to:
Tomato
50:bd:5f:2e:9b:d4
IP address: 192.168.1.195
Gateway: 192.168.1.1
Netmask: 255.255.255.0
DNS1: 202.96.128.86
DNS2: 202.96.134.33
Server IP: 192.168.1.1

Tomato	
Status	Connected
Signal strength	Excellent
Link speed	65Mbps
Security	WPA/WPA2 PSK
IP address	192.168.1.195

Cancel Forget

ChinaNet-iabK
Secured with WPA/WPA2 (WPS available)

HiWiFi_012
Secured with WPA/WPA2 (WPS available)

ChinaNet-b
Secured with WPA/WPA2 (WPS available)

ChinaNet-c
Secured with WPA/WPA2 (WPS available)

82583300
Secured with WPA/WPA2 (WPS available)

WPA

CH 6 2437 MHz -64 dBm



Root Checker

Device: M8S

Android: 4.4.2 | API: 19

Check Now

Status: Rooted
Id: uid=0(root) gid=0(root)
Superuser: Not found
Busybox: /system/xbin/busybox
Su Location: /system/xbin/su
Sudo Location: Not found

Environment Vars.:
/sbin/
/vendor/bin/
/system/sbin/
/system/bin/
/system/xbin/



Wifi Analyzer

VIEW SETTINGS

Tomato (50:bd:5f:2e:9b:d4)



WPA2

ChinaNet-iabK (34:cd:be:8a:7c:34)

Connected to:
Tomato
50:bd:5f:2e:9b:d4

IP address: 192.168.1.195
Gateway: 192.168.1.1
Netmask: 255.255.255.0
DNS1: 202.96.128.86
DNS2: 202.96.134.33
Server IP: 192.168.1.1

Tomato	Connected
ChinaNet-iabK	Secured with WPA/WPA2 (WPS available)
HiWiFi_012	Secured with WPA/WPA2
ChinaNet-b	Secured with WPA/WPA2
ChinaNet-c	Secured with WPA/WPA2
82583300	Secured with WPA/WPA2

Tomato

Status	Connected
Signal strength	Excellent
Link speed	65Mbps
Security	WPA/WPA2 PSK
IP address	192.168.1.195

Cancel Forget

WPA



About MediaBox

System updates

Status
Status of network and other information

Legal information

Model number
M8S

Android version
4.4.2

Kernel version
3.10.33
shaoshuai.cen@wyst #2
Mon Nov 3 11:40:41 CST 2014

Build number
KOT49H.20141103 test-keys

Ethernet Infor
IP address,DNS,MAC address,etc.



Apps

DOWNLOADED RUNNING

	Settings 1 process and 0 services	21MB
	SettingsMbox 1 process and 1 service	26MB 04:23
	PPPoE 1 process and 1 service	3.4MB 04:03
	Google Play services 1 process and 3 services	15MB 02:37
	Google Play services 1 process and 2 services	12MB 04:24
	Google Play Store 1 process and 1 service	7.9MB 04:19

Storage

INTERNAL STORAGE

Total space
5.33GB

Available
4.98GB

- Apps (app data & media content)
347MB
- Pictures, videos
20.00KB
- Cached data
68.97MB
- Misc.
1.72MB

SD CARD

Mount SD card
Insert an SD card for mounting

