

Tv Smart Box Quad Core Mali-T764 GPU Android Tv caixa T288



T288

RockChip3288

- ▶ RK3288 Quad-Core Cortex-A17@1.8GHz
- ▶ Quad-Core Mali™-T764
- ▶ Google Android™ 4.4
- ▶ Support 2.4G/5G WiFi™

Quad Core Cortex-A17 2GB DDR3 8GB Memory 4.4 Android WiFi™

Especificações do apêndice

Modelo	Androide™ Smart BOX
CPU	Ultra RK3288 Série Quad-Core Cortex-A17, até 1,8 GHz
Frequência principal	BRAÇO de quad-core CórteX-A17 CPU com até 1,8 GHz e GPU é Mali™-T764
Memória interna	2G DDR3
Memória	8G
Sistema Operacional	Androide™ 4.4
Interface de usuário	Interface de sistema Android estilo 4K-H.264/H.265 decodificador, decodificadores múltiplos de vídeo de 1080p Codificação h. 264 e VP8, MVC de vídeo 1080p
Vídeo	
Áudio	MP3/WMA/APE/FLAC/AAC/OGG/AC3/WAV etc.
Imagens	Variedade de suportes de navegação de formatos imagem (jpg□png□BMP, etc.□
Flash	Suporta flash
Expansão de armazenamento	Cartão do TF da sustentação e expansão do disco rígido móvel
USB	1 HOST USB 2.0 suporte 3G
Cartão do TF	Suporte a até 32GB capacidade
HDMI™	HDMI™ 2.0 3D Saída HD (1080p)
Bluetooth™	BT 4.0
Wi-Fi™	2.4 G/ Wi-Fi 5g™
RJ45	Conexão do fio rede
Áudio óptico	Suporta áudio saída ótica
Controle remoto	Suporte controle remoto IR e 2.4 remoto sem fio de G
AV Out	Suporte a saída AV



Picture Show







09:16

AnTuTu Benchmark

Test
Ranking
Device Info

Basic Information

Brand	rockchip
Model	rk3288
OS	4.4.2
CPU Model	Rockchip RK3288
GPU Renderer	Mali-T764
Resolution	1920 x 1080
IMEI	012345678912345
Have root access	Yes

CPU

Model	Rockchip RK3288
Cores	4
Frequency	312.0 ~ 1800.0 MHz

More CPU Information >

Display

Renderer	Mali-T764
Vender	ARM
GPU Version	OpenGL ES 3.0
Resolution	1920 x 1080
Density	240 dpi

09:16

Wifi Analyzer

VIEW
SETTINGS
★

Connected to:
Tomato
a8:15:4d:67:8e:0e

IP address: 192.168.1.188
Gateway: 192.168.1.1
Netmask: 255.255.255.0
DNS1: 202.96.128.86

Tomato (a8:15:4d:67:8e:0e)	TP-LINK TECHNOLOGIES CO., LTD
CH 1 2412 MHz -67 dBm	
WPA2	
HiWiFi_0122A2 (d4:ee:07:01:22:a2)	HIWIFI CO., LTD
CH 1 2412 MHz -51 dBm	
WPA2	
Hung (b8:55:10:8a:40:cc)	ZIONCOM ELECTRONICS (SHENZHEN) LTD
CH 11 2462 MHz -54 dBm	
WPA2	
Tomato_5G (b8:55:10:8a:40:c8)	ZIONCOM ELECTRONICS (SHENZHEN) LTD
CH 140 5745 MHz	



ARM ARM 0xc0d
1.80 GHz

CPU Architecture	ARM 0xc0d
Cores	4
Revision	r0p1
Clock Speed	312 MHz - 1.80 GHz
Core 0	600 MHz
Core 1	600 MHz
Core 2	816 MHz
Core 3	816 MHz
CPU Load	20 %
GPU Vendor	ARM
GPU Renderer	Mali-T764

Saving screenshot...



Model	rk3288 (rk3288)
Manufacturer	rockchip
Board	rk30sdk
Display	rk3288-eng 4.4.2 KOT49H eng.ant.20140915.173341 test-keys
Hardware	rk30board
Android Version	4.4.2
Kernel Architecture	armv7l
Kernel Version	3.10.0 (eng.ant.20140915.173341)
Screen Resolution	1920 x 1008
Screen Density	240 dpi
Total RAM	2019 MB
Available RAM	958 MB (47%)
Internal Storage	1.91 GB
Available Storage	1.68 GB (87%)
Root Access	Yes



Apps

ScreenshotSetting

Storage

Apps

PERSONAL

Security

Language & input

Backup & reset

ACCOUNTS

+ Add account

SYSTEM

Data usage

More...

DEVICE

USB

Sound

Display

ScreenshotSetting

Storage

Apps

PERSONAL

Backup & reset

ACCOUNTS

+ Add account

SYSTEM

Date & time

Printing

{ } Developer options

ⓘ About device

ON SD CARD

RUNNING

ALL



Settings

1 process and 0 services

21MB



AnTuTu Benchmark

0 processes and 1 service

0.00B

00:53



Android System

1 process and 1 service

2.1MB

10:08



Bluetooth Share

1 process and 9 services

6.3MB

09:51



Google Services

2 processes and 3 services

21MB

10:10



Google Play Store

1 process and 1 service

10MB

07:34

Total space

1.91GB

Available

1.66GB

Apps (app data & media content)

280MB

Cached data

1.04MB

NAND FLASH

Total space

Model number

rk3288

Android version

4.4.2

Baseband version

Unknown

Kernel version

3.10.0

Mon Sep 15 17:00:10 CST 2014

Build number

rk3288-eng 4.4.2 KOT49H eng.ant.20140915.173341 test-keys

