

Андроид TV Quad Core RK3288 Quad-core 1,8 ГГц Cortex-A17 TV Box Mk288



Спецификации приложения

Модель#	Андроид™ Умная мини коробка MK288
Процессор	Серия RK3288 Ultra Quad-Core Cortex-A17, до 1,8 ГГц Четырехъядерный процессор ARM Cortex-A17 с тактовой частотой до 1,8 ГГц и графическим процессором Mali™ -T764
Основная частота	
Внутренняя память	2G DDR3
Память	8G
Операционная система	Андроид™ 4.4.2
Пользовательский интерфейс	Андроид™ Стиль системного интерфейса Декодер 4K H.264/H.265, декодеры мультимедиа 1080P Кодирование видео 1080P для H.264 и VP8, MVC
видео	
Аудио	MP3/WMA/APE/FLAC/AAC/OGG/AC3/WAV и т. д.
Картина	Поддерживает просмотр различных форматов изображений (jpg □ png □ bmp и т.д. □
Вспышка	Поддерживает вспышку
Расширение хранилища	Поддержка TF-карты и расширения мобильного жесткого диска
USB	1 USB-хост 2.0 с поддержкой 3G
TF карта	Поддержка емкости до 32 ГБ
HDMI™	HDMI™ 2.0 3D Выход HD (1080P)
Bluetooth™	БТ 4.0
Wi-Fi™	2,4G/5G Wi-Fi™
RJ45	Подключение проводной сети
Аудио Оптический	Поддерживает оптический аудиовыход
Дистанционное управление	Поддержка ИК-пульта и беспроводного пульта 2,4G.
Параметры напряжения	5В-2.5А постоянного тока



Picture Show



Antenna

HDMI



HDMI

RECOVER



RJ45

USB

IR

TF

OTG

DC



mini BOX



mini BOX



mini BOX



mini BOX





Wi-Fi

08:49

WIRELESS & NETWORKS

- Wi-Fi ON
- Bluetooth ON
- Ethernet
- Data usage
- More...

DEVICE

- Hotspot

Tomato

Status	Connected
Signal strength	Good
Link speed	65Mbps
Security	WPA2 PSK

Wi-Fi
wifi is enabled, click to turn it off

Tomato
Connected

08:49

Ethernet

08:49

- Bluetooth ON
- Ethernet ON
- Data usage
- More...

DEVICE

- USB
- Sound
- Display

Ethernet

Ethernet is enabled

MAC
5a:d0:02:2b:4a:4a

IP address
0.0.0.0

netmask
0.0.0.0

gateway
0.0.0.0

dns1
0.0.0.0

08:50

Storage

08:50

- Display
- ScreenshotSetting
- Storage
- Apps

PERSONAL

- Security
- Language & input
- Backup & reset

INTERNAL STORAGE

Total space	1.91 GB
Available	1.61 GB
Apps (app data & media content)	288 MB
Cached data	54.93 MB

08:50

Apps

Display

ScreenshotSetting

Storage

Apps

PERSONAL

Security

Language & input

Backup & reset

ACCOUNTS

Add account

SYSTEM

Date & time

ON SD CARD

RUNNING

ALL

Settings	1 process and 0 services	24MB
Android System	1 process and 1 service	2.5MB 02:26
Google Play services	1 process and 1 service	7.8MB 02:07
Google Play services	2 processes and 2 services	16MB 02:27
Google Play Store	1 process and 1 service	7.0MB 02:23
System Update	1 process and 1 service	3.7MB 02:28
eHomeMediaCenter	1 process and 1 service	6.1MB 02:10
Android keyboard (AOSP)	1 process and 1 service	4.5MB 02:28

About device

Storage

Apps

PERSONAL

Security

Language & input

Backup & reset

ACCOUNTS

Add account

SYSTEM

Date & time

Printing

Developer options

About device

System updates

Rockchip system updates

Status

Status of the battery, network, and other information

Legal information

Model number

rk3288

Android version

4.4.2

Baseband version

Unknown

Kernel version

3.10.0
Wed Sep 10 19:10:49 CST 2014

Build number

rk3288-eng 4.4.2 KOT49H eng.ant.20140910.191101 test-keys

Details

38156

rk3288

CPU: Good, Supports large apps and multitasking. RAM: Excellent, 2D graphics: Excellent, 3D graphics: Excellent, Fluently support large mobile games.

UX Android 4.4.2

Multitask: 10801

Runtime: 4613

RAM 1227.8 / 2019.4 MB

RAM Operation: 2102

RAM Speed: 2049

AnTuTu Benchmark

Test Ranking Device Info

Basic Information

Brand	rockchip
Model	rk3288
Android Version	4.4.2
CPU Model	Rockchip RK3288
Renderer	Mali-T764
Resolution	1920 x 1080
IMEI	012345678912345

AnTuTu Benchmark

Test Ranking Device Info

Internal Storage Available: 4.17GB

Junk Files (54MB) [Clean](#)

CPU

CPU Model	Rockchip RK3288
Cores	4
Frequency	312.0 ~ 1800.0 MHz

[More CPU Information](#)

Display

Renderer	Mali-T764
Vender	ARM

08:55

CPU-Z SOC SYSTEM BATTERY SENSORS ABOUT

ARM ARM 0xc0d
1.80 GHz

CPU Architecture	ARM 0xc0d
Cores	4
Revision	r0p1
Clock Speed	312 MHz - 1.80 GHz
Core 0	600 MHz
Core 1	600 MHz
Core 2	600 MHz
Core 3	600 MHz
CPU Load	3 %
GPU Vendor	ARM
GPU Renderer	Mali-T764

08:55

CPU-Z SOC SYSTEM BATTERY SENSORS ABOUT

Model	rk3288 (rk3288)
Manufacturer	rockchip
Board	rk30sdk
Display	rk3288-eng 4.4.2 KOT49H eng.ant.20140910.191101 test-keys
Hardware	rk30board
Android Version	4.4.2
Kernel Architecture	armv7l
Kernel Version	3.10.0 (eng.ant.20140910.191101)
Screen Resolution	1920 x 1008
Screen Density	240 dpi
Total RAM	2019 MB
Available RAM	989 MB (48%)
Internal Storage	1.91 GB
Available Storage	1.62 GB (85%)
Root Access	Yes

08:56

Wifi Analyzer VIEW SETTINGS

Connected to: Tomato a8:15:4d:67:8e:0e

Tomato (a8:15:4d:67:8e:0e)	TP-LINK TECHNOLOGIES CO., LTD
CH 1 2412 MHz -52 dBm	
WPA2	
Hung (b8:55:10:8a:40:cc)	ZIONCOM ELECTRONICS (SHENZHEN) LTD
CH 11 2462 MHz -51 dBm	
WPA2	
HiWiFi_0122A2 (d4:ee:07:01:22:a2)	HIWIFI CO., LTD
CH 1 2412 MHz -50 dBm	