

ТВ-приставка Google TV Box с четырёхъядерным процессором Mali-400MP, Android 4.0, ТВ-приставка

Amlogic 8726 TV Box

M3H

- ▶ Amlogic 8726 M3 ARM Cortex A9
- ▶ Quad Core Mali™-400MP GPU
- ▶ Google Android™ 4.0
- ▶ Support HD 1920x1080P

Amlogic
Cortex-A9

1GB
DDR3

4GB
FLASH

4.0
Android

Wi-Fi



Технические характеристики оборудования

Процессор	Amlogic 8726 M3 ARM Cortex A9
графический процессор	Четырёхъядерный процессор Мали™ -400-мегапиксельный графический процессор
Вспышка	4 ГБ NAND ФЛЕШ
Память	1 ГБ памяти DDR3

Характеристики источника питания

Источник питания	5 В постоянного тока/2 А
Индикатор питания (светодиодный)	Включение питания: синий; Режим ожидания: красный

Основные характеристики

Операционные системы	Андроид™ 4.0
3D	Аппаратное ускорение 3D-графики
Поддержка формата декодера	HD MPEG1/2/4, H.264, HD AVC/VC-1, RM/RMVB, Xvid/DivX3/4/5/6, RealVideo8/9/10
Поддержка формата мультимедиа	Avi/RM/Rmnb/Ts/Vob/Mkv/Mov/ISO/wmv/asf/flv/dat/mpg/mpeg
Поддержка музыкального формата	MP3/WMA/AAC/WAV/OGG/AC3/DDP/TrueHD/DTS/DTS/HD/FLAC/APE
Поддержка формата фотографий	HD JPEG/BMP/GIF/PNG/TIFF
USB-хост	2-сторонний высокоскоростной хост USB 2.0, поддержка U-диска и USB HDD
Кардридер	Карты SD/SDHC/MMC
Файловая система жесткого диска	FAT16/FAT32/NTFS; Поддержка внутреннего жесткого диска 2,5 дюйма.
Поддержка субтитров	SPT/SMI/SUB/SSA/IDX/USB
Видеовыход высокой четкости	SD/HD макс. 1920x1080 пикселей
Тип языков экранного меню	Английский/французский/немецкий/испанский/итальянский/и т. д. многосторонние языки
локальная сеть	Ethernet: 10/100M, стандартный RJ-45
Беспроводная связь	Встроенный Wi-Fi™
Мышь/Клавиатура	Поддержка мыши и клавиатуры через USB; Поддержка беспроводной мыши 2,4 ГГц и клавиатура через USB-ключ 2,4 ГГц
HDMI™	HDMI™ 1.4 до 1080P
AV&ЮВ	Поддерживать
СПДДИФ/МЭК958	Оптический и коаксиальный

Характеристики программного обеспечения

Сетевая функция	Чат в Skype, Picasa, Youtube, Flickr, Facebook, онлайн-фильмы и т. д.
-----------------	---

Другая особенность

Бесплатный поиск в Интернете, тысячи приложений Android™, множество
Виды игр и т. д.



Picture Show





Tomato

Tomato

Tomato



Camera

Tomato
Tomato



APPS

WIDGETS



SHOP

Tomato
Tomato



AppInstaller



Browser



Calculator



Calendar



Camera



Clock



Downloads



Email



FileBrowser



Gallery



Media Center



MoviePlayer



MusicPlayer



Network



OOBE



PicturePlayer



Play Store



Popular Weeds



PPP-OC



screenshot



Search



Settings



Upgrade

Tomato



Tomato

Tomato

Tomato

Tomato



Camera

Tomato
Tomato



APPS

WIDGETS



SHOP

Tomato
Tomato



AppInstaller



Browser



Calculator



Calendar



Camera



Clock



Downloads



Email



FileBrowser



Gallery



Media Center



MoviePlayer



MusicPlayer



Network



OOBE



PicturePlayer



Play Store



Popular Weeds



PPP-OC



screenshot



Search



Settings



Upgrade

Tomato



Tomato



WIRELESS & NETWORKS

- Wi-Fi
- Bluetooth
- Ethernet
- More...

DEVICE

- Sound
- Display
- Storage
- Apps

PERSONAL

- Accounts & sync
- Location services

Volumes

SYSTEM

Touch sounds

Digital audio output

PCM

RAW

Cancel

WIRELESS & NETWORKS

- Wi-Fi
- Bluetooth
- Ethernet
- More...

DEVICE

- Sound
- Display
- Storage
- Apps

PERSONAL

- Accounts & sync
- Location services

Output mode

480I

480P

576I

576P

720P 60HZ

1080I 60HZ

1080P 60HZ

720P 50HZ

1080I 50HZ

1080P 50HZ

Cancel

Storage

Apps

PERSONAL

Accounts & sync

Location services

Security

Language & input

Backup & reset

SYSTEM

Date & time

Accessibility

Developer options

About MediaBox

System updates

Status

Status of network, Serial number and other information

Legal information

Model number

MBX reference board (f16ref)

Android version

4.0.4

Kernel version

2.6.34
ubuntu@ubuntu-desktop #51
Thu Mar 21 13:24:15 CST 2013

Build number

ICS.MBX.20130325

Ethernet Info

IP address,DNS,MAC address,etc.



Scores Test Ranking

Scores

Detailed Scores

Benchmark by AnTuTu v3

2500

Check scores

Test Again Submit Scores



Authenticated



★★★★★

MBX reference board (f16ref)

Unauthenticated, please contact with us:

Unknown

marketing@antutu.com



Test




Chart



Info



Forum



Phone model:
MBX reference board (f16ref)

Brand:
MBX

CPU hardware:
AMLOGIC MESON3 8726M SKT SH

CPU model:
ARMv7 Processor

CPU frequency:
100.0 ~ 1000.0 MHz

Screen resolution:
1280 x 672

Screen density:
160 dpi

GPU vendor:
ARM

GPU renderer:
Mali-400 MP

GPU version (OpenGL):
OpenGL ES 2.0



Test



Chart



Info



Forum

GPU vendor:
ARM

GPU renderer:
Mali-400 MP

GPU version (OpenGL):
OpenGL ES 2.0

Memory size (available/total):
963.5 / 1022.0 MB

RAM size (available/total):
296.8 / 852.6 MB

SD card size (available/total):
2096.0 / 2096.9 MB

Android version:
4.0.4

Build number:
ICS.MBX.20130325

IMEI:
591321361009121

Kernel:
Linux version 2.6.34 (ubuntu@ubuntu-desktop) (gcc version 4.4.1 (Sourcery G++ Lite 2010q1-202)) #51 Thu Mar 21 13:24:15 CST 2013



Test



Chart



Info



Forum