

Dört çekirdekli TV kutusu TM8S TV kutusu Ultra HD 4K2K Amlogic S812  
Google Android 4.4 TV kutusu TM8S



#### Donanım Teknik Özellikler

Model No.	TM8S
CPU	Amlogic S812 Dört çekirdekli Cortex-A9r4 2.0GHz
GPU	Sekiz çekirdekli Mali™-450MP GPU
FLASH	8GB NAND FLASH

#### Güç kaynağı Teknik Özellikler

Güç Tedarik	DC 5V/2A
Güç Gösterge (LED)	Güç ON : mavi; Bekleme: kırmızı

#### Başlıca özellikleri

<b>İŞLETİM SİSTEMİ</b>	Google Android™ 4.4 KitKat
3D	3D-HD 1080Px2
<b>Bluetooth™</b>	Bluetooth™ 4.0 desteği
Destek Kod çözücü biçimi	HD MPEG1/2/4,H.264/H.265, HD AVC/VC-1, RM/RMVB, Xvid/DivX3/4/5/6, RealVideo8/9/10
Destek Medya biçimi	AVI/Rm/Rmvb/Ts/Vob/Mkv/Mov/ISO/Wmv/Asf/Fiv/Dat/Mpg/Mpeg
Destek Müzik formatı	MP3/WMA/AAC/WAV/OGG/AC3/DDP/TrueHD/DTS/DTS/HD/FLAC/MAYMUN
Destek Fotoğraf formatı	HD JPEG/BMP/GIF/PNG/TIFF
USB ana bilgisayar	2 yüksek hızlı USB 2.0, destek U DISK ve USB HDD
Kartı Okuyucu	SD/SDHC/MMC Kartları
HDD dosya Sistem	FAT16/FAT32/NTFS
Destek Altyazı	SRT/SMI/ALT/SSA/IDX + USB
Yüksek Definition Video çıkışı	Destek Tüm standart SD/HD/4K2K Ultra HD çözme ve çıkış
OSD türü diller	İngilizce/Fransızca/Almanca/İspanyolca/İtalyanca vb çok taraflı diller
LAN	Ethernet: 10 / 100M, standart RJ-45
<b>Kablosuz</b>	<b>Destek Çift bant Wi-Fi™ (2,4 GHz/5 GHz) (AP6330)</b>
Fare/klavye	Destek Fare ve klavye USB üzerinden; Destek 2.4 GHz Vireless fare ve klavye ile 2.4GHz USB Dongle
HDMI™	HDMI™ 1.4B
AV	Destek
Optik	Destek
3G	Destek
SPDIF/IEC958	Optik
IPTV ve OTT	Destek Birçok türde IPTV ve OTT programları

## Yazılım Teknik Özellikler

Ağ İşlevi

Miracast, XBMC, Airplay, Skype Sohbet, Picasa, Youtube, titreme, Facebook, Online Film, vb


Diğer Özelliği

Ücretsiz İnternet arama, binlerce Android uygulamaları, oyunlar birçok çeşit, vb



# Picture Show







06:18 Friday, Nov 7

Online Video    My recommend    Settings

My Apps    Music    Local

4K    Home    Play Store    App Drawer    Search    Plus

### SETTINGS

### SETTINGS

Network

Display

Advanced

Other

Network

Display

Advanced

Other

Model number :  
M8S

System Update

Android version :  
4.4.2

More Settings

Build number :  
KOT49H.20141103 test-keys

Kernel version :  
3.10.33  
shaoshuai.cen@wyst #2  
Mon Nov 3 11:40:41 CST 2014

Miracast

Remote Control

OFF

Google TV Remote

OFF

CEC Control

OFF

#### Output Modes

4k2k-25hz

4k2k-30hz

4k2k-smpte

PCM



Confluence

Summary information

Summary Free memory: 937MB  
 IP address: 192.168.1.195

Storage Screen resolution: 1920x1080@60.00Hz - Full screen (30.51 fps)

Network Operating system: Linux 3.10.33 #2 SMP PREEMPT Mon Nov 3 11:40:41 CST 201...  
 System uptime: 0 Minutes

Video Total uptime: 0 Minutes

Hardware Battery level: 100%

PVR service

XBMC 13.2 Git:20140821-c5ae8b3 (Compiled: Sep 23 2014)

CPU Usage: CPU0: 28.6% CPU3: 31.2%

CPU-Z SOC SYSTEM BATTERY SENSORS

**Cortex** ARM Cortex-A9  
 Intelligent Processors by ARM<sup>®</sup>  
 1.99 GHz

CPU Architecture	ARM Cortex-A9
Cores	4
Revision	r4p1
Clock Speed	24 MHz - 1.99 GHz
Core 0	648 MHz
Core 1	stopped
Core 2	stopped
Core 3	984 MHz
CPU Load	33 %
GPU Vendor	ARM
GPU Renderer	Mali-450 MP

CPU-Z SOC SYSTEM BATTERY SENSORS ABOUT

Model	M8S (n200)
Manufacturer	MBX
Board	n200
Display	KOT49H.20141103 test-keys
Hardware	amlogic
Android Version	4.4.2
Kernel Architecture	armv7l
Kernel Version	3.10.33 (20141103)
Screen Resolution	1920 x 1008
Screen Density	240 dpi
Total RAM	1606 MB
Available RAM	984 MB (61%)
Internal Storage	5.33 GB
Available Storage	4.99 GB (93%)
Root Access	Yes

# Root Checker

Device: M8S

Android: 4.4.2 | API: 19

**Check Now**

Status: Rooted  
Id: uid=0(root) gid=0(root)  
Superuser: Not found  
Busybox: /system/xbin/busybox  
Su Location: /system/xbin/su  
Sudo Location: Not found  
Environment Vars.:  
/sbin/  
/vendor/bin/  
/system/sbin/  
/system/bin/  
/system/xbin/



# Wifi Analyzer

VIEW SETTINGS

## Tomato (50:bd:5f:2e:9b:d4)

CH 6 2437 MHz -40 dBm

WPA2

## ChinaNet-iabK (34:cd:be:8a:7c:34)

HIWIFI TECHNOLOGIES CO., LTD

Tomato Connected

ChinaNet-iabK Secured with WPA/WPA2 (WPS available)

HiWiFi\_012 Secured with WPA/WPA2 (WPS available)

ChinaNet-b Secured with WPA/WPA2 (WPS available)

ChinaNet-c Secured with WPA/WPA2 (WPS available)

82583300 Secured with WPA/WPA2 (WPS available)

ZTE CORPORATION

CISCO-LINKSYS

ZTE CORPORATION

WPA

CH 6 2437 MHz -64 dBm

WPA

Connected to:  
Tomato  
50:bd:5f:2e:9b:d4  
IP address: 192.168.1.195  
Gateway: 192.168.1.1  
Netmask: 255.255.255.0  
DNS1: 202.96.128.86  
DNS2: 202.96.134.33  
Server IP: 192.168.1.1

### Tomato

Status	Connected
Signal strength	Excellent
Link speed	65Mbps
Security	WPA/WPA2 PSK
IP address	192.168.1.195

Cancel

Forget



# About MediaBox

## System updates

Status  
Status of network and other information

## Legal information

Model number  
M8S

Android version  
4.4.2

Kernel version  
3.10.33  
shaoshuai.cen@wyst #2  
Mon Nov 3 11:40:41 CST 2014

Build number  
KOT49H.20141103 test-keys

Ethernet Infor  
IP address,DNS,MAC address,etc.



# Apps

DOWNLOADED RUNNING

	<b>Settings</b> 1 process and 0 services	21MB
	<b>SettingsMbox</b> 1 process and 1 service	26MB 04:23
	<b>PPPoE</b> 1 process and 1 service	3.4MB 04:03
	<b>Google Play services</b> 1 process and 3 services	15MB 02:37
	<b>Google Play services</b> 1 process and 2 services	12MB 04:24
	<b>Google Play Store</b> 1 process and 1 service	7.9MB 04:19

### Storage

**INTERNAL STORAGE**

**Total space**  
5.33GB

**Available**  
4.98GB

- Apps (app data & media content)**  
347MB
- Pictures, videos**  
20.00KB
- Cached data**  
68.97MB
- Misc.**  
1.72MB

**SD CARD**

Mount SD card  
Insert an SD card for mounting

