

# Dört Çekirdekli TV Kutusu TM8S TV Kutusu Ultra HD 4K2K Amlogic S812 Google Android 4.4 TV Kutusu TM8S



## DAÇIKANIM Özellikleri

|                 |   |
|-----------------|---|
| Model numarası. | TM8S  |
| İşlemci         | Amlogic S812 Dört Çekirdekli Cortex-A9r4 2.0GHz |
| GPU             | Sekiz Çekirdekli Mali™-450MP GPU                |
| FLAŞ            | 8GB NAND FLAŞ                                   |

## Güç Kaynağı Özellikleri

|                      |                                |
|----------------------|--------------------------------|
| Güç kaynağı          | DC 5V/2A                       |
| Güç Göstergesi (LED) | Güç ON :mAVi; Bekleme :Kırmızı |

## Ana Özellikler

|                                  |  |
|----------------------------------|--|
| İşletim sistemi                  | Google Android™ 4.4 KitKat   |
| 3 boyutlu                        | 3D-HD 1080Px2  |
| Bluetooth™                       | Bluetooth™ 4.0'ı destekleyin   |
| Destek Kod Çözücü Formatı        | HDMPEG1/2/4,H.264/ H.265 , HD AVC/VC-1,RM/RMVB,Xvid/DivX3/4/5/6 ,RealVideo8/9/10                                       |
| Destek Medya Formatı             | Avi/Rm/RmVb/Ts/Vob/Mkv/Mov/ISO/Wmv/Asf/Flv/Dat/Mpg/Mpeg  |
| Destek Müzik Formatı             | MP3/WMA/AAC/WAV/OGG/AC3/DDP/TrueHD/DTS/DTS/HD/FLAC/APE   |
| Fotoğraf Formatını Destekleyin   | HD JPEG/BMP/GIF/PNG/TIFF   |
| USB Ana Bilgisayarı              | 2 Yüksek Hızlı USB 2.0, U DISK ve USB HDD Desteği  |
| Kart okuyucu                     | SD/SDHC/MMC Kartları   |
| HDD Dosya Sistemi                | FAT16/FAT32/NTFS   |
| Destek Altyazısı                 | SRT/SMI/SUB/SSA/IDXUSB   |
| Yüksek Çözünürlüklü Video Çıkışı | Tüm Standart SD/HD/4K2K Ultra HD Kod Çözme ve Çıkışı Destekleyin   |
| OSD dil türü                     | İngilizce/Fransızca/Almanca/İspanyolca/İtalyanca vb. Çok Taraflı Diller  |
| LAN                              | Ethernet:10/100M, Standart RJ-45   |
| Kablosuz                         | Çift Bantlı Wi-Fi™ (2,4 GHz/5 GHz) desteği (AP6330)  |
| Fare/Klavye                      | USB Üzerinden Fare ve Klavyeyi Destekleyin; 2,4 GHz USB Dongle Üzerinden 2,4 GHz Vireless Fare ve Klavyeyi Destekleyin |
| HDMI™                            | HDMI™ 1.4B   |
| AV                               | Destek   |


|              |   |
|--------------|---|
| Optik        | Destek  |
| 3G           | Destek  |
| SPDIF/IEC958 | Optik   |
| IPTV ve OTT  | Birçok Türde IPTV ve OTT Programını Destekleyin |


### **Yazılım Özellikleri**

|               |  |
|---------------|--|
| Ağ İşlevi     | Miracast,XBMC,Airplay,Skype Sohbet,Picasa,Youtube,Flicker,Facebook,Çevrimiçi Filmler,vb. |
| Diğer Özellik | Ücretsiz İnternet Araması, Binlerce Android Uygulaması, Birçok Oyun Türü, vb.            |



# Picture Show







06:18 Friday, Nov 7

Online Video    My recommend    Settings

My Apps    Music    Local

4K    Home    Play Store    App Drawer    Search    Plus

### SETTINGS

### SETTINGS

Network

Display

Advanced

Other

Network

Display

Advanced

Other

Model number :  
M8S

System Update

Android version :  
4.4.2

More Settings

Build number :  
KOT49H.20141103 test-keys

Kernel version :  
3.10.33  
shaoshuai.cen@wyst #2  
Mon Nov 3 11:40:41 CST 2014

Miracast

Remote Control

OFF

Google TV Remote

OFF

CEC Control

#### Output Modes

4k2k-25hz

4k2k-30hz

4k2k-smpte

PCM



Confluence

Summary information

Summary Free memory: 937MB  
 IP address: 192.168.1.195

Storage Screen resolution: 1920x1080@60.00Hz - Full screen (30.51 fps)

Network Operating system: Linux 3.10.33 #2 SMP PREEMPT Mon Nov 3 11:40:41 CST 201...

Video System uptime: 0 Minutes

Hardware Total uptime: 0 Minutes

PVR service Battery level: 100%

XBMC 13.2 Git:20140821-c5ae8b3 (Compiled: Sep 23 2014)

CPU Usage: CPU0: 28.6% CPU3: 31.2%

CPU-Z SOC SYSTEM BATTERY SENSORS

**Cortex** ARM Cortex-A9  
 Intelligent Processors by ARM<sup>™</sup>  
 1.99 GHz

|                  |                   |
|------------------|-------------------|
| CPU Architecture | ARM Cortex-A9     |
| Cores            | 4                 |
| Revision         | r4p1              |
| Clock Speed      | 24 MHz - 1.99 GHz |
| Core 0           | 648 MHz           |
| Core 1           | stopped           |
| Core 2           | stopped           |
| Core 3           | 984 MHz           |
| CPU Load         | 33 %              |
| GPU Vendor       | ARM               |
| GPU Renderer     | Mali-450 MP       |

CPU-Z SOC SYSTEM BATTERY SENSORS ABOUT

|                     |                           |
|---------------------|---------------------------|
| Model               | M8S (n200)                |
| Manufacturer        | MBX                       |
| Board               | n200                      |
| Display             | KOT49H.20141103 test-keys |
| Hardware            | amlogic                   |
| Android Version     | 4.4.2                     |
| Kernel Architecture | armv7l                    |
| Kernel Version      | 3.10.33 (20141103)        |
| Screen Resolution   | 1920 x 1008               |
| Screen Density      | 240 dpi                   |
| Total RAM           | 1606 MB                   |
| Available RAM       | 984 MB (61%)              |
| Internal Storage    | 5.33 GB                   |
| Available Storage   | 4.99 GB (93%)             |
| Root Access         | Yes                       |

# Root Checker

Device: M8S

Android: 4.4.2 | API: 19

**Check Now**

Status: Rooted  
Id: uid=0(root) gid=0(root)  
Superuser: Not found  
Busybox: /system/xbin/busybox  
Su Location: /system/xbin/su  
Sudo Location: Not found  
Environment Vars.: /sbin/  
/vendor/bin/  
/system/sbin/  
/system/bin/  
/system/xbin/



# Wifi Analyzer

VIEW SETTINGS

## Tomato (50:bd:5f:2e:9b:d4)



WPA2

## ChinaNet-iabK (34:cd:be:8a:7c:34)

Connected to: **Tomato**  
50:bd:5f:2e:9b:d4  
IP address: 192.168.1.195  
Gateway: 192.168.1.1  
Netmask: 255.255.255.0  
DNS1: 202.96.128.86  
DNS2: 202.96.134.33  
Server IP: 192.168.1.1

|               |                                       |
|---------------|---------------------------------------|
| Tomato        | Connected                             |
| ChinaNet-iabK | Secured with WPA/WPA2 (WPS available) |
| HiWiFi_012    | Secured with WPA/WPA2                 |
| ChinaNet-b    | Secured with WPA/WPA2                 |
| ChinaNet-c    | Secured with WPA/WPA2                 |
| 82583300      | Secured with WPA/WPA2                 |

**Tomato**

|                 |               |
|-----------------|---------------|
| Status          | Connected     |
| Signal strength | Excellent     |
| Link speed      | 65Mbps        |
| Security        | WPA/WPA2 PSK  |
| IP address      | 192.168.1.195 |

Cancel Forget

WPA



# About MediaBox

## System updates

Status  
Status of network and other information

## Legal information

Model number  
M8S

Android version  
4.4.2

Kernel version  
3.10.33  
shaoshuai.cen@wyst #2  
Mon Nov 3 11:40:41 CST 2014

Build number  
KOT49H.20141103 test-keys

Ethernet Infor  
IP address,DNS,MAC address,etc.



# Apps

DOWNLOADED RUNNING

|  |   |                |
|--|---|----------------|
|  | <b>Settings</b><br>1 process and 0 services             | 21MB           |
|  | <b>SettingsMbox</b><br>1 process and 1 service          | 26MB<br>04:23  |
|  | <b>PPPoE</b><br>1 process and 1 service                 | 3.4MB<br>04:03 |
|  | <b>Google Play services</b><br>1 process and 3 services | 15MB<br>02:37  |
|  | <b>Google Play services</b><br>1 process and 2 services | 12MB<br>04:24  |
|  | <b>Google Play Store</b><br>1 process and 1 service     | 7.9MB<br>04:19 |

## Storage

**INTERNAL STORAGE**

Total space  
5.33GB

Available  
4.98GB

- Apps (app data & media content)  
347MB
- Pictures, videos  
20.00KB
- Cached data  
68.97MB
- Misc.  
1.72MB

**SD CARD**

Mount SD card  
Insert an SD card for mounting

